```
-- MySQL dump 10.13 Distrib 8.0.34, for Win64 (x86 64)
-- Host: localhost
                  Database: testdb
-- Server version
                 8.0.28
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT*/;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS*/;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD TIME ZONE=@@TIME ZONE */;
/*!40103 SET TIME ZONE='+00:00' */;
/*!40014 SET @OLD UNIQUE CHECKS=@@UNIQUE CHECKS, UNIQUE CHECKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS,
FOREIGN KEY CHECKS=0 */;
/*!40101 SET @OLD SQL MODE=@@SQL MODE,
SQL MODE='NO AUTO VALUE ON ZERO' */;
/*!40111 SET @OLD SQL NOTES=@@SQL NOTES, SQL NOTES=0 */;
SET @MYSQLDUMP_TEMP_LOG_BIN = @@SESSION.SQL_LOG_BIN;
SET @@SESSION.SQL LOG BIN= 0;
-- GTID state at the beginning of the backup
SET @@GLOBAL.GTID PURGED=/*!80000 '+'*/ ";
-- Table structure for table 'leagues'
DROP TABLE IF EXISTS 'leagues';
/*!40101 SET @saved cs client
                              = @@character set client */;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE 'leagues' (
 'id' int NOT NULL AUTO INCREMENT,
 'name' varchar(32) DEFAULT NULL,
 'description' varchar(2048) NOT NULL.
 PRIMARY KEY ('id')
) ENGINE=InnoDB AUTO INCREMENT=3 DEFAULT CHARSET=latin1;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'leagues'
```

```
LOCK TABLES 'leagues' WRITE;
/*!40000 ALTER TABLE `leagues` DISABLE KEYS */;
INSERT INTO `leagues` VALUES (1,'Pro Snowboarding','The Professionals'),(2,'Amateur
Snowboarding','The Amateurs');
/*!40000 ALTER TABLE `leagues` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `license levels`
DROP TABLE IF EXISTS `license_levels`;
/*!40101 SET @saved cs client
                                  = @@character set client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `license_levels` (
 'id' int NOT NULL AUTO INCREMENT,
 'value' varchar(32) DEFAULT NULL,
 'description' varchar(2048) NOT NULL,
 PRIMARY KEY ('id')
) ENGINE=InnoDB AUTO_INCREMENT=6 DEFAULT CHARSET=latin1;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `license levels`
LOCK TABLES 'license levels' WRITE;
/*!40000 ALTER TABLE `license_levels` DISABLE KEYS */;
INSERT INTO `license_levels` VALUES (1,'NA','Not Applicable'),(2,'A','A Level License'),(3,'B','B
Level License'),(4,'C','C Level License'),(5,'D','D Level License');
/*!40000 ALTER TABLE `license_levels` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `people`
DROP TABLE IF EXISTS 'people';
/*!40101 SET @saved cs client
                                  = @@character set client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE 'people' (
```

'id' int NOT NULL AUTO_INCREMENT,

```
'first_name' varchar(32) DEFAULT NULL,
 `last_name` varchar(32) NOT NULL,
 'address1' varchar(128) NOT NULL.
 'city' varchar(64) DEFAULT NULL,
 `state` varchar(2) DEFAULT NULL,
 'zip' varchar(10) DEFAULT NULL,
 'team id' int NOT NULL,
 'email' varchar(128) NOT NULL,
 'phone' varchar(24) NOT NULL,
 'password' varchar(32) NOT NULL,
 `user name` varchar(32) NOT NULL,
 'person type' enum('coach', 'player', 'admin') NOT NULL,
 'logo path' varchar(128) DEFAULT NULL,
 PRIMARY KEY ('id'),
 KEY 'fk team' ('team id')
) ENGINE=InnoDB AUTO INCREMENT=26 DEFAULT CHARSET=latin1;
/*!40101 SET character_set_client = @saved_cs_client */;
-- Dumping data for table 'people'
LOCK TABLES 'people' WRITE;
/*!40000 ALTER TABLE `people` DISABLE KEYS */;
INSERT INTO 'people' VALUES (1,'Kenneth','Jenson','1527 N. 230 w.','Apt. 3','My
notes','Orem','UT','84664',1,'kenneth.jenson@gmail.com','801-222-4444','mypassword','kjenson',
2,'coach',NULL),(2,'Ben','Jenson','1527 N. 230 w.','Apt. 3','My
notes','Orem','UT','84664',1,'ben.jenson@gmail.com','801-333-4444','mypassword','bjenson',3,'c
oach', NULL), (3, 'Gabe', 'Jenson', '1527 N. 230 w.', 'Apt. 3', 'My
notes','Orem','UT','84664',4,'gjenson@gmail.com','801-444-4244','mypassword','gjenson',1,'play
er', NULL), (4, 'Hannah', 'Jenson', '1527 N. 230 w.', 'Apt. 3', 'My
notes', 'Orem', 'UT', '84664', 6, 'h.jenson@gmail.com', '801-333-4443', 'mypassword', 'hjenson', 1, 'play
er', NULL), (6, 'Jerry', 'West', '1527 N. 230 w.', 'Apt. 3', 'My
notes', 'Orem', 'UT', '84664', 5, 'h. jenson@gmail.com', '801-333-4445', 'mypassword', 'jwest', 1, 'player'
,NULL),(8,'Brennon','Koch','084 Erin Burg',",'embrace rich
applications', 'Bonitashire', 'UT', '84556', 1, 'aylinrau@gmail.com', '382-655-3570', 'password', 'kjenso
n',1,'coach',NULL),(10,'Josiah','Osinski','77307 Lauriane Roads',",'cultivate dynamic
functionalities', 'East
Alexiemouth','UT','84556',1,'clemens_doyle20@hotmail.com','995-424-5545','password','kjenson
',1,'coach',NULL),(12,'Alexandrea','Murphy','370 Della Mission',",'engineer value-added
deliverables', 'Draper', 'UT', '84556', 1, 'arno_schamberger41@hotmail.com', '852-328-2266', 'passw
ord', 'kjenson', 1, 'coach', NULL), (14, 'Pete', 'Wisozk', '788 Nathan Wall', ", 'expedite cross-platform
content', 'Raulbury', 'UT', '84556', 1, 'felton.lockman@hotmail.com', '567-521-5316', 'password', 'kiens
on',1,'coach',NULL),(16,'Gwen','Considine','74851 Monserrat Glens',",'integrate one-to-one
```

```
paradigms'.'Lake Havasu
City', 'UT', '84556', 1, 'serena.johnston@yahoo.com', '875-400-3199', 'password', 'kjenson', 1, 'coach',
NULL),(18,'Jacky','Jacobi','10818 Jakob Curve',",'reintermediate global
portals', 'Josefaville', 'UT', '84556', 1, 'kevon jakubowski70@hotmail.com', '431-715-2923', 'passwor
d', 'kjenson', 1, 'coach', NULL), (20, 'Hans', 'Abernathy', '4065 Stehr Terrace', ", 'redefine proactive
convergence', 'Brooklyn
Park', 'UT', '84556', 1, 'nicklaus 81@yahoo.com', '437-457-6755', 'password', 'kjenson', 1, 'coach', NUL
L),(22,'Veronica','Schamberger','160 Wilkinson Crossroad',",'disintermediate value-added
supply-chains', 'Bethesda', 'UT', '84556', 1, 'tania hansen69@yahoo.com', '554-745-8621', 'passwor
d','kjenson',1,'coach',NULL),(24,'Daisha','Flatley','02221 Reynolds Burg',",'leverage
bricks-and-clicks models', 'West
Itzel','UT','84556',1,'manuel4@gmail.com','672-416-5224','password','kjenson',1,'coach',NULL),(
25, 'Cleo', 'Hintz', '204 Cruz Drive', ", 'transform rich
functionalities', 'Schmidtport', 'UT', '84556', 1, 'wendellziemann8@gmail.com', '226-925-2145', 'pass
word', 'kjenson', 1, 'player', NULL);
/*!40000 ALTER TABLE `people` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table 'teams'
DROP TABLE IF EXISTS 'teams';
/*!40101 SET @saved cs client
                                    = @@character set client */;
/*!50503 SET character set client = utf8mb4 */;
CREATE TABLE 'teams' (
 'id' int NOT NULL AUTO_INCREMENT,
 'name' varchar(128) DEFAULT NULL,
 'coach id' int NOT NULL,
 `league_id` int NOT NULL,
 `notes` varchar(1024) NOT NULL,
 'motto' varchar(1024) NOT NULL,
 'logo path' varchar(128) DEFAULT NULL,
 PRIMARY KEY ('id'),
 KEY 'coach id 2' ('coach id'),
 KEY 'league id' ('league id'),
 CONSTRAINT `fk_coach_person` FOREIGN KEY (`coach_id`) REFERENCES `people` (`id`),
 CONSTRAINT 'fk league team' FOREIGN KEY ('league id') REFERENCES 'leagues' ('id')
) ENGINE=InnoDB AUTO INCREMENT=21 DEFAULT CHARSET=latin1;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table 'teams'
```

```
LOCK TABLES 'teams' WRITE;
/*!40000 ALTER TABLE `teams` DISABLE KEYS */;
INSERT INTO 'teams' VALUES (1, 'Smokin Hot Grillers', 1, 1, 'This is an awesome teamdsds', 'we
grill hot!', NULL), (4, 'Green Eggs and Ham', 1, 1, 'This is an awesome team', 'breakfast bbg is the
best',NULL),(5,'Burger Boys',2,1,'3660 is awesomeaa','burgers rock!ddd',NULL),(6,'BBQ
Masters',1,1,'a bunch of idiotss','We love cooking!',NULL),(7,'BBQ
Boilers', 1, 1, 'sdfdsdfd', 'sdfsdfd', NULL), (8, 'Butterflies', 1, 1, 'sdfsfsf', 'We
fly', NULL), (9, 'Babies', 1, 1, 'sdfsds', 'sdf', NULL), (12, '4 neural Team', 2, 1, 'envisioneer 24& #x2F; 7
e-commerce', 'synergize dynamic interfaces', NULL);
/*!40000 ALTER TABLE `teams` ENABLE KEYS */;
UNLOCK TABLES;
SET @@SESSION.SQL LOG BIN = @MYSQLDUMP TEMP LOG BIN;
/*!40103 SET TIME ZONE=@OLD TIME ZONE */;
/*!40101 SET SQL MODE=@OLD SQL MODE */;
/*!40014 SET FOREIGN KEY CHECKS=@OLD FOREIGN KEY CHECKS */;
/*!40014 SET UNIQUE CHECKS=@OLD UNIQUE CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
/*!40101 SET COLLATION CONNECTION=@OLD COLLATION CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;
```

⁻⁻ Dump completed on 2023-11-13 16:40:55