Free UI/UX Assets for Claude Code

Use these free resources as references, templates, component scaffolds, design-system inputs, accessibility rules, and motion patterns when building UI with Claude Code.

1. Developer UI Kits and Code Scaffolds

These resources are suitable for Claude Code because they provide source code, reusable components, Tailwind utilities, or terminal-based installation workflows.

shadcn/ui

- Editable React component scaffolds.
- Suitable for dashboards, forms, charts, analytics interfaces, and SaaS products.
- Use for:
  - Buttons
  - Forms
  - Dialogs
  - Tables
  - Charts
  - Cards
  - Navigation
  - Dashboard layouts
- Import into the skill:
  - Component source code
  - Variants
  - Tailwind classes
  - CSS variables

  - Component composition patterns

Awesome shadcn/ui

- Curated collection of shadcn/ui templates and interfaces.
- Suitable for:
  - Analytics dashboards
  - Charts
  - Glassmorphism interfaces
  - SaaS layouts
  - Landing pages
  - Admin interfaces
- Import into the skill:
  - Boilerplate layouts
  - Page structures
  - Reusable UI patterns
  - Configuration examples

ShadcnSpace UI Blocks

- Collection of Tailwind CSS layout blocks and templates.
- Suitable for:
  - E-commerce grids
  - Login pages
  - Marketing sections
  - Pricing sections
  - Landing pages
  - Application layouts

- Import into the skill:
  - Page layouts
  - Section structures
  - Responsive grid patterns
  - Tailwind implementation examples

Flowbite Tailwind Figma and Code Kit

- UI ecosystem connecting Tailwind CSS utilities, Figma assets, and reusable UI blocks.
- Suitable for:
  - Dashboards
  - Sidebars
  - Mobile applications
  - Navigation layouts
  - Admin panels
- Import into the skill:
  - Tailwind utility patterns
  - Figma-to-code mappings
  - Sidebar structures
  - Dashboard components
  - Responsive layouts

Modern Next.js Admin Dashboard

- Structured admin dashboard template.
- Suitable for:
  - Analytics
  - CRM systems

  - Logistics products
  - Internal tools
  - Data-heavy interfaces
- Import into the skill:
  - Dashboard page structures
  - Analytics components
  - CRM layouts
  - Data tables
  - Interactive logistics components
  - Next.js project conventions

2. Design Systems and Token Resources

Awesome Claude Design Utilities

- Repository containing frontend-design-related guidance and utilities.
- Use it to improve visual quality and reduce repetitive or generic AI-generated layouts.
- Import into the skill:
  - Visual design principles
  - Aesthetic rules
  - Layout guidance
  - Typography direction
  - Design critique rules
  - Anti-patterns to avoid

Comprehensive UI/UX Resource Index

- Curated index of open-source design systems, style guides, and HTML/CSS frameworks.
- Import into the skill:
  - Design-system references
  - Style-guide patterns
  - HTML/CSS starter frameworks
  - Component references
  - Layout conventions

Bootstrap 5 Figma-to-Code Kit

- Open-source resource for Bootstrap 5 grids, components, and design handoff.
- Suitable for projects using Bootstrap or structured grid systems.
- Import into the skill:
  - Grid constraints
  - Component dimensions
  - Responsive breakpoints
  - Figma-to-code mappings
  - Developer handoff rules

Style Dictionary

- Design-token transformation and build system.
- Suitable for generating portable tokens across platforms.
- Import into the skill:
  - Token structure
  - Color tokens
  - Typography tokens

  - Spacing tokens
  - Border-radius tokens
  - Shadow tokens
  - Platform transformation rules

3. Accessible Component Foundations

Radix UI

- Accessible interaction primitives for React.
- Suitable for:
  - Dialogs
  - Menus
  - Popovers
  - Tabs
  - Tooltips
  - Dropdowns
  - Selects
  - Focus management
- Import into the skill:
  - Keyboard interaction rules
  - Focus-management patterns
  - ARIA behavior
  - Component state logic
  - Accessible interaction primitives

ARIA Authoring Practices Guide

- Reference for accessible custom component behavior.
- Suitable for:
  - Tabs
  - Dialogs
  - Menus
  - Comboboxes
  - Accordions
  - Tooltips
  - Disclosure components
- Import into the skill:
  - Keyboard behavior
  - Roles
  - States
  - Properties
  - Focus rules
  - Interaction patterns

4. Popular Free UI Scaffolding Libraries

DaisyUI

- Tailwind CSS component library with semantic component classes.
- Suitable for:
  - Rapid prototyping
  - Forms
  - Buttons
  - Cards
  - Navigation

  - Themes
- Import into the skill:
  - Semantic component classes
  - Theme structures
  - Color names
  - Common component patterns

Uiverse

- Community-driven library of creative UI elements.
- Suitable for:
  - Buttons
  - Cards
  - Loaders
  - Inputs
  - Hover effects
  - Small visual components
- Import into the skill:
  - Individual component ideas
  - CSS effects
  - Hover states
  - Micro-interactions
  - Creative visual patterns

Ayro UI

- Collection of Bootstrap 5 snippets, sections, and page scaffolds.
- Suitable for:

  - Marketing pages
  - Hero sections
  - Pricing sections
  - Feature sections
  - Footers
  - Contact sections
- Import into the skill:
  - Bootstrap layouts
  - Page sections
  - Responsive structures
  - HTML/CSS snippets

5. Accessibility Checklists and Validation

Use the following sequence when generating or reviewing UI:

```text
W3C WCAG Quick Reference
    ↓
A11Y Project Checklist
    ↓
WebAIM Checklist
    ↓
ARIA Authoring Practices Guide
    ↓
eslint-plugin-jsx-a11y
    ↓
axe-core
```

↓

Manual keyboard testing

↓

Manual screen-reader testing

```

### W3C WCAG Quick Reference

Use as the primary accessibility requirements reference.

### A11Y Project Checklist

Use for a concise, practical accessibility review during development.

### WebAIM Checklist

Use for page-level, content, navigation, form, and media accessibility reviews.

### eslint-plugin-jsx-a11y

Use for static accessibility checks in React and JSX code.

### axe-core

Use for automated accessibility testing of rendered interfaces.

### Manual keyboard and screen-reader testing
```

Use as the final validation layer. Automated tools should not be treated as a replacement for manual testing.

6. Motion and Animation Assets

Motion

Formerly known as Framer Motion.

```bash
npm install motion
```

Suitable for:

- React animations
- Page transitions
- Modal transitions
- Hover states
- Gestures
- Shared-layout animations
- Enter and exit transitions
- Loading states
- Skeleton animations
- Micro-interactions

Import into the skill:

- Animation variants
- Duration tokens
- Easing tokens
- Reduced-motion rules
- Page-transition patterns
- Loading and skeleton patterns
- Gesture patterns
- Layout-animation examples

Magic UI

- Animated React and Tailwind component examples.
- Best for:
  - Marketing pages
  - Product launches
  - Landing pages
  - Visual storytelling
  - Onboarding flows

Aceternity UI

- Visually expressive animated components.
- Best for:
  - Landing pages
  - Hero sections
  - Product launches
  - Promotional interfaces
  - Visual storytelling

React Spring

- Physics-based React animation library.
- Best for:
  - Natural movement
  - Drag interactions
  - Spring transitions
  - Gesture-driven interfaces

GSAP

- Advanced animation and timeline library.
- Best for:
  - Complex timelines
  - Scroll effects
  - Advanced choreography
  - Rich marketing interactions

Lottie

- Reusable designer-created animation assets.
- Best for:
  - Empty states
  - Onboarding
  - Success animations
  - Loading animations
  - Product illustrations

AutoAnimate

- Simple automatic layout-transition library.
- Best for:
  - Lists
  - Accordions
  - Filtering
  - Adding and removing items
  - Basic layout changes

7. Recommended Default Stack

For product interfaces, use:

```text
shadcn/ui
  ↓
Radix UI
  ↓
Tailwind CSS
  ↓
Style Dictionary
  ↓
Motion
  ↓
ARIA APG
  ↓
```

eslint-plugin-jsx-a11y

  ↓

axe-core

```

### Usage guidance

- Use **shadcn/ui** for editable component scaffolds.

- Use **Radix UI** for accessible interaction primitives.

- Use **Style Dictionary** for portable design tokens.

- Use **ARIA APG** for custom component behavior.

- Use **Motion** for controlled animation and interaction feedback.

- Use **axe-core** and **eslint-plugin-jsx-a11y** for validation.

- Use **Magic UI** and **Aceternity UI** selectively for marketing pages, onboarding, launches, and visual storytelling.

- Avoid using heavy animation by default in dashboards, forms, and data-dense product interfaces.

Before copying any repository or asset into the skill, verify its current license, framework compatibility, maintenance status, and whether its components can be redistributed.
```