

WEEK – 2

Experiment : Design Webpage Using HTML5 & CSS3

Aim: To design and develop a styled webpage using HTML5 and CSS3 by applying semantic HTML elements, CSS properties, layouts, colors, fonts, borders, shadows, hover effects, and responsive card-based design.

Description : HTML5 is used to structure the content of a webpage using semantic elements such as <header>, <nav>, <section>, and <footer>. CSS3 is used to style and enhance the appearance of the webpage by applying colors, fonts, spacing, borders, shadows, gradients, layouts, and interactive hover effects.

In this experiment, a styled webpage titled "My Styled Webpage" is created. The webpage contains a header, navigation bar, three content cards for HTML5, CSS3, and JavaScript, and a footer.

CSS3 properties such as linear-gradient(), display: flex, box-shadow, border-radius, text-shadow, :hover, flex-wrap, and spacing properties are used to improve the design and user experience.

HTML5 Components Used

Component	Purpose
<header>	Defines the header section of the webpage
<nav>	Creates the navigation menu
<a>	Creates navigation links
<section>	Groups the main content
<div>	Creates individual content cards
<h1>, <h2>	Displays headings
<p>	Displays paragraphs
<button>	Creates interactive buttons
<footer>	Defines the footer section

CSS3 Properties Used

CSS Property	Purpose
background	Adds background styling
linear-gradient()	Creates a gradient background
color	Sets text color
font-family	Changes the font
text-align	Aligns text

padding	Adds space inside elements
margin	Adds space outside elements
display: flex	Creates a flexible layout
flex-wrap	Allows cards to move to the next line
gap	Creates space between cards
border	Adds borders
border-radius	Creates rounded corners
box-shadow	Adds shadow effects
text-shadow	Adds shadow to text
:hover	Applies styles when the user points to an element

Code:

HTML Code

```
<!-- Header -->
```

```
<header>
```

```
    <h1>My Styled Webpage</h1>
```

```
</header>
```

```
<!-- Navigation -->
```

```
<nav>
```

```
    <a href="#">Home</a>
```

```
    <a href="#">About</a>
```

```
    <a href="#">Courses</a>
```

```
    <a href="#">Contact</a>
```

```
</nav>
```

```
<!-- Content Cards -->
```

```
<section class="container">
```

```
    <div class="card">
```

```
        <h2>HTML5</h2>
```

```
        <p>
```

```
            HTML5 provides semantic elements to structure
```

```
        web pages effectively.
    </p>
    <button>Read More</button>
</div>
```

```
<div class="card">
    <h2>CSS3</h2>
    <p>
        CSS3 is used to style web pages with colors,
        layouts, animations, and effects.
    </p>
    <button>Read More</button>
</div>
```

```
<div class="card">
    <h2>JavaScript</h2>
    <p>
        JavaScript makes web pages interactive by adding
        dynamic functionality.
    </p>
    <button>Read More</button>
</div>
```

```
</section>
```

```
<!-- Footer -->
```

```
<footer>
```

```
    <p>&copy; 2026 My Styled Webpage. All Rights Reserved.</p>
```

```
</footer>
```

CSS Code:

```
body {
    margin: 0;
    font-family: Arial, sans-serif;
    background: linear-gradient(to right, #74ebd5, #ACB6E5);
}
```

```
/* Header */
header {
    background-color: #2c3e50;
    color: white;
    text-align: center;
    padding: 20px;
    text-shadow: 2px 2px 5px black;
}

/* Navigation */
nav {
    background-color: #34495e;
    padding: 15px;
    text-align: center;
}

nav a {
    color: white;
    text-decoration: none;
    margin: 20px;
    font-size: 18px;
    font-weight: bold;
}

nav a:hover {
    color: yellow;
}

/* Cards Container */
.container {
    display: flex;
    justify-content: center;
    gap: 20px;
    flex-wrap: wrap;
    margin: 30px;
```

```
}

/* Individual Card */
.card {
    width: 250px;
    background: white;
    border: 2px solid gray;
    border-radius: 15px;
    padding: 20px;
    margin: 10px;
    box-shadow: 5px 5px 10px gray;
    text-align: center;
}

.card h2 {
    font-family: Georgia, serif;
    font-size: 24px;
}

.card p {
    font-size: 16px;
}

/* Button */
button {
    background-color: blue;
    color: white;
    border: none;
    padding: 10px 20px;
    border-radius: 8px;
    cursor: pointer;
}

button:hover {
    background-color: red;
}
```

```
/* Footer */  
footer {  
    background-color: #2c3e50;  
    color: white;  
    text-align: center;  
    padding: 15px;  
    margin-top: 30px;  
}
```

Output:

