

Noised Fluency Test – Wiki

Single Report:

1. Sensitivity to the Perturbation - this section answers the question, How sensitive is {Name of the evaluation metric} to each perturbation type?
To do so each perturbation test change-rate is analysed. Don't do anything besides that.
Every test should set its flag whether it has the following attributes:
 1. monotonous decrease - yes, when the variation increases the score decreases, else no
 2. superlinear decrease - yes, when the variation increases the score decreases superlinearly, else no
 3. change rate: either low or moderate or high
 - a. low, if and only if the highest score change for all variations in the test scores is at most -25%
 - b. moderate, if and only if the highest score change for all variations in test scores is at most -60%
 - c. high, anything else, especially if the highest score change for all variations in test scores is about -100%
2. Suitability of {Name of the evaluation metric} for {Task the evaluation is tested on} - this section answers the question, Is {Name of the evaluation metric} a reasonable metric for the evaluation of {Task the evaluation is tested on}?
 - a. To do so, a metric is recommended if most > 7 perturbation tests have a high change rate and superlinear decrease.
Only recommend or not.

Compare Report:

1. Sensitivity to the Perturbation - this sections answers for each metric the question, How sensitive is {Name of the evaluation metric} to each perturbation type?
To do so each perturbation test change-rate is analysed. Don't do anything besides that.
Every test should set its flag whether it has the following attributes:
 1. monotonous decrease - yes, when the variation increases the score decreases, else no
 2. superlinear decrease - yes, when the variation increases the score decreases superlinearly, else no
 3. change rate: either low or moderate or high
 - d. low, if and only if the highest score change for all variations in the test scores is at most -25%
 - e. moderate, if and only if the highest score change for all variations in test scores is at most -60%
 - f. high, anything else, especially if the highest score change for all variations in test scores is about -100%
2. here, present the metric you recommend for each perturbation type e.g. lemmatize. Don't do anything besides that.
A metric is recommended for a perturbation type if it has a high change rate and a superlinear decrease.
 - a. Note: No punishment for several answers

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize			
Randomdropword			
noisepunct			
sentencemiddleswap			
removepreposition			
removestopwords			
randomlocalswap			
truncate			
removearticle			
randomtokenrep			

Overlapping:

Monotonous decrease: correct answers / answers

Superlinear decrease: correct answers / answers

Change: correct answers / answers

Variation	GPT-2-base-PPL	MAUVE-GPT2-base	MAUVE-RoBERTa-base	MAUVE-RoBERTa-large
Lemmatize				
Randomdropword				
noisepunct				
sentencemiddleswap				
removepreposition				
removestopwords				
randomlocalswap				
truncate				
removearticle				
randomtokenrep				

Llama-3.3-70b-instruct

GPT2-base-PPL

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Moderate
sentence middleswap	Yes	Yes	Moderate
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	Moderate
remove article	Yes	Yes	High
random token rep	Yes	No	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Low
sentence middleswap	Yes	No	Moderate
remove preposition	Yes	No	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	Low
remove article	Yes	No	Moderate
random token rep	Yes	No	moderate

Not suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 7

Change - correct answers: 7

Suitable-correct: 1

Openai-gpt-oss-120b

GPT2-base-PPL

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Moderate
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	Moderate
removearticle	Yes	Yes	High
randomtokenrep	Yes	No	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Moderate
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	Moderate
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	No	High

Not Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 1

Change - correct answers: 10

Suitable-correct: 1

Qwen3-32b

GPT2-base-PPL

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Moderate
sentence middleswap	Yes	Yes	Moderate
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	Moderate
remove article	Yes	Yes	High
random token rep	Yes	No	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Moderate
sentence middleswap	Yes	No	Moderate
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	Low
remove article	Yes	No	Moderate
random token rep	yes	yes	High

Not Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 7

Change - correct answers: 8

Suitable-correct: 1

Llama-3.3-70b-instruct

MAUVE-GPT2-base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	No	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	No	No	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	Moderate
randomlocalswap	Yes	Yes	High
truncate	Yes	No	Moderate
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Suitable

Overlapping:

Monotonous decrease - correct answers: 9

Superlinear decrease - correct answers: 9

Change - correct answers: 6

Suitable-correct: 0

Openai-gpt-oss-120b

MAUVE-GPT2-base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	No	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	No	No	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	No	High
removepreposition	Yes	Yes	High
removestopwords	Yes	No	High
randomlocalswap	Yes	No	High
truncate	No	No	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	No	High

Not Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 7

Change - correct answers: 10

Suitable-correct: 1

Qwen3-32b

MAUVE-GPT2-base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	No	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	No	No	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	Moderate
removearticle	Yes	Yes	Moderate
randomtokenrep	yes	Yes	High

Suitable

Overlapping:

Monotonous decrease - correct answers: 9

Superlinear decrease - correct answers: 9

Change - correct answers: 8

Suitable-correct: 0

Llama-3.3-70b-instruct

MAUVE-RoBERTa-base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	High
removearticle	Yes	Yes	Low
randomtokenrep	Yes	Yes	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	No	Low
randomtokenrep	Yes	Yes	High

Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 8

Change - correct answers: 10

Suitable-correct: 0

Openai-gpt-oss-120b

MAUVE-RoBERTa-base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	High
removearticle	Yes	Yes	Low
randomtokenrep	Yes	Yes	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	Yes	Low
randomtokenrep	Yes	Yes	High

Not Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 8

Change - correct answers: 10

Suitable-correct: 1

Qwen3-32b

MAUVE-RoBERTa-base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentence middleswap	Yes	Yes	Moderate
remove preposition	Yes	Yes	Moderate
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	High
remove article	Yes	Yes	Low
random token rep	Yes	Yes	High

Not suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	High
sentence middleswap	Yes	No	Moderate
remove preposition	Yes	No	Moderate
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	Low
remove article	Yes	No	Moderate
random token rep	Yes	Yes	High

Not Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 5

Change - correct answers: 8

Suitable-correct: 1

Llama-3.3-70b-instruct

MAUVE-RoBERTa-Large

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 9

Change - correct answers: 10

Suitable-correct: 1

Openai-gpt-oss-120b

MAUVE-RoBERTa-Base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	No	High
noisepunct	Yes	No	High
sentencemiddleswap	Yes	No	High
removepreposition	Yes	No	High
removestopwords	Yes	No	High
randomlocalswap	Yes	No	High
truncate	Yes	No	High
removearticle	Yes	Yes	Low
randomtokenrep	Yes	No	High

Not Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 3

Change - correct answers: 9

Suitable-correct: 1

Qwen3-32b

MAUVE-RoBERTa-Base

Human Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentence middleswap	Yes	Yes	High
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	High
remove article	Yes	Yes	Moderate
random token rep	Yes	Yes	High

Suitable

Model Evaluation

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	High
sentence middleswap	Yes	Yes	High
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	Yes	High
remove article	Yes	No	Moderate
random token rep	Yes	Yes	High

Suitable

Overlapping:

Monotonous decrease - correct answers: 10

Superlinear decrease - correct answers: 6

Change - correct answers: 10

Suitable-correct: 1

Human Evaluation – Compare Report

GPT2-base-PPL

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	No	Moderate
sentence middleswap	Yes	Yes	Moderate
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	Moderate
remove article	Yes	Yes	High
random token rep	Yes	No	High

MAUVE-GPT2-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentence middleswap	Yes	No	High
remove preposition	Yes	Yes	High
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	No	No	High
remove article	Yes	Yes	Moderate
random token rep	Yes	Yes	High

MAUVE-RoBERTa-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentence middleswap	Yes	Yes	Moderate
remove preposition	Yes	Yes	Moderate
remove stop words	Yes	Yes	High
random local swap	Yes	Yes	High
truncate	Yes	No	High
remove article	Yes	Yes	Low
random token rep	Yes	Yes	High

MAUVE-RoBERTa-large

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	High
removearticle	Yes	Yes	Moderate
randومتokenrep	Yes	Yes	High

Variation	GPT-2-base-PPL	MAUVE-GPT2-base	MAUVE-RoBERTa-base	MAUVE-RoBERTa-large
Lemmatize				X
Randomdropword	X	X	X	X
noisepunct		X	X	X
sentencemiddleswap			X	X
removepreposition	X	X		X
removestopwords	X	X	X	X
randomlocalswap	X	X	X	X
truncate				
removearticle	X			
randومتokenrep		X	X	X

Llama-3.3-70b-instruct – Compare Report

GPT-base-PPL

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	High
Randomdropword	Yes	No	High
Noisepunct	Yes	No	High
sentencemiddleswap	Yes	No	Moderate
removepreposition	Yes	No	High
removestopwords	Yes	No	High
randomlocalswap	Yes	No	High
truncate	Yes	No	Low
removearticle	Yes	No	Moderate
randomtokenrep	Yes	No	High

MAUVE-GPT2-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
Yes	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

MAUVE-RoBERTa-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

MAUVE-RoBERTa-large

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	Yes	High
randomtokenrep	Yes	Yes	High

Variation	GPT-2-base-PPL	MAUVE-GPT2-base	MAUVE-RoBERTa-base	MAUVE-RoBERTa-large
Lemmatize				X
Randomdropword				X
noisepunct				X
sentencemiddleswap				X
removepreposition				X
removestopwords				X
randomlocalswap				
truncate				X
removearticle				
randomtokenrep				
Correct	5	4	4	7

Overlapping:

Monotonous decrease - correct answers: $10 + 9 + 10 + 10 = 39/40$

Superlinear decrease - correct answers: $4 + 8 + 9 + 9 = 30/40$

Change - correct answers: $6 + 8 + 9 + 9 = 32/40$

Correct Recommendations: $5 + 4 + 4 + 7 = 20/40$

Openai-gpt-oss-120b – Compare Report
GPT-base-PPL

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	No	No	High
Randomdropword	No	No	High
Noisepunct	No	No	High
sentence middleswap	No	No	High
remove preposition	No	No	High
remove stopwords	No	No	High
random local swap	No	No	High
truncate	No	No	High
remove article	No	No	High
random token rep	No	No	High

MAUVE-GPT2-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	No	High
noise punct	Yes	No	High
sentence middleswap	Yes	No	High
remove preposition	Yes	Yes	High
remove stopwords	Yes	No	High
random local swap	Yes	No	High
truncate	Yes	No	High
remove article	Yes	No	Moderate
random token rep	Yes	No	High

MAUVE-RoBERTa-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	No	Moderate
Randomdropword	Yes	No	High
noise punct	Yes	No	High
sentence middleswap	Yes	Yes	Moderate
remove preposition	Yes	Yes	Moderate
remove stopwords	Yes	No	High
random local swap	Yes	No	High
truncate	Yes	Yes	High
remove article	Yes	No	Moderate
random token rep	Yes	No	Moderate

MAUVE-RoBERTa-large

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	No	High
noisepunct	Yes	No	High
sentencemiddleswap	Yes	No	High
removepreposition	Yes	No	High
removestopwords	Yes	No	High
randomlocalswap	Yes	No	High
truncate	Yes	Yes	High
removearticle	Yes	No	Moderate
randomtokenrep	Yes	No	High

Variation	GPT-2-base-PPL	MAUVE-GPT2-base	MAUVE-RoBERTa-base	MAUVE-RoBERTa-large
Lemmatize				X
Randomdropword				
noisepunct				
sentencemiddleswap				
removepreposition		X		
removestopwords				
randomlocalswap				
truncate			X	X
removearticle				
Randomtokenrep				
Correct	5	5	4	3

Overlapping:

Monotonous decrease - correct answers: $0 + 9 + 10 + 10 = 29/40$

Superlinear decrease - correct answers: $4 + 3 + 2 + 1 = 10/40$

Change - correct answers: $6 + 10 + 8 + 10 = 34/40$

Correct Recommendations: $5 + 5 + 4 + 3 = 17/40$

Qwen3-32b – Compare Report

GPT-base-PPL

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	No	No	High
Randomdropword	No	No	High
Noisepunct	No	No	High
sentencemiddleswap	No	No	High
removepreposition	No	No	High
removestopwords	No	No	High
randomlocalswap	No	No	High
truncate	No	No	High
removearticle	No	No	High
randomtokenrep	No	No	High

MAUVE-GPT2-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	No	Low
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

MAUVE-RoBERTa-base

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	Moderate
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	Moderate
removepreposition	Yes	Yes	Moderate
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	Moderate
removearticle	Yes	Yes	Low
randomtokenrep	Yes	Yes	High

MAUVE-RoBERTa-large

Variation	Monotonous dec.	Superlinear dec.	Change
Lemmatize	Yes	Yes	High
Randomdropword	Yes	Yes	High
noisepunct	Yes	Yes	High
sentencemiddleswap	Yes	Yes	High
removepreposition	Yes	Yes	High
removestopwords	Yes	Yes	High
randomlocalswap	Yes	Yes	High
truncate	Yes	Yes	High
removearticle	Yes	Yes	Moderate
randomtokenrep	Yes	Yes	High

Variation	GPT-2-base-PPL	MAUVE-GPT2-base	MAUVE-RoBERTa-base	MAUVE-RoBERTa-large
Lemmatize		X	X	X
Randomdropword		X	X	X
noisepunct		X	X	X
sentencemiddleswap		X	X	X
removepreposition		X	X	X
removestopwords		X	X	X
randomlocalswap		X	X	X
truncate			X	X
removearticle		X		X
randomtokenrep		X	X	X
Correct	5	5	6	7

Overlapping:

Monotonous decrease - correct answers: $0 + 9 + 10 + 10 = 29/40$

Superlinear decrease - correct answers: $4 + 9 + 9 + 9 = 31/40$

Change - correct answers: $6 + 7 + 9 + 10 = 32/40$

Correct Recommendations: $6 + 5 + 6 + 7 = 24/40$