

??????10???

html5&CSS

```
1. ????????
```

- 2. ???????
- 3. form??
- ?????????????????
- ??????????? input ????? required ?????? input type="text" required
- ?? checked ??????????????????
- 5. ???class????HTML??????style??????????
- ??< style>
 .red-text
 {
 color: red;
 }
 </style>
 < h2 class="red-text">< /h2>
- ?????Class?????html????
- ??????class??????HTML?????????class??????????< img class="class1 class2">
- border-radius??????CSS????????????border-radius: 10px;???????? border-radius???????border-radius: 50%;
- 6. ??????
- 7. ????????Important>????>ID>Class(?????????Class???????class2????class1?? ?)>body;

- 8. ???????CSS????????? hexadecimal code????????
- ???? 0 ? F ???? hexadecimal ?????????? 16 ????????CSS ???????? 6 ??????????? 2 ?????? (R)?? (G) ??(B) ???
- ????RGB???????????? #FF0000 ????? #F00?
- 9. ? CSS ?????????? RGB ??
- ????? RGB ??????rgb(0, 0, 0)????? RGB ??????rgb(255, 255, 255)

JavaScript

- 1. ?????undefined?????, null???, boolean?????, string?????, symbol(??), number????, and object?????????
- ?????Var????????
- ???????????\$?? _???????????????????
- JavaScript ?????????????????????MYVAR?MyVar?myvar ?????????
- ????????????
- ??????[????]???????????firstName[0] ????????????????0???0????????
- .length????????
- 3. ??
- ??????????????????????
- ???????var myArray = ["home",24];????var myArray = [["cat",22],["dog",24]];
- ?????????var array = [1,2,3];array[0];// ?? 1
 ?????var myArray = [[1,2],3];
 myArray[0];//??[1,2]
 myArray[0][1];//??2

```
• ????????????????var ourArray = [3,2,1];ourArray[0] = 1; //ourArray?? [1,2,1]
push??????????
  ?????????????? push() ???
  var arr = [1,2,3];arr.push(4);// ??arr??? [1,2,3,4]
  var oneDown = [1, 4, 6].pop(); //[1, 4]
shift??????????????
unshift?????????????????
  var myArray = [ ["John", 23], ["dog",3]];myArray.unshift(["paul",35]);
4. JavaScript????
• ? JavaScript ?????????????????functions???
  ??function myFunction()
  console.log("Hi World");
  myFunction(); //????myFunction()??????Hi World
• ???????//??????
????????????????????????
• ???????????????????????
  ??function myTest() {
  var loc = "foo";
  console.log(loc);
  }
  myTest(); // "foo"
  console.log(loc); // "undefined"?
??var someVar = "Hat":
  function myFun() {
  var someVar = "Head";
  return someVar;
  } //?????Head?
??3 === 3 // true
```

```
3 = = = '3' // false
• ????????????
if??????
switch??????
5. ?????
??var cat = {
  "name": "Whiskers",
  "legs": 4,
  "tails": 1,
  "enemies": ["Water", "Dogs"]
  };
  ????????????????????????????
• ?.?????????var nameValue = cat.name;
??var drinkValue = testObj["the drink"];
  ???????????????????????????????
var someProp = "propName";
  var myObj = {
  propName: "Some Value"
  }
  myObj[someProp]; // "Some Value"
• ?.???[]???????????????????
.hasOwnProperty(???)???????????
6. JSON?????JSON????JSON????
var ourMusic = [
  "artist": "Daft Punk", //???
  "title": "Homework",
  "release_year": 1997, //??
  "formats": [ //??
```

```
"CD",
   "Cassette",
   "LP" ],
   "gold": true //???
   1;
7. for??????
8. while??????
9. random()??????
   *Math.random()???????0(??0)?1(???1)???????Math.random()????0???????
10. ??????
 • ????????????strings??????
   ??????The dog chased the cat??? the????????? /the/gi
   / ?????????
   the ?????????
   / ??????????
   g ??? global(??)?????????????????
   • ??????????
   ?????????????\d??????????????????
   ?JavaScript?, ???????: /\d/g?
   ????????????(+)????/d+/g??????????????????????
   ??var expression = \Lambda d+/g;
 • ????????????
   ??????????? \s ????????????
   ??????????
   \sqrt{s+/q}
   ??var expression = \sqrt{s+/g} //????????
 • ??????????
   ???????????????????????????????
   ???\s ????????\S ?????????
   var expression = \S/g; \//?????????
```

Bootstrap

- ??Bootstrap????,?????????Bootstrap????????? < link rel="stylesheet" bref="//maycdn bootstrap.cdn.com/bootstrap.//
 - < link rel="stylesheet" href="//maxcdn.bootstrapcdn.com/bootstrap /3.3.1/css/bootstrap.min.css"/>
- ?????img-responsive ?class??,??????????????
- ?????text-center?class??,??????????
- ???????
- ???????

jQuery