

Race Condtion

Race condition				
race condition on likes				
race condition on copouns				
race condition on invitations				
race condition on limitations				
race condition on payments				

- الـ **Race Condtion** بتتبع الطلبات كلها مره واحده ف الـ **server** بيحصله **shock** فينفذها كلها مره واحده

- الـ **Race Condtion** هيا انك تقدر تتخطي حدود معينه
- مثلا انت ليك تعمل like واحد علي منشور لو لقيت طريقه تعمل اكثر من like بنفس الاكونت
=====
- لو معاك copoun خصم 20% لو استعملته
- لو جيت تستعمله تاني مش هينفع لكن لو بعثت 5 طلبات ف نفس الوقت الـ server هيجعله shock وهيعملك خصم 100%
=====
- لو انت مثلا فجروب ومعمول اقصى عدد 10
- لو انت بعثت 100 دعوه Parallel فنفس الوقت كذا انت تخطيت الـ invitations
=====

- لو في حاجه معموله انك تقدر تستخدمها 5 مرات لو قدرت تستخدمها اكثر
تبقي ثغره

- لو جيت تبعث لحد فلوس بتعمل طلبات كثير وتبعثهم ف نفس الوقت ف هيسمع فالسيرفر الرقم
- لو انت بعثت 100 وعملت 10 request فنفس الوقت هيسمع انو اتبعث 1000

- Labs

- الـ Lab الاول
- انت معاك 20% copoun فهتحاول تاخد المنتج مجاني
- علشان تقدر تعمل كذا بتستخدم Extention ف الـ burp اسمها turbo intruder

• بعد ما بتنزلها

Burp extensions

Extensions let you customize Burp's behavior using your own or third-party code.

Add	Loaded	Type	Name	System impact
Remove	<input checked="" type="checkbox"/>	Java	Param Miner	Low
Up	<input checked="" type="checkbox"/>	Java	Turbo Intruder	Medium
Down				

Details Output Errors

• بتفعلها

For 20% off use code at checkout: PROMO20

Store credit:
\$50.00

[Home](#) | [My account](#) |  1

Cart

Name	Price	Quantity
Lightweight "I33I" Leather Jacket	\$1337.00	<div>- 1 +</div> <div>Remove</div>

Coupon:


PROMO20

Apply


Total: \$1337.00

Place order


• بتروح بقا تحط الـ coupon وتوقف الطلب وتبعته للـ Repeter




- بعد ما تبعته لل Repeter بتعمل ctrl +R علشان تزود عدد الطلبات بتعمل العدد اللي انت عايزه



- بتروح علي ال 3 نقط اللي علي اليمين فوق



- ونحط ال Request كلها ف Group واحد

 Create new group

×

Group name:

Group 1

Add tabs to group:

☒ 1

☒ 2

☒ 3

☒ 4

☒ 5

☒ 6

☒ 7

☐

☐

☐

☐

☐

☐


☐

Cancel

Create

• وتضيف فيه كلو •

- نجرب الاداه



- بعد ما توقف الطلب بتبعته للاداة
- لازم تعمله drop بعدها

```
Pretty Raw Hex
1 POST /cart/coupon HTTP/2
2 Host: 0a3700a10360841b833261ce00750012.web-security-academy.net
3 Cookie: session=j0kZa5fKwM4GoKZUjeVN2Vgodp1Dk0WZ
4 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:141.0) Gecko/20100101 Firefox/141.0
5 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
6 Accept-Language: en-US,en;q=0.5
7 Accept-Encoding: gzip, deflate, br
8 Content-Type: application/x-www-form-urlencoded
9 Content-Length: 52
```

Search

```
1 # Find more example scripts at https://github.com
2 def queueRequests(target, wordlists):
3     engine = RequestEngine(endpoint=target.endpoint,
4                             concurrentConnections=
5                             requestsPerConnection=
6                             pipeline=False,
7                             engine=Engine.THREADED
8                             )
9
10    for x in range(10, 20):
11        engine.queue(target.req, x)
12
13    for word in open('/usr/share/dict/words'):
14        engine.queue(target.req, word.rstrip())
15
16
17 def handleResponse(req, interesting):
18     table.add(req)
19
```

Last code used

Choose scripts dir

Save

examples/misc.py
examples/multiHost.py
examples/multipleParameters.py
examples/outputToFile.py
examples/partialReadCallback.py
examples/pinwheel.py
examples/race-multi-endpoint.py
examples/race-single-packet-attack.py
examples/ratelimit.py
examples/recursive.py
examples/request.txt
examples/specialWordlists.py
examples/test.py
examples/timino.py

ault.py

- بتختار race single packet attack
- وتضغط attack
- كذا بيعت كل الطلبات فنفس الثانيه

\$50.00

Cart

Name	Price	Quantity			
Lightweight "l33t" Leather Jacket	\$1337.00	-	1	+	Remove

Coupon:

PROMO20

Apply

Code	Reduction	
PROMO20	-\$1306.91	Remove

Total: \$30.09

Place order

• کدا خصم ال20% کذا مره •