



# Design Control Process Diagram

BellaFertility Pregnancy Kit

Abstract: The design control process for medical devices, such as the BellaFertility Pregnancy Kit, is a structured approach that ensures product safety and efficacy from concept to market. This comprehensive methodology incorporates key elements like user needs assessment, design input and output, verification and validation, risk management, and regulatory compliance. By following this systematic process, medical device manufacturers can develop reliable products that meet user requirements and regulatory standards while maintaining a thorough record of the design journey in the Design History File.

**Maanya Venigalla**

Northeastern University

## Table of Contents

Design Control and Design Control Process Overview:.....	2
Key Terms in the Design Control Process:.....	2
Mermaid code to represent Design Control Process Diagram - BellaFertility Pregnancy Kit .....	3
Flow Chart .....	4
References .....	5

## Design Control Process Diagram

### Design Control and Design Control Process Overview:

Design control is a structured approach in medical device development that implements a series of checks and processes. Its primary goal is to verify that the final product aligns with user requirements, functions as intended and adheres to predetermined specifications. This systematic methodology helps ensure the safety and efficacy of medical devices throughout their development lifecycle. (U.S. Food and Drug Administration, 1997)

The design control process encompasses an interconnected group of methods and protocols integrated into the design and development workflow. These practices guide the design journey in a methodical manner, spanning from the initial concept through to commercial release. (Teixeira, 2002)

### Key Terms in the Design Control Process:

- Design Input: The foundational physical and performance specifications that guide the creation of a device. (International Organization for Standardization, 2016)
- Design Process: The series of activities that transform initial design concepts into tangible outputs.
- Design Output: The tangible results produced at various stages and upon completion of the design endeavor.
- Design Verification: The act of confirming through examination and concrete evidence that specified criteria have been met.
- Design Validation: Demonstrating through objective proof that a device's specifications align with user requirements and intended applications.
- Design Transfer: Ensuring the accurate translation of device designs into manufacturing specifications.
- Design Changes: Alterations made to either the device design or production process throughout the product's lifespan.
- Design Planning: Developing strategies that outline design and development activities and assign implementation responsibilities.
- Design Reviews: Formal, thorough, and methodical evaluations of a design to assess requirement adequacy, design capability, and identify potential issues.
- Risk Management: The methodical application of policies, procedures, and practices to analyze, assess, control, and monitor potential risks.
- Design History File (DHF): A collection of documents chronicling the design evolution of a completed device.

The development of medical devices involves a cyclical design control methodology that should be customized to suit the individual requirements of each project. It is essential to incorporate risk assessments at every stage and to maintain meticulous records in the Design History File throughout the process.

## Mermaid code to represent Design Control Process Diagram - BellaFertility Pregnancy Kit

flowchart TD

A[User Needs] --> B[Design Input]

B --> C[Design Process]

C --> D[Design Output]

D --> E[Design Verification]

E --> F[Design Validation]

F --> G[Design Transfer]

G --> H[Manufacturing]

I[Design Reviews] --> C

J[Risk Management] --> C

K[Design History File] --> C

L[Concept & Feasibility] --> B

M[Regulatory Requirements] --> B

N[Product Specifications] --> D

O[Manufacturing Documentation] --> D

P[Testing & Validation] --> E

Q[Clinical Evaluation] --> F


R[Standard Operating Procedures] --> G

S[Quality Control] --> H

T[Post-Market Surveillance] --> H

## Flow Chart

The following flow chart/ diagram is created using Mermaid Live Editor.



I wrote a mermaid code and created the diagram in this picture using code-based diagram tools like Mermaid Live Editor which made my work faster and easier. I could create and change diagrams quickly by typing simple text, which helped me avoid mistakes. This lets me focus more on my ideas instead of spending time drawing diagrams manually.

## References

- AJProTech*. (2024). Retrieved from A Guide to Medical Device Design Process:  
<https://ajprotech.com/blog/articles/key-aspects-of-medical-device-design.html>
- Gilero. (2020). *Medical Device Design & Development Process*. Retrieved from  
<https://www.gilero.com/news/a-guide-to-medical-device-design-development/>
- Greenlight Guru*. (2024). Retrieved from Top 100 Medical Device Acronyms & Terminology You Need to Know.: <https://www.greenlight.guru/blog/medical-device-terminology-acronyms>
- International Organization for Standardization*. (2016). Retrieved from ISO 13485:2016 Medical devices — Quality management systems — Requirements for regulatory purposes.
- Qualio*. (n.d.). Retrieved from The 3 FDA medical device classes: differences and examples:  
<https://www.qualio.com/blog/fda-medical-device-classes-differences>
- Teixeira, M. B. (2002). Design controls for the medical device industry. CRC Press.
- Therapeutic Goods Administration*. (2024). Retrieved from Medical devices overview:  
<https://www.tga.gov.au/products/medical-devices/medical-devices-overview>
- U.S. Food and Drug Administration*. (1997). Retrieved from Design Control Guidance for Medical Device Manufacturers. : <https://www.fda.gov/media/116573/download>
- World Health Organization*. (n.d.). Retrieved from Medical devices: <https://www.who.int/health-topics/medical-devices>