```
Bootstrap WS-10
-Maanasa S; 20pw19
```

```
1.
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Forms</title>
 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
    integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jlW3"
crossorigin="anonymous">
</head>
<body>
 <div class="container">
   <div class="row">
     <div class="col-md-4 order-md-2 mb-4">
        <h4 class="d-flex justify-content-between align-items-center">
         <span style="color: darkgrey">Your cart</span>
        </h4>
        ul class="list-group mb-3">
         cli class="list-group-item d-flex justify-content-between">
           <div>
             <h6 class="my-0">Product name</h6>
             Brief description
           </div>
           <span style="color: darkgrey">$12</span>
         cli class="list-group-item d-flex justify-content-between">
           <div>
             <h6 class="my-0">Second product</h6>
             Brief description
           <span style="color: darkgrey">$8</span>
         cli class="list-group-item d-flex justify-content-between">
```


```
<div>
       <h6 class="my-0">Third item</h6>
       Brief description
     </div>
     <span style="color: darkgrey">$5</span>
   class="list-group-item d-flex justify-content-between bg-light">
     <div style="color: green">
       <h6 class="my-0">Promo code</h6>
       EXAMPLECODE
      </div>
     <span style="color: green">-$5</span>
   cli class="list-group-item d-flex justify-content-between">
     <span>Total (USD)</span>
     <strong>$20</strong>
   <form class="card p-2">
   <div class="input-group">
     <label>
       <input type="text" class="form-control" placeholder="Promo code">
     </label>
     <div class="input-group-append">
       <button type="submit" class="btn btn-secondary">Redeem</button>
     </div>
   </div>
  </form>
</div>
<div class="col-md-8 order-md-1">
  <h4 class="mb-3">Billing address</h4>
  <form class="needs-validation" novalidate="">
   <div class="row">
      <div class="col-md-6 mb-3">
       <label for="firstName">First name</label>
```

```
<input type="text" class="form-control" id="firstName" placeholder="" value="" required>
    <div class="invalid-feedback"> Valid first name is required. </div>
  </div>
  <div class="col-md-6 mb-3">
    <label for="lastName">Last name</label>
    <input type="text" class="form-control" id="lastName" placeholder="" value="" required>
    <div class="invalid-feedback" style="width: 100%;">*Field Required </div>
  </div>
</div>
<div class="mb-3">
  <label for="username">Username</label>
  <div class="input-group">
    <div class="input-group-prepend">
      <span class="input-group-text">@</span>
    </div>
    <input type="text" class="form-control" id="username" placeholder="Username" required>
    <div class="invalid-feedback" style="width: 100%;">*Field Required </div>
  </div>
</div>
<div class="mb-3">
  <label for="email">Email <span class="text-muted">(Optional)</span></label>
  <input type="email" class="form-control" id="email" placeholder="you@example.com">
  <div class="invalid-feedback" style="width: 100%;">*Field Required </div>
</div>
<div class="mb-3">
  <label for="address">Address</label>
  <input type="text" class="form-control" id="address" placeholder="1234 Main St" required>
  <div class="invalid-feedback" style="width: 100%;">*Field Required </div>
</div>
<div class="mb-3">
  <label for="address2">Address 2 <span class="text-muted">(Optional)</span></label>
  <input type="text" class="form-control" id="address2" placeholder="Apartment or suite">
</div>
<div class="row">
  <div class="col-md-5 mb-3">
```

```
<select class="custom-select d-block w-100" id="country" required>
                 <option value="">Choose...</option>
                 <option>South Korea</option>
                 <option>New Zealand
                 <option>India</option>
               </select>
              <div class="invalid-feedback">*Field Required </div>
            </div>
            <div class="col-md-4 mb-3">
              <label for="state">State</label>
              <select class="custom-select d-block w-100" id="state" required>
                 <option value="">Choose...</option>
                <option>California</option>
              </select>
              <div class="invalid-feedback">*Field Required </div>
            </div>
            <div class="col-md-3 mb-3">
              <label for="zip">Zip</label>
              <input type="text" class="form-control" id="zip" placeholder="" required>
              <div class="invalid-feedback">*Field Required </div>
            </div>
          </div>
          <hr class="mb-4">
          <div class="custom-control custom-checkbox">
            <input type="checkbox" class="custom-control-input" id="same-address">
            clabel class="custom-control-label" for="same-address">Shipping address is the same as billing
address</label>
          </div>
          <div class="custom-control custom-checkbox">
            <input type="checkbox" class="custom-control-input" id="save-info">
            <label class="custom-control-label" for="save-info">Save this information for next time</label>
          </div>
          <hr class="mb-4">
          <h4 class="mb-3">Payment</h4>
```

<label for="country">Country</label>

```
<div class="d-block my-3">
  <div class="custom-control custom-radio">
    <input id="credit" name="paymentMethod" type="radio" class="custom-control-input" checked=""</p>
       required>
    <label class="custom-control-label" for="credit">Credit card</label>
  </div>
  <div class="custom-control custom-radio">
    <input id="debit" name="paymentMethod" type="radio" class="custom-control-input" required>
    <label class="custom-control-label" for="debit">Debit card</label>
  </div>
  <div class="custom-control custom-radio">
    <input id="paypal" name="paymentMethod" type="radio" class="custom-control-input" required>
    <label class="custom-control-label" for="paypal">PayPal</label></label>
  </div>
</div>
<div class="row">
  <div class="col-md-6 mb-3">
    <label for="cc-name">Name on card</label>
    <input type="text" class="form-control" id="cc-name" placeholder="" required=>
    Full name as displayed on card
    <div class="invalid-feedback">*Field Required </div>
  </div>
  <div class="col-md-6 mb-3">
    <label for="cc-number">Credit card number</label>
    <input type="text" class="form-control" id="cc-number" placeholder="" required>
    <div class="invalid-feedback"> Credit card number is required </div>
  </div>
</div>
<div class="row">
  <div class="col-md-3 mb-3">
    <label for="cc-expiration">Expiration</label>
    <input type="text" class="form-control" id="cc-expiration" placeholder="" required>
    <div class="invalid-feedback"> Expiration date required </div>
  </div>
  <div class="col-md-3 mb-3">
```



## 2. <!DOCTYPE html>

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>columns</title>
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"
     integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<body>
<div class="border">
  <div class="px-2 row">
    <div class="border col-4">col-4</div>
    <div class="border col-4">col-4</div>
    <div class="border col-4">col-4</div>
  </div>
  <div class="px-2 row">
    <div class="border col-sm-4">col-sm-4</div>
    <div class="border col-sm-4">col-sm-4</div>
    <div class="border col-sm-4">col-sm-4</div>
  </div>
  <div class="px-2 row">
    <div class="border col-md-4">col-md-4</div>
    <div class="border col-md-4">col-md-4</div>
    <div class="border col-md-4">col-md-4</div>
  </div>
  <div class="px-2 row">
    <div class="border col-lg-4">col-lg-4</div>
    <div class="border col-lg-4">col-lg-4</div>
    <div class="border col-lg-4">col-lg-4</div>
  </div>
  <div class="px-2 row">
    <div class="border col-xl-4">col-xl-4</div>
    <div class="border col-xl-4">col-xl-4</div>
```

<div class="border col-xl-4">col-xl-4</div>

```
</div>
</div>
</body>
</html>
```

col-4	col-4	col-4
col-sm-4	col-sm-4	col-sm-4
col-md-4	col-md-4	col-md-4
col-lg-4	col-lg-4	col-lg-4
col-xl-4	col-xl-4	col-xI-4

```
3. <!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>columns</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
     integrity = "sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" \\
crossorigin="anonymous">
  <style>
    body{
      display: grid;
      justify-content: center;
      align-items: center;
    }
  </style>
</head>
<body>
<h4 class="mb-3">
  Floating Labels
</h4>
<div class="form-floating mb-3">
  <input type="email" class="form-control" id="floatingInput" placeholder="name@example.com">
  <label for="floatingInput">Email address</label>
</div>
```

```
<div class="form-floating mb-3">
  <input type="password" class="form-control" id="floatingPassword" placeholder="Password">
  <label for="floatingPassword">Password</label>
</div>
<div class="mb-3">
  <input type="checkbox" id="checkbox">
  <label for="checkbox">Remember me</label>
</div>
<div class="d-grid gap-5">
  <button class="btn btn-primary" type="button">Sign in</button>
</div>
</body>
</html>
                                 Floating Labels
                                   Email address
                                   Password
                                    Remember me
                                               Sign in
4. <!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Navbar</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
     integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<body>
<nav class="navbar navbar-dark bg-dark navbar-expand-lg fixed-top">
```

```
<div class="container-fluid">
   <a class="navbar-brand" href="#">Offcanvas Navbar</a>
   <button class="navbar-toggler" type="button" data-bs-toggle="offcanvas" data-bs-target="#offcanvasNavbar"
       aria-controls="offcanvasNavbar">
     <span class="navbar-toggler-icon"></span>
    </button>
    <div class="offcanvas offcanvas-end" tabindex="-1" id="offcanvasNavbar"</p>
      aria-labelledby="offcanvasNavbarLabel">
     <div class="offcanvas-header">
       <h5 class="offcanvas-title" id="offcanvasNavbarLabel">Offcanvas</h5>
       <button type="button" class="btn-close text-reset" data-bs-dismiss="offcanvas"</p>
           aria-label="Close"></button>
     </div>
     <div class="offcanvas-body">
       class="nav-item">
           <a class="nav-link active" aria-current="page" href="#">Home</a>
         class="nav-item">
           <a class="nav-link" href="#">Link</a>
         class="nav-item dropdown">
           <a class="nav-link dropdown-toggle" href="#" id="offcanvasNavbarDropdown" role="button"
             data-bs-toggle="dropdown" aria-expanded="false">Dropdown</a>
         </div>
   </div>
 </div>
</nav>
</body>
</html>
```

Offcanvas Navbar Home Link Dropdown T