

class 11

Maasfa Shaikkh

uploading alphafold results into R

```
results_dir <- "hivprdimer_23119"

# File names for all PDB models
pdb_files <- list.files(path=results_dir,
                        pattern="*.pdb",
                        full.names = TRUE)

# Print our PDB file names
basename(pdb_files)
```

```
[1] "hivprdimer_23119_unrelaxed_rank_001_alphafold2_multimer_v3_model_4_seed_000.pdb"
[2] "hivprdimer_23119_unrelaxed_rank_002_alphafold2_multimer_v3_model_1_seed_000.pdb"
[3] "hivprdimer_23119_unrelaxed_rank_003_alphafold2_multimer_v3_model_5_seed_000.pdb"
[4] "hivprdimer_23119_unrelaxed_rank_004_alphafold2_multimer_v3_model_2_seed_000.pdb"
[5] "hivprdimer_23119_unrelaxed_rank_005_alphafold2_multimer_v3_model_3_seed_000.pdb"
```

```
library(bio3d)

# Read all data from Models
# and superpose/fit coords
pdbs <- pdbaln(pdb_files, fit=TRUE, exefile="msa")
```

Reading PDB files:

```
hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_001_alphafold2_multimer_v3_model_4_seed_000
hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_002_alphafold2_multimer_v3_model_1_seed_000
hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_003_alphafold2_multimer_v3_model_5_seed_000
hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_004_alphafold2_multimer_v3_model_2_seed_000
```

hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_005_alphafold2_multimer_v3_model_3_seed_000
.....

Extracting sequences

pdb/seq: 1 name: hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_001_alphafold2_multimer_v
pdb/seq: 2 name: hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_002_alphafold2_multimer_v
pdb/seq: 3 name: hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_003_alphafold2_multimer_v
pdb/seq: 4 name: hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_004_alphafold2_multimer_v
pdb/seq: 5 name: hivprdimer_23119/hivprdimer_23119_unrelaxed_rank_005_alphafold2_multimer_v

pdbs

```
1 . . . . 50
[Truncated_Name:1]hivprdimer PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGI
[Truncated_Name:2]hivprdimer PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGI
[Truncated_Name:3]hivprdimer PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGI
[Truncated_Name:4]hivprdimer PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGI
[Truncated_Name:5]hivprdimer PQITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGI
*****
1 . . . . 50

51 . . . . 100
[Truncated_Name:1]hivprdimer GGFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:2]hivprdimer GGFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:3]hivprdimer GGFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:4]hivprdimer GGFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
[Truncated_Name:5]hivprdimer GGFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNFP
*****
51 . . . . 100

101 . . . . 150
[Truncated_Name:1]hivprdimer QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGIG
[Truncated_Name:2]hivprdimer QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGIG
[Truncated_Name:3]hivprdimer QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGIG
[Truncated_Name:4]hivprdimer QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGIG
[Truncated_Name:5]hivprdimer QITLWQRPLVTIKIGGQLKEALLDTGADDTVLEEMSLPGRWKPKMIGGIG
*****
101 . . . . 150

151 . . . . 198
[Truncated_Name:1]hivprdimer GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
```

```

[Truncated_Name:2]hivprdimer  GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:3]hivprdimer  GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:4]hivprdimer  GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
[Truncated_Name:5]hivprdimer  GFIKVRQYDQILIEICGHKAIGTVLVGPTPVNIIGRNLLTQIGCTLNF
                                *****
                                151          .          .          .          .          198

```

Call:

```
pdbaln(files = pdb_files, fit = TRUE, exefile = "msa")
```

Class:

```
pdb, fasta
```

Alignment dimensions:

```
5 sequence rows; 198 position columns (198 non-gap, 0 gap)
```

```
+ attr: xyz, resno, b, chain, id, ali, resid, sse, call
```

```
rd <- rmsd(pdb, fit=T)
```

Warning in rmsd(pdb, fit = T): No indices provided, using the 198 non NA positions

```
range(rd)
```

```
[1] 0.000 14.428
```


Heatmap

```

library(pheatmap)

colnames(rd) <- paste0("m",1:5)
rownames(rd) <- paste0("m",1:5)
pheatmap(rd)


```



```
# Read a reference PDB structure
pdb <- read.pdb("1hsg")
```

Note: Accessing on-line PDB file

```
plotb3(pdb$b[1,], typ="l", lwd=2, sse=pdb)
points(pdb$b[2,], typ="l", col="red")
points(pdb$b[3,], typ="l", col="blue")
points(pdb$b[4,], typ="l", col="darkgreen")
points(pdb$b[5,], typ="l", col="orange")
abline(v=100, col="gray")
```



```
core <- core.find(pdb)
```

```
core size 197 of 198 vol = 8545.079
core size 196 of 198 vol = 7894.973
core size 195 of 198 vol = 3576.564
core size 194 of 198 vol = 1851.077
core size 193 of 198 vol = 1697.205
core size 192 of 198 vol = 1612.775
core size 191 of 198 vol = 1530.208
core size 190 of 198 vol = 1447.408
core size 189 of 198 vol = 1377.117
core size 188 of 198 vol = 1303.826
core size 187 of 198 vol = 1239.04
core size 186 of 198 vol = 1188.139
core size 185 of 198 vol = 1118.473
core size 184 of 198 vol = 1071.674
core size 183 of 198 vol = 1034.016
core size 182 of 198 vol = 980.836
core size 181 of 198 vol = 942.246
core size 180 of 198 vol = 911.395
core size 179 of 198 vol = 879.756
core size 178 of 198 vol = 834.466
```

core size 177 of 198	vol = 785.268
core size 176 of 198	vol = 762.122
core size 175 of 198	vol = 722.029
core size 174 of 198	vol = 700.395
core size 173 of 198	vol = 677.257
core size 172 of 198	vol = 657.81
core size 171 of 198	vol = 632.907
core size 170 of 198	vol = 614.198
core size 169 of 198	vol = 591.516
core size 168 of 198	vol = 573.979
core size 167 of 198	vol = 552.403
core size 166 of 198	vol = 529.489
core size 165 of 198	vol = 500.545
core size 164 of 198	vol = 482.517
core size 163 of 198	vol = 458.426
core size 162 of 198	vol = 444.455
core size 161 of 198	vol = 433.581
core size 160 of 198	vol = 419.086
core size 159 of 198	vol = 404.934
core size 158 of 198	vol = 393.803
core size 157 of 198	vol = 383.003
core size 156 of 198	vol = 366.654
core size 155 of 198	vol = 352.026
core size 154 of 198	vol = 335.663
core size 153 of 198	vol = 319.398
core size 152 of 198	vol = 307.935
core size 151 of 198	vol = 296.818
core size 150 of 198	vol = 284.289
core size 149 of 198	vol = 273.459
core size 148 of 198	vol = 261.978
core size 147 of 198	vol = 249.6
core size 146 of 198	vol = 237.954
core size 145 of 198	vol = 226.1
core size 144 of 198	vol = 213.265
core size 143 of 198	vol = 200.214
core size 142 of 198	vol = 187.504
core size 141 of 198	vol = 177.525
core size 140 of 198	vol = 167.372
core size 139 of 198	vol = 160.875
core size 138 of 198	vol = 154.455
core size 137 of 198	vol = 148.439
core size 136 of 198	vol = 142.13
core size 135 of 198	vol = 136.529

core size 134 of 198	vol = 130.77
core size 133 of 198	vol = 123.868
core size 132 of 198	vol = 117.609
core size 131 of 198	vol = 112.71
core size 130 of 198	vol = 106.361
core size 129 of 198	vol = 100.591
core size 128 of 198	vol = 95.718
core size 127 of 198	vol = 91.068
core size 126 of 198	vol = 86.862
core size 125 of 198	vol = 82.309
core size 124 of 198	vol = 78.554
core size 123 of 198	vol = 74.632
core size 122 of 198	vol = 70.489
core size 121 of 198	vol = 66.802
core size 120 of 198	vol = 62.901
core size 119 of 198	vol = 59.152
core size 118 of 198	vol = 55.75
core size 117 of 198	vol = 51.832
core size 116 of 198	vol = 48.3
core size 115 of 198	vol = 44.927
core size 114 of 198	vol = 42.418
core size 113 of 198	vol = 39.425
core size 112 of 198	vol = 37.381
core size 111 of 198	vol = 33.06
core size 110 of 198	vol = 28.153
core size 109 of 198	vol = 25.33
core size 108 of 198	vol = 22.509
core size 107 of 198	vol = 20.695
core size 106 of 198	vol = 18.754
core size 105 of 198	vol = 17.757
core size 104 of 198	vol = 16.712
core size 103 of 198	vol = 15.44
core size 102 of 198	vol = 14.745
core size 101 of 198	vol = 14.758
core size 100 of 198	vol = 13.11
core size 99 of 198	vol = 11.018
core size 98 of 198	vol = 8.967
core size 97 of 198	vol = 7.643
core size 96 of 198	vol = 6.326
core size 95 of 198	vol = 5.37
core size 94 of 198	vol = 4.312
core size 93 of 198	vol = 3.391
core size 92 of 198	vol = 2.697

```

core size 91 of 198  vol = 1.911
core size 90 of 198  vol = 1.577
core size 89 of 198  vol = 1.144
core size 88 of 198  vol = 0.826
core size 87 of 198  vol = 0.594
core size 86 of 198  vol = 0.494
FINISHED: Min vol ( 0.5 ) reached

```

```
core.inds <- print(core, vol=0.5)
```

```

# 87 positions (cumulative volume <= 0.5 Angstrom^3)
  start end length
1      8  50     43
2     52  95     44

```


```
xyz <- pdbfit(pdb, core.inds, outpath="corefit_structures")
```

```
rf <- rmsf(xyz)
```

```

plotb3(rf, sse=pdb)
abline(v=100, col="gray", ylab="RMSF")

```



Predicted alignment error for domains

```
library(jsonlite)

# Listing of all PAE JSON files
pae_files <- list.files(path=results_dir,
                        pattern=".*model.*\\.json",
                        full.names = TRUE)

pae1 <- read_json(pae_files[1],simplifyVector = TRUE)
pae5 <- read_json(pae_files[5],simplifyVector = TRUE)

attributes(pae1)
```

```
$names
[1] "plddt" "max_pae" "pae" "ptm" "iptm"
```

```
# Per-residue pLDDT scores
# same as B-factor of PDB..
head(pae1$plddt)
```

```
[1] 91.44 93.75 94.19 93.44 95.62 89.81
```

```
pae1$max_pae
```


```
[1] 13.13281
```

```
pae5$max_pae
```


```
[1] 29.71875
```

Pae score plot

```
plot.dmat(pae1$pae,
          xlab="Residue Position (i)",
          ylab="Residue Position (j)")
```




```
plot.dmat(pae5$pae,
  xlab="Residue Position (i)",
  ylab="Residue Position (j)",
  grid.col = "black",
  zlim=c(0,30))
```




Pae 1 final

```
plot.dmat(pae1$pae,
          xlab="Residue Position (i)",
          ylab="Residue Position (j)",
          grid.col = "black",
          zlim=c(0,30))
```



pae5

```
plot.dmat(pae5$pae, xlab="Residue Position (i)",
          ylab="Residue Position (j)",
          grid.col="black", xlim=c(0,30))
```



```
aln_file <- list.files(path=results_dir,
                      pattern=".a3m$",
                      full.names = TRUE)
aln_file
```

```
[1] "hivprdimer_23119/hivprdimer_23119.a3m"
```

```
aln <- read.fasta(aln_file[1], to.upper = TRUE)
```

```
[1] " ** Duplicated sequence id's: 101 **"
[2] " ** Duplicated sequence id's: 101 **"
```


```
dim(aln$ali)
```

```
[1] 5397 132
```

Residue conservation plot

```
sim <- conserv(aln)

plotb3(sim[1:99], sse=trim.pdb(pdb, chain="A"),
       ylab="Conservation Score")
```



```
con <- consensus(aln, cutoff = 0.9)
con$seq
```

```
[1] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[19] "-" "-" "-" "-" "-" "-" "D" "T" "G" "A" "-" "-" "-" "-" "-" "-" "-"
[37] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[55] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[73] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[91] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[109] "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-" "-"
[127] "-" "-" "-" "-" "-" "-"
```

```
m1.pdb <- read.pdb(pdb_files[1])
sim <- conserv(aln)

# make sure length is correct
```

```
sim_trim <- sim[1:99]
sim_dimer <- c(sim_trim, sim_trim)

# sanity check
length(sim_dimer)
```

```
[1] 198
```

```
length(unique(m1.pdb$atom$resno))
```

```
[1] 99
```

```
occ <- vec2resno(sim_dimer, m1.pdb$atom$resno)
write.pdb(m1.pdb, o=occ, file="m1_conserv.pdb")
```




figure 18




figure 18 whole




figure 19

