Article Title

First Author Name[1]**, Second Author Name** [2]

[1]**First Author's Affiliation**

[2]**Second Author's Affiliation**

Abstract:

In writing the abstract, the main findings of the article should be expressed in a descriptive, concise, and useful manner. For this purpose, the abstract should not be less than 3 and more than 10 lines. Note that in the abstract, unusual abbreviations and formulas should be avoided as much as possible. Also, no reference numbers should be included.

Keywords: Keyword 1, Keyword 2, Keyword 3, and Keyword 4. (4 to 6 keywords)

Mathematics Subject Classification (2010): 99X99, 99X99, 99X99.

---

1 Introduction

This section briefly describes how to write papers for the 18th Iranian Statistical Conference so that those interested in participating in this conference can easily format their papers according to the conference format.

The paper should be a maximum of 8 pages using XePersian software based on this format. Obviously, if the paper is not in the conference format or the number of pages exceeds 8, it will be returned. For consistency, use the default font (this font - without any changes to this file) or the Times New Roman font (and its bold version).

[2]**Corresponding Author:** `email@email.ac.ir`

2 Second Section Title

This section includes topics related to the second section, and definitions, examples, lemmas, theorems, proofs, propositions, corollaries, remarks, and algorithms should be written as follows.

Definition 2.1. *This is a definition.*

Example 2.2. *This is an example.*

Lemma 2.3. *This is a lemma.*

Theorem 2.4. *This is a theorem.*

Proof. This is a proof. □

Proposition 2.5. *This is a proposition.*

Corollary 2.6. *This is a corollary.*

Remark 2.7. *You can refer to definition 2.1, lemma 2.3, theorem 2.4, proposition 2.5, and corollary 2.6 in the text.*

Algorithm 1. *This algorithm has the following [1] steps:*

- *Step 1*
- *Step 2*
- *Step 3*

3 Formulas

A sample unnumbered formula is given below:

$$\max_{x\in\mathbb{R}} f(x).$$

Here is a sample of a numbered formula:

$$G_F(x) = \frac{1}{B(\alpha,\beta)} \int_0^{F(x)} t^{\alpha-1}(1-t)^{\beta-1}\,dt, \qquad \alpha > 0, \beta > 0. \tag{3.1}$$

[1] Steps

Formula numbering should be based on sections, and only relationships that are referenced in the text should have numbers. Below is a multiline formula that is the derivative of equation (3.1):

$$\begin{aligned} g_F(x) &= \frac{d}{dx} G_F(x) \\ &= \frac{1}{B(\alpha,\beta)} f(x) \left(F(x)\right)^{\alpha-1} \left(\bar{F}(x)\right)^{\beta-1}. \end{aligned} \tag{3.2}$$

4 Tables and Figures

Below is a sample table. Table 1 contains four rows and three columns.

Table 1: Table title should be here.

Column One	Column Two	Column Three
1	2	3
4	5	6
7	8	9

Below is a sample figure. Figure 1 contains two subfigures.



Figure 1: Figure caption should be placed here.

5 How to Cite References

References must be cited in the text. Craik (2005), Feller (1972), Genest and Rivest (1993), and Li et al. (2015) are some examples of English references.

Discussion and Conclusion

The conclusion of the article should be presented in a maximum of 3 or 4 lines.

Acknowledgments

If you wish to include acknowledgments, this section should appear before the references.

References

Craik A.D.D. (2005), Prehistory of Faà di Bruno's formula, *The American Mathematical Monthly* 112, 2, 119-130.

Feller W. (1972), *An introduction to probability theory and its applications,* New York, John Wiley.

Genest C. and Rivest L.P. (1993), Statistical inference procedures for bivariate Archimedean copulas, *J. Amer. Statist. Assoc.* 88, 1034 - 1043.

Li K., Zheng W. and Ai M. (2015), Optimal designs for the proportional interference model, *The Annals of Statistics*, 43(4), 1596-1616.