

50 PowerShell Automation Scripts for IT Professionals

Automate, Optimize, and Secure
Microsoft Environments

Swipe Right 

By
Ramesh Kumar

 @rameshkmenghwar

management and Windows updates to system monitoring and file operations.

By leveraging these automation scripts, you will:

- Save valuable time by eliminating manual, repetitive work.
- Enhance operational efficiency with optimized processes.
- Strengthen your troubleshooting skills across Microsoft environments.
- Gain confidence in customizing scripts for your own IT infrastructure needs.

Whether you're new to PowerShell or an experienced administrator, this collection will serve as your **go-to toolkit** for everyday IT automation.



Table of Contents

1. Get System Information
2. Check Disk Space
3. List Running Services
4. Restart a Service
5. List Installed Software
6. Check Windows Updates
7. Create Scheduled Task
8. Check Network Connections
9. Ping Test
10. Export Event Logs
11. Get Top CPU Processes
12. Kill a Process by Name
13. Enable Remote Desktop
14. Disable Windows Firewall
15. Start Remote PowerShell Session
16. Add a Local User
17. Delete a Local User
18. Add a User to Group
19. Export User Accounts to CSV
20. Reset User Password (AD)
21. List Domain Users (AD)
22. List Locked-Out Users (AD)
23. Unlock AD User
24. Get Group Membership (AD)
25. Export AD Groups to CSV
26. List All Installed Hotfixes
27. Install Windows Update via PowerShell
28. Get Printer Information
29. Restart Print Spooler
30. Map Network Drive
31. Disconnect Network Drive
32. Check Open Ports
33. Test Remote Port
34. Get System Uptime

- 35. Shutdown/Restart Computer
- 36. Remote Computer Reboot
- 37. Enable/Disable Windows Features
- 38. Get Installed Roles (Server)
- 39. Monitor CPU Usage (Live)
- 40. Monitor Memory Usage (Live)
- 41. Export Performance Logs
- 42. Backup Files to Directory
- 43. Compress Files to ZIP
- 44. Extract ZIP File
- 45. Copy Files Over Network
- 46. Sync Two Directories
- 47. Get File Hash (Verify Integrity)
- 48. Search Files by Extension
- 49. Delete Old Files (Auto-Cleanup)
- 50. Send Email Alert

```
# =====
```

01. GET SYSTEM INFORMATION

```
# =====
```

Retrieves detailed system information: OS, hardware, and configuration.

Get-ComputerInfo

```
# =====
```

02. CHECK DISK SPACE

```
# =====
```

Shows filesystem drives and free/used space.

```
Get-PSDrive -PSProvider FileSystem | Select-Object Name,  
@{n='FreeGB';e={[math]::Round($_.Free/1GB,2)}},  
@{n='UsedGB';e={[math]::Round($_.Used/1GB,2)}},  
@{n='TotalGB';e={[math]::Round($_.Size/1GB,2)}}
```

```
# =====
```

03. LIST RUNNING SERVICES

```
# =====
```

Lists services that are currently running on the local machine.

```
Get-Service | Where-Object {$_.Status -eq 'Running'} | Select-Object  
Name, DisplayName, Status
```

```
# =====
```

04. RESTART A SERVICE

```
# =====
```

Restart a named service (example: Spooler). Use -WhatIf to test in production.

```
param($ServiceName = "Spooler")
```

```
Restart-Service -Name $ServiceName -Force -ErrorAction Stop
```

```
Write-Output "Service '$ServiceName' restarted."
```

```
# =====
```

05. LIST INSTALLED SOFTWARE

```
# =====
```

Exports installed software (use with care; Win32_Product can be slow).

```
Get-WmiObject -Class Win32_Product | Select-Object Name, Version,  
Vendor | Sort-Object Name
```

```
# =====
```

06. CHECK WINDOWS UPDATES

```
# =====
```

Retrieves Windows Update history/log (requires appropriate permissions).

```
Get-WindowsUpdateLog
```

```
# =====
```

07. CREATE SCHEDULED TASK

```
# =====
```

Creates a daily scheduled task to run a PowerShell script at 09:00.

```
$action = New-ScheduledTaskAction -Execute "PowerShell.exe" -  
Argument "-NoProfile -ExecutionPolicy Bypass -File  
`\"C:\Scripts\job.ps1`\""
```

```
$trigger = New-ScheduledTaskTrigger -Daily -At 9am
```

```
Register-ScheduledTask -TaskName "DailyJob" -Action $action -Trigger  
$trigger -RunLevel Highest -User "SYSTEM"
```

```
# =====
```

08. CHECK NETWORK CONNECTIONS

```
# =====
```

Lists active TCP connections and their states.

```
Get-NetTCPConnection | Select-Object LocalAddress, LocalPort,  
RemoteAddress, RemotePort, State, OwningProcess
```

```
# =====
```

09. PING TEST

```
# =====
```

Simple network reachability check (4 ICMP packets).

Test-Connection -ComputerName google.com -Count 4 -Quiet

=====

10. EXPORT EVENT LOGS

=====

Exports newest 200 System events to CSV for analysis.

Get-WinEvent -LogName System -MaxEvents 200 | Select-Object
TimeCreated, Id, LevelDisplayName, Message |

Export-Csv -Path "C:\Reports\SystemEvents.csv" -NoTypeInfoInformation -
Encoding UTF8

=====

11. GET TOP CPU PROCESSES

=====

Shows top 10 processes by CPU time.

Get-Process | Sort-Object CPU -Descending | Select-Object -First 10
Name, Id, CPU, WS

=====

12. KILL A PROCESS BY NAME

=====

Force stops a process by name (example: notepad). Use with caution.

Stop-Process -Name "notepad" -Force -ErrorAction SilentlyContinue

=====

13. ENABLE REMOTE DESKTOP

=====

Enables RDP connections on this machine (registry + firewall).

Set-ItemProperty -Path

'HKLM:\System\CurrentControlSet\Control\Terminal Server' -Name
"fDenyTSConnections" -Value 0

Enable-NetFirewallRule -DisplayGroup "Remote Desktop"

=====

14. DISABLE WINDOWS FIREWALL

=====

Disables all firewall profiles (only where safe/approved).

Set-NetFirewallProfile -Profile Domain,Public,Private -Enabled False

=====

15. START REMOTE POWERSHELL SESSION

=====

Starts an interactive remote session to a host (enter credentials when prompted).

Enter-PSSession -ComputerName "RemoteHostName" -Credential (Get-Credential)

=====

16. ADD A LOCAL USER

=====

Creates a local user (Windows 10/Server 2016+). Prompts for secure password.

\$securePwd = Read-Host -AsSecureString "Enter password for new user"

New-LocalUser -Name "TestUser" -Password \$securePwd -FullName "Test User" -Description "Created by script"

=====

17. DELETE A LOCAL USER

=====

Removes a local user account if exists.

if (Get-LocalUser -Name "TestUser" -ErrorAction SilentlyContinue) {
Remove-LocalUser -Name "TestUser" }

=====

18. ADD A USER TO GROUP

```
# =====
```

```
# Adds a local user to the Administrators group.
```

```
Add-LocalGroupMember -Group "Administrators" -Member "TestUser"
```

```
# =====
```

```
# 19. EXPORT USER ACCOUNTS TO CSV
```

```
# =====
```

```
# Exports local user accounts with basic info.
```

```
Get-LocalUser | Select-Object Name, Enabled, LastLogon | Export-Csv -  
Path "C:\Reports\LocalUsers.csv" -NoTypeInfo
```

```
# =====
```

```
# 20. RESET USER PASSWORD (ACTIVE DIRECTORY)
```

```
# =====
```

```
# Resets an AD user password (requires AD module and proper  
privileges).
```

```
Import-Module ActiveDirectory
```

```
Set-ADAccountPassword -Identity "john.doe" -Reset -NewPassword  
(ConvertTo-SecureString "N3wP@ssw0rd!" -AsPlainText -Force)
```

```
Unlock-ADAccount -Identity "john.doe"
```

```
Write-Output "Password reset and account unlocked for john.doe"
```

=====

21. LIST DOMAIN USERS (ACTIVE DIRECTORY)

=====

Exports AD users with display name and UPN.

Import-Module ActiveDirectory

Get-ADUser -Filter * -Properties DisplayName, UserPrincipalName |

Select-Object DisplayName, UserPrincipalName |

Export-Csv -Path "C:\Reports\ADUsers.csv" -NoTypeInfoInformation

=====

22. LIST LOCKED-OUT USERS (AD)

=====

Finds users currently locked out.

Import-Module ActiveDirectory

Search-ADAccount -LockedOut | Select-Object Name, SamAccountName,

LockedOut | Export-Csv "C:\Reports\LockedOutUsers.csv" -

NoTypeInfoInformation

=====

23. UNLOCK AD USER

=====

Unlocks a specified AD account.

```
param([Parameter(Mandatory=$true)][string]$UserSam)
```

```
Import-Module ActiveDirectory
```

```
Unlock-ADAccount -Identity $UserSam
```

```
Write-Output "Unlocked user $UserSam"
```

```
# =====
```

```
# 24. GET GROUP MEMBERSHIP (AD)
```

```
# =====
```

```
# Lists members of a group recursively.
```

```
Import-Module ActiveDirectory
```

```
Get-ADGroupMember -Identity "Domain Users" -Recursive | Select-Object Name, SamAccountName, objectClass
```

```
# =====
```

```
# 25. EXPORT AD GROUPS TO CSV
```

```
# =====
```

```
# Exports AD groups and descriptions for auditing/documentation.
```

```
Import-Module ActiveDirectory
```

```
Get-ADGroup -Filter * -Properties Description | Select-Object Name, Description |
```

```
Export-Csv -Path "C:\Reports\ADGroups.csv" -NoTypeInfoation
```

```
# =====
```

```
# 26. LIST ALL INSTALLED HOTFIXES
```

```
# =====
```

```
# Retrieves installed hotfixes/KBs for servers (scriptable across servers).
```

```
$servers = @("DC1","FILE01")
```

```
foreach ($s in $servers) {
```

```
    Invoke-Command -ComputerName $s -ScriptBlock { Get-HotFix | Select-Object HotFixID, InstalledOn } |
```

```
        Export-Csv -Path "C:\Reports\$s-HotFixes.csv" -NoTypeInfoation
```

```
}
```

```
# =====
```

```
# 27. INSTALL WINDOWS UPDATE VIA POWERSHELL (PSWindowsUpdate)
```

```
# =====
```

```
# Uses PSWindowsUpdate module to scan and install updates. Test in maintenance windows.
```

```
Install-Module -Name PSWindowsUpdate -Force -Scope AllUsers
```

```
Import-Module PSWindowsUpdate
```

```
Get-WindowsUpdate -AcceptAll -Install -AutoReboot
```

```
# =====
```

```
# 28. GET PRINTER INFORMATION
```

```
# =====
```

```
# Lists printers on the local machine or server.
```

```
Get-Printer | Select-Object Name, ShareName, PortName, DriverName,  
Published
```

```
# =====
```

```
# 29. RESTART PRINT SPOOLER
```

```
# =====
```

```
# Restarts the print spooler service to recover spooler-related issues.
```

```
Restart-Service -Name "Spooler" -Force -ErrorAction Stop
```

```
Write-Output "Print Spooler restarted."
```

```
# =====
```

```
# 30. MAP NETWORK DRIVE
```

```
# =====
```

```
# Maps a UNC share to a drive letter for the current user persistently.
```

```
New-PSDrive -Name "Z" -PSProvider FileSystem -Root "\\fileserver\share"  
-Persist -ErrorAction SilentlyContinue
```

```
Write-Output "Mapped \\fileserver\share to Z:"
```

```
# =====
```

```
# 31. DISCONNECT NETWORK DRIVE
```

```
# =====
```

```
# Removes a mapped drive.
```

```
if (Get-PSDrive -Name "Z" -ErrorAction SilentlyContinue) { Remove-PSDrive -Name "Z" -Force }
```

```
# =====
```

```
# 32. CHECK OPEN PORTS
```

```
# =====
```

```
# Lists listening TCP ports and associated processes.
```

```
Get-NetTCPConnection -State Listen | Select-Object LocalAddress, LocalPort, OwningProcess |
```

```
ForEach-Object { $_ + @{ProcessName = (Get-Process -Id $_.OwningProcess -ErrorAction SilentlyContinue).Name } }
```

```
# =====
```

```
# 33. TEST REMOTE PORT
```

```
# =====
```

```
# Tests TCP connectivity to a specific host:port.
```

```
param($TestHost = "smtp.office365.com", $TestPort = 587)
```

```
Test-NetConnection -ComputerName $TestHost -Port $TestPort -InformationLevel Detailed
```



```
# =====
```

34. GET SYSTEM UPTIME

```
# =====
```

Returns the system last boot time (uptime calculation can be computed from this).

```
(Get-CimInstance Win32_OperatingSystem).LastBootUpTime
```

```
# =====
```

35. SHUTDOWN / RESTART COMPUTER

```
# =====
```

Restart the local computer or shut down (use with admin privileges).

Restart:

```
Restart-Computer -Force
```

Shutdown:

```
# Stop-Computer -Force
```

```
# =====
```

36. REMOTE COMPUTER REBOOT

```
# =====
```

Reboots a remote machine and waits until it's available again.

```
param([string]$Remote = "SERVER01")
```

```
Restart-Computer -ComputerName $Remote -Force -Wait -For PowerShell  
Write-Output "$Remote restarted and responsive."
```

```
# =====
```

37. ENABLE / DISABLE WINDOWS FEATURES

```
# =====
```

```
# Enables or disables Windows optional features (example: .NET 3.5).
```

```
# Enable:
```

```
Enable-WindowsOptionalFeature -Online -FeatureName NetFx3 -All
```

```
# Disable example:
```

```
# Disable-WindowsOptionalFeature -Online -FeatureName TelnetClient
```

```
# =====
```

38. GET INSTALLED ROLES (SERVER)

```
# =====
```

```
# Lists installed Windows Server roles and features.
```

```
Get-WindowsFeature | Where-Object {$_.Installed -eq $true} | Select-  
Object DisplayName, Name
```

```
# =====
```

39. MONITOR CPU USAGE (LIVE)

```
# =====
```

```
# Simple live CPU percentage monitor (polling every 2 seconds).
```

```
while ($true) {
```

```
    $cpu = Get-Counter '\Processor(_Total)\% Processor Time'
```

```
    $value = [math]::Round($cpu.CounterSamples[0].CookedValue,2)
```

```
    Write-Host "$(Get-Date -Format HH:mm:ss) CPU: $value%"
```

```
    Start-Sleep -Seconds 2
```

```
}
```

```
# =====
```

```
# 40. MONITOR MEMORY USAGE (LIVE)
```

```
# =====
```

```
# Polls available physical memory and prints used percentage.
```

```
while ($true) {
```

```
    $os = Get-CimInstance Win32_OperatingSystem
```

```
    $freeMB = [math]::Round($os.FreePhysicalMemory/1024,2)
```

```
    $totalMB = [math]::Round($os.TotalVisibleMemorySize/1024,2)
```

```
    $usedPct = [math]::Round(((($totalMB - $freeMB)/$totalMB)*100,2)
```

```
    Write-Host "$(Get-Date -Format HH:mm:ss) FreeMB: $freeMB | Used%:  
$usedPct"
```

```
    Start-Sleep -Seconds 2
```

```
}
```

```
# =====
```

41. EXPORT PERFORMANCE LOGS

```
# =====
```

Captures a performance counter series to CSV for the specified duration.

```
$counter = '\Processor(_Total)\% Processor Time'
```

```
$samples = 30
```

```
Get-Counter -Counter $counter -SampleInterval 1 -MaxSamples $samples  
|
```

```
  Select-Object -ExpandProperty CounterSamples |
```

```
  Select-Object Timestamp, CookedValue |
```

```
  Export-Csv -Path "C:\Reports\CPU_Perf_$(Get-Date -Format  
yyyyMMdd_HHmm).csv" -NoTypeInfoInformation
```

```
# =====
```

42. BACKUP FILES TO DIRECTORY

```
# =====
```

Copies source folder contents to a date-stamped backup folder using robocopy for reliability.

```
$Source = "C:\Data"
```

```
$DestRoot = "\\backupserver\backups"
```

```
$Dest = Join-Path $DestRoot (Get-Date -Format yyyyMMdd)
```

```
New-Item -Path $Dest -ItemType Directory -Force | Out-Null
```

```
Robocopy $Source $Dest /MIR /Z /R:3 /W:5
```

```
# =====
```

```
# 43. COMPRESS FILES TO ZIP
```

```
# =====
```

```
# Creates a ZIP archive of a folder (uses .NET).
```

```
Add-Type -AssemblyName System.IO.Compression.FileSystem
```

```
$sourceFolder = "C:\Logs"
```

```
$zipFile = "C:\Backups\Logs_$(Get-Date -Format yyyyMMdd).zip"
```

```
[System.IO.Compression.ZipFile]::CreateFromDirectory($sourceFolder,  
$zipFile)
```

```
Write-Output "Created $zipFile"
```

```
# =====
```

```
# 44. EXTRACT ZIP FILE
```

```
# =====
```

```
# Extracts a ZIP archive to a destination folder.
```

```
Add-Type -AssemblyName System.IO.Compression.FileSystem
```

```
$zipFile = "C:\Backups\Logs.zip"
```

```
$extractTo = "C:\Temp\Logs"
```

```
[System.IO.Compression.ZipFile]::ExtractToDirectory($zipFile, $extractTo)
```

```
Write-Output "Extracted to $extractTo"
```

```
# =====
```

```
# 45. COPY FILES OVER NETWORK
```

```
# =====
```

```
# Copies files to a remote UNC path with basic retry logic.
```

```
$source = "C:\Reports\*"
```

```
$dest = "\\filesrv\incoming\reports\"
```

```
$maxAttempts = 3; $attempt = 0
```

```
while ($attempt -lt $maxAttempts) {
```

```
    try {
```

```
        Copy-Item -Path $source -Destination $dest -Recurse -Force -  
ErrorAction Stop
```

```
        Write-Output "Copy succeeded"
```

```
        break
```

```
    } catch {
```

```
        $attempt++; Write-Warning "Attempt $attempt failed: $_"; Start-Sleep -  
Seconds 5
```

```
    }
```

```
}
```

```
# =====
```

```
# 46. SYNC TWO DIRECTORIES
```

```
# =====
```

```
# Mirrors source to destination using Robocopy (fast and resilient).
```

```
Robocopy "C:\Source" "D:\Destination" /MIR /Z /R:2 /W:5
```

```
# =====
```

```
# 47. GET FILE HASH (VERIFY INTEGRITY)
```

```
# =====
```

```
# Computes SHA256 hash for a file to verify integrity.
```

```
Get-FileHash -Path "C:\Installers\package.exe" -Algorithm SHA256 |  
Format-List
```

```
# =====
```

```
# 48. SEARCH FILES BY EXTENSION
```

```
# =====
```

```
# Finds files with a given extension older than N days.
```

```
param([string]$Path = "C:\Logs", [string]$Filter = "*.log",  
[int]$OlderThanDays = 30)
```

```
Get-ChildItem -Path $Path -Recurse -Filter $Filter -File |
```

```
Where-Object { $_.LastWriteTime -lt (Get-Date).AddDays(-
$OlderThanDays) } |
```

```
Select-Object FullName, Length, LastWriteTime
```

```
# =====
```

```
# 49. DELETE OLD FILES (AUTO-CLEANUP)
```

```
# =====
```

```
# Removes files older than specified days. Use -WhatIf for a dry run.
```

```
param([string]$CleanupPath = "C:\Logs", [int]$Days = 30,
[switch]$WhatIf)
```

```
Get-ChildItem -Path $CleanupPath -Recurse -File |
```

```
Where-Object { $_.LastWriteTime -lt (Get-Date).AddDays(-$Days) } |
```

```
ForEach-Object {
```

```
    if ($WhatIf) { Write-Output "(WhatIf) Would delete $('_.FullName)" }
else { Remove-Item $_.FullName -Force }

}
```

```
# =====
```

```
# 50. SEND EMAIL ALERT
```

```
# =====
```

```
# Sends a simple SMTP email alert (adjust SMTP server/auth as required).
```

```
param(
```



```
[string]$SmtpServer = "smtp.contoso.com",  
[string]$From = "monitor@contoso.com",  
[string]$To = "admin@contoso.com",  
[string]$Subject = "Alert: Condition triggered",  
[string]$Body = "This is an automated alert from PowerShell."  
)
```

```
Send-MailMessage -SmtpServer $SmtpServer -From $From -To $To -  
Subject $Subject -Body $Body -BodyAsHtml
```

```
Write-Output "Email sent to $To via $SmtpServer"
```