Humsafar — QA Checklist

Reusable test template · Task 1.13 · Template v0.1 · Owner: Syed Sarim Jawad Zaidi

How to use: make a copy for each test run and name it Humsafar_QA_<Phase>_Results_v<x>.docx (e.g. Humsafar_QA_Phase1_Results_v1.0.docx). Replace every grey [placeholder]. Keep sections B and C for every run; rewrite section A for the feature being tested. Export the finished copy as PDF to docs/qa/.

1. Test run details

Field	Value
Phase / checkpoint	*[e.g. Phase 1 · ICP-1]*
Features under test	*[e.g. Register, KYC, Link Dependent, Permissions (FR-A1 – A4, FR-B1, B2)]*
Build tested	*[dev commit, e.g. a0415cd · app version / APK build]*
Environment	*[Backend: local (http://10.0.2.2:8000) or Render URL · Postman collection name]*
Device(s)	*[Phone model + Android version, or emulator API level]*
Tester	*[Name]*
Date(s)	*[DD/MM/YYYY]*
Related documents	*[SRS v1.0 §… · SDS v1.0 §… · docs/api/<contract>.md]*

2. Result and severity codes

Code	Meaning
PASS	Behaves exactly as the expected result says.
FAIL	Behaves differently. Log it in section 6 and put the Bug ID in Notes.
BLOCKED	Could not be tested (missing feature, server down, no device). Say why in Notes.
N/A	Not relevant to this phase. Say why in Notes.

Severity	Meaning	Fix before
Critical	Safety feature broken (Panic, Wellness, alerts, medicine), data loss, security hole, crash	This checkpoint
High	Main feature does not work, no workaround	This checkpoint
Medium	Works with a workaround, or wrong message / layout	Next phase

Severity	Meaning	Fix before
Low	Cosmetic: spacing, wording, colour	Polish (Phase 7)

3. Section A — Functional correctness

One row per check. Write steps someone else could repeat. Cover: the normal case, invalid input, the permission case, and edge cases. Take requirement IDs from the SRS and the endpoint behaviour from docs/api/.

ID	Req.	What to check (steps)	Expected result	Result	Notes / Bug ID
F-01	*[FR-xx]*	*[Step 1 … Step n, e.g. Register a Guardian with valid details]*	*[What should happen, e.g. 201, account created, can log in]*		
F-02	*[FR-xx]*	*[Same feature, invalid input, e.g. email already used]*	*[Clear error shown, nothing saved]*		
F-03	*[FR-xx]*	*[Permission case: a Secondary Guardian WITHOUT the module permission tries it]*	*[Blocked (403), clear message]*		
F-04	*[FR-xx]*	*[Edge case: empty list, offline, very long text]*	*[Screen handles it without crashing]*		
F-05					
F-06					
F-07					
F-08					

4. Section B — Accessibility (run on every screen tested)

ID	Req.	What to check (steps)	Expected result	Result	Notes / Bug ID
A-01	NFR-07	From Dependent Home, count taps to: Panic, answer Wellness Check, confirm medicine	Each action finishes within 2 taps		
A-02	FR-P1	Dependent Mode buttons: size and spacing	Large touch targets (at least 48 × 48 dp), well apart		
A-03	FR-P2, NFR-08	Turn on Large Text / High Contrast (Aa). Check text and buttons on the 3 safety screens with a contrast checker	Contrast at least 4.5 : 1 for text (WCAG 2.1 AA); nothing cut off		
A-04	FR-P4, NFR-09	Switch language to Urdu (EN|UR) on this screen	Every static text is in Urdu; layout mirrors right-to-left; no English left over		
A-05	UI rule	Look at the app bar	Aa toggle and EN|UR switch are present		
A-06	NFR-12	Run on the oldest supported Android (API 26) or emulator	Screen works and looks correct		

5. Section C — Security spot-checks

ID	Req.	What to check (steps)	Expected result	Result	Notes / Bug ID
S-01	SDS 11.3	Call a protected endpoint (Postman) without a token	401, no data returned		
S-02	SDS 11.3	Use an expired access token (older than 15 min)	TOKEN_EXPIRED; app refreshes once and retries, does not log the user out		
S-03	FR-A1	Log in with a wrong password, then with an unknown email	Same message both times (does not reveal which was wrong)		
S-04	FR-A4	Secondary Guardian opens a module that is switched off for them	Blocked (403); hidden or disabled in the app		
S-05	FR-B2	Try to add a 4th Guardian to one Dependent	Refused: 1 Primary + up to 2 Secondary		
S-06	FR-D2	Trigger Panic with a Secondary who has no alert permission	Panic still reaches every linked Guardian (the one deliberate exception)		
S-07	FR-K1.3	Guardian opens the camera stream (when built)	Viewing indicator shows every time, no exceptions		
S-08	NFR-10	Check screens and API replies for extra personal data	Only the data the screen needs is shown/returned		
S-09	Repo	Check the pull request / repo for secrets	No .env, passwords, keys or tokens committed		
S-10	Input	Enter wrong formats: CNIC, Pakistani phone, short password	Rejected with a clear message		

6. Bug log

Bug IDs run on across the project: BUG-001, BUG-002, … Owner is whoever fixes it (Abdullah = backend, Talha = app, Sarim = docs/design).

Bug ID	Check ID	Screen / endpoint	Steps to reproduce	Expected	Actual	Severity	Owner	Status
BUG-001	*[F-02]*	*[Register screen]*	*[1. … 2. … 3. …]*	*[…]*	*[…]*	*[High]*	*[Talha]*	*[Open]*

7. Summary and sign-off

Section	Checks	Pass	Fail	Blocked	N/A
A — Functional					
B — Accessibility					
C — Security					
Total					

Decision	Details
Open Critical / High bugs	*[List Bug IDs, or 'none']*
Verdict	*[ ] Ready for the checkpoint [ ] Ready after listed fixes [ ] Not ready*
Tester	*[Name · date]*
Confirmed by team	*[Abdullah · Talha · date]*

Tips

- Test what was actually built (the merged dev branch), not what the documents say should exist.
- For backend-only checks, the Postman collection in backend/postman/ runs most cases; note the collection run result (e.g. "398 requests, 0 failed") in section 1.
- Take one screenshot per FAIL and keep it in Drive 02_QA; mention its file name in the bug's Steps.