HUMSAFAR

A Bi-Directional Remote Intervention and Care Coordination System for Vulnerable Individuals

FINAL FEATURE SET REPORT

Prepared for team review and sign-off prior to SRS / SDS documentation.
Department of Computer Science (BSSE) — Final Year Project
Team: Muhammad Abdullah (TL), Muhammad Talha Khan, Syed Sarim Jawad Zaidi
Submitting to: S.M. Khalid Jamal

This report consolidates every feature discussed across Stages 1-4 of the project's technical review process into a single, structured baseline. Each feature is evaluated for purpose, project value, priority, complexity, feasibility, dependencies, and final status. The report closes with a Feature Lock Summary and a verdict on readiness to begin SRS/SDS documentation.

Note on completeness: A small number of items below are marked **Pending** because they were still under active team discussion at the time this report was generated (see Section 9). These are included transparently rather than assumed resolved, consistent with this project's stage-by-stage review process.

How to Read This Report

Every feature below is scored against eight fields: Purpose, Value to Project, Priority, Estimated Complexity, Implementation Feasibility, Dependencies, and Final Decision. Priority is color-coded for quick scanning:

Core (Must Have)	**Recommended** (Should Have)	**Optional** (Could Have)	**Pending** (Undecided)	**Future Scope** (Out of MVP)

Decision values follow the same convention used throughout this project's review process: **Keep** (accepted as specified), **Modify** (accepted with a scope change), **Merge** (folded into another feature to avoid duplicate engineering), **Remove** (cut from MVP scope), or **Pending** (decision not yet made).

1. Authentication, Identity & Authorization

Establishes the trust foundation the entire permission hierarchy depends on.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
A1 Role-Based Registration & Guardian Hierarchy	Separates Guardian and Dependent roles; nests Primary/Secondary within Guardian.	Foundation for the whole permission model; nothing else works without it.	Core	Low - standard RBAC pattern.	Yes - well-established pattern, low risk.	None (foundational)	Keep
A2 Dependent KYC (CNIC + Liveness)	Verifies Dependent identity before account activation.	Prevents fake/duplicate Dependent accounts on a trust-sensitive care platform.	Core	Medium - liveness capture needs a reliable 3rd-party SDK.	Yes, using an existing KYC/liveness SDK, not custom-built.	Gates A1 activation	Keep
A3 Guardian Identity Verification	Verifies the Guardian - the platform's highest-privilege actor - before granting access.	Closes Risk R3: previously the only unverified actor held alarm/mic/CCTV access.	Core	Low - simpler than A2 (phone/CNIC check).	Yes - can reuse the same KYC vendor as A2.	Related to A1	Keep (Added in Stage 4)
A4 Guardian Permission Dashboard	Lets the Primary Guardian grant/revoke Secondary Guardian access per module.	Enables the granular access control central to the Guardian Hierarchy concept.	Core	Medium - needs a complete, enforced module list.	Yes.	Depends on A1; gates most other domains	Keep

2. Guardian-Dependent Relationship Management

The core relationship model everything else in the system is built on top of.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
B1 Guardian-Dependent Linkage & Invite Flow	Connects Dependent accounts to one or more Guardians.	Mandatory precondition for activation and for every monitoring feature.	Core	Low-Medium.	Yes.	Depends on A1/A2	Keep

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
B2 Guardian Cap Enforcement (max 3 per Dependent)	Limits how many Guardians can be linked to one Dependent.	Prevents access sprawl; keeps accountability clear.	Core	Low.	Yes.	Depends on B1	Keep - exact composition (3 total vs. 3 Secondary + 1 Primary) still needs confirming
B3 Permission-Change Audit Log	Records when permissions are granted or revoked, and by whom.	Accountability trail; useful evidence in disputes or incident review.	Recommended	Low - reuses N3's audit-logging pattern.	Yes.	Shares infrastructure with N3	Keep - merge implementation with N3
B4 Multi-Dependent Support per Guardian	Allows one Guardian account to monitor more than one Dependent.	Realistic for families caring for multiple elderly/dependent relatives.	Pending	Medium - affects dashboard UI and data model.	Yes, but needs a team decision on scope first.	Affects A4 dashboard design	Pending - open since Stage 2

3. Location Intelligence & Geofencing

Core safety domain; already the most maturely specified part of the system.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
C1 Continuous Adaptive Location Tracking	Tracks the Dependent's live location, adjusting frequency to movement state.	Delivers the core 24/7 tracking promise while balancing battery cost (NFR2).	Core	Medium - efficient adaptive polling needs real tuning and testing.	Yes.	Feeds C2, escalation domain, L1	Keep
C2 Geofence Definition & Breach Alerts	Guardian defines a safe radius; system alerts on exit.	Protects wandering-prone Dependents (elderly, dementia).	Core	Low-Medium.	Yes.	Depends on C1	Keep
C3 Multi-Zone Geofencing	Supports more than one safe zone (e.g., home + relative's house).	More realistic coverage of a Dependent's actual routine.	Recommended	Low - incremental extension of C2's data model.	Yes.	Depends on C2	Keep
C4 Location History / Route Playback	Lets the Guardian review past movement.	Useful for context after an incident; not safety-critical in the moment.	Optional	Medium - storage plus a timeline UI.	Yes, but lower return relative to effort.	Depends on C1	Keep as stretch goal; first cut if timeline tightens

4. Emergency Detection, Escalation & Crisis Intervention

The actual value proposition of the system - and the domain that received the most refinement this stage.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
D1 Medication Missed-Dose Escalation	Escalates when a scheduled dose is not confirmed in time.	One of the few automated (non-panic-button) detection paths.	Core	Medium - timer-driven escalation state machine.	Yes.	Depends on F1	Keep

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
D2 Panic Mode	Lets the Dependent manually trigger an emergency alert.	Fast, simple, user-initiated path - valuable as one layer among several.	Core	Low.	Yes.	None	Keep - documented explicitly as a supplementary layer, not the primary detection mechanism
D3 Remote Alarm Override	Guardian remotely triggers a high-decibel alarm on the Dependent's device.	Helps locate or alert a disoriented Dependent nearby.	Core	Medium - platform-level volume override may hit OS restrictions (notably iOS).	Likely yes on Android; iOS needs a feasibility check before commitment.	None	Keep - confirm platform feasibility at architecture stage
D4 Guardian Wellness Check	Guardian-configured scheduled check-ins; escalates on no response.	Closes the single biggest detection gap: a crisis with no dose due and no button pressed.	Core	Low-Medium - reuses F1's scheduling/escalation pattern.	Yes.	Reuses F1 pattern; checks L1/C1 activity before escalating	Keep - Locked this session
D5 Multi-Level Escalation Chain	Escalates from Primary to Secondary Guardian if no response within a timeout.	Removes a single point of failure in the response chain.	Recommended	Low - extension of existing escalation logic.	Yes.	Depends on D1/D4 engine	Keep
D6 Fall Detection (Accelerometer)	Detects a fall using the phone's motion sensors.	Adds a passive detection layer without new hardware.	Optional	Medium - tuning real accuracy is genuinely hard without field test data.	Partial - achievable as a basic threshold model; don't overstate accuracy.	None	Keep as stretch goal; scope accuracy claims conservatively

5. Communication

Connective tissue between Guardian and Dependent, including the emergency audio channel.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
E1 Text Messaging	Standard in-app messaging between Guardian and Dependent.	Baseline communication channel.	Core	Low.	Yes.	None	Keep
E2 Voice & Video Calling	Real-time audio/video calls between Guardian and Dependent.	Core communication need; also the base for the emergency audio bridge.	Core	Medium-High - build on an existing RTC SDK, not a custom media server.	Yes, if built on an existing SDK.	Underpins E3	Keep
E3 Auto-Answer Emergency Audio Link	Guardian-initiated audio call that the Dependent's device answers automatically.	Enables immediate audio assessment of a crisis without requiring Dependent action.	Core	Medium - trigger/gating condition is currently undefined.	Yes, once the trigger condition is specified.	Depends on E2	Keep - define explicit trigger condition before SDS (open item)
E4 Priority Voice Messages	Urgent voice notes flagged as high-priority notifications.	Faster attention for non-emergency but time-sensitive messages.	Core	Low.	Yes.	Depends on M1	Keep

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
E5 Multi-Guardian Bridge Call	Joins all linked Guardians into one call during an active emergency.	Coordinated response, but a meaningful jump in real-time media complexity.	Optional	High - multi-party media mixing on top of E2.	Yes, but disproportionate effort for the benefit.	Depends on E2	Keep as stretch/Future Scope candidate if timeline is tight

6. Medication Management & Adherence

Already well-specified; the domain with the cleanest automated trigger mechanism.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
F1 Medication Scheduling & Dual Confirmation	Guardian-defined schedules, reminders, and a two-step confirmation to reduce accidental taps.	Reduces missed/false doses; core to the medication-safety story.	Core	Medium - rules engine plus reminder timers.	Yes.	Feeds D1, Q1	Keep
F2 Adherence History & Reporting	Tracks medication adherence over time.	Shows patterns to the Guardian; reuses data already being collected.	Recommended	Low - the underlying data already exists.	Yes.	Depends on F1	Merge into Q1 Analytics Dashboard - see Section 8

7. Medical Records & Health Data Management

Sensitive data domain; feature-complete but needed explicit protection requirements attached.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
G1 Medical Vault & PDF Export	Stores prescriptions/reports/labs; exports complete, year-wise, or month-wise PDFs.	Centralizes medical history; genuinely useful for hospital visits and record-keeping.	Core	Medium - document storage plus templated PDF generation.	Yes.	Feeds Q1/Q2	Keep
G2 Field-Level Access Control on Records	Restricts which record types a Secondary Guardian can view.	Prevents over-sharing sensitive medical detail beyond what's necessary.	Recommended	Medium - needs a clear per-field permission model.	Yes.	Depends on A4/G1	Keep
G3 Doctor-Shareable Read-Only Export Link	Generates a shareable read-only link to records for a doctor visit.	Small convenience feature with real practical value.	Optional	Low.	Yes.	Depends on G1	Keep as stretch goal

8. Daily Health Metrics & Wearable Integration

Includes the supervisor-mandated wearable band - see the dedicated scope note below the table.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
H1 Manual Daily Vitals Entry	Manual logging of blood pressure, blood sugar, oxygen saturation, temperature.	Baseline health tracking without needing any external hardware.	Core	Low.	Yes.	Feeds Q1	Keep
H2 Wearable Health Band Integration (Supervisor-Mandated)	Pulls physiological data (e.g., heart rate) from the required wearable band.	Adds an automated, passive data stream that complements manual entry (H1) and can inform D4.	Core	Medium-High - depends on the specific band/SDK; BLE sync reliability is a real engineering concern.	Yes, if scoped to standard metrics via the band's existing SDK/BLE profile rather than custom firmware.	Feeds Q1; optionally informs D4 (not a sole trigger)	Keep - Modify scope (see dedicated note below)

Scope Note on H2 - Wearable Health Band (Supervisor-Mandated): This feature is required and is not being recommended for removal. The optimization is in its role, not its presence: treat the band as one input among several (alongside D2, D4, and geofencing), not as the system's sole crisis-detection trigger. This keeps the mandate satisfied while staying consistent with the Problem Statement's original objection to relying on a single hardware-dependent trigger. **Open item:** the exact device/vendor and required metrics for the band have not yet been specified to this review process - recommend confirming this with your supervisor before the architecture stage, since it affects the BLE/SDK integration approach.

9. Healthcare Service Integration

Directory-style access to established care organizations - real value at low engineering cost.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
I1 Healthcare Service Directory	Directory of ambulance and lab-service organizations (e.g., Edhi, Chhipa, Hussaini Blood Bank).	Fast access to trusted external services during a crisis.	Core	Low.	Yes - directory/contact only.	None	Keep - no live dispatch-API integration assumed unless a partnership is confirmed
I2 Contact-Logging / Incident Timeline	Logs when an external service was contacted from the app.	Builds a timeline of what was done during an incident.	Recommended	Low.	Yes.	None	Merge with J2 as a shared Activity Log component - see Section 8

10. Professional Home-Care Marketplace

The largest scope addition from Stage 3 - deliberately trimmed down for FYP feasibility.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
J1 Provider Directory & Request-to-Book	Browse nurse/physiotherapist profiles and send a booking request.	Delivers the core marketplace value without a full transaction engine.	Core	Medium.	Yes, at this scope.	None	Keep
J2 Session History Log	Records past booked sessions.	Useful continuity record for ongoing home care.	Recommended	Low.	Yes.	Depends on J1	Merge with I2 as a shared Activity Log component

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
J3 In-App Payments & Formal Provider Vetting	Full payment processing plus a provider KYC/ratings/trust pipeline.	Would complete the marketplace, but is effectively a separate product.	Future Scope	High - a two-sided marketplace is a product category on its own.	Not realistic within an FYP timeline alongside everything else.	Depends on J1	Remove from MVP - disproportionate effort vs. value; revisit post-FYP

11. Environmental Surveillance (CCTV)

Highest-risk domain in the feature set - technically, ethically, and in scope terms. Scoped down from Stage 3's "24/7 anytime" framing.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
K1 On-Demand Live Camera View	Live view from a single existing IP camera, on Guardian request.	Lets a Guardian visually assess a situation without full always-on infrastructure.	Core	Medium-High - streaming relay via a standard protocol.	Yes, at single-camera/on-demand scope.	None	Keep - scoped down from continuous recording
K2 Event-Triggered Clip Capture	Short clip auto-saved when Panic Mode or another critical event fires.	Improves both feasibility and privacy simultaneously vs. continuous recording.	Recommended	Medium.	Yes.	Depends on K1, D2	Keep
K3 Continuous 24/7 Recording & Storage	Always-on recording and cloud storage of the Dependent's environment.	Matches the original vision literally, but at a steep infrastructure and privacy cost.	Future Scope	High - media server, storage, bandwidth cost at production scale.	Not realistic within FYP resources; also an unresolved consent question (R7).	Depends on K1	Remove from MVP - replaced by K1 + K2

12. Device Health & Battery Management

Supports the reliability of every other domain.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
L1 Battery Monitoring, Low-Battery Alert, Last-Location-on-Shutdown	Monitors battery; alerts Guardians and saves final location before shutdown.	Prevents silent loss of contact due to a dead device.	Core	Low-Medium.	Yes.	Feeds C1	Keep
L2 Connectivity-Loss Alert	Flags when the Dependent's device has been offline beyond a threshold.	A distinct failure mode from low battery, previously unaddressed.	Recommended	Low.	Yes.	None	Keep - Added in Stage 4

13. Notifications & Alerting

Cross-cutting concern that every other domain funnels into.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
M1 Priority-Tiered Push Notifications	Push notifications with distinct priority levels routed per module.	Ensures critical alerts are distinguishable from routine ones.	Core	Low-Medium.	Yes.	None	Keep
M2 Notification Acknowledgment Tracking	Tracks whether a critical notification was actually opened, not just sent.	Directly improves escalation accuracy in D1/D4/D5 - a sent-but-unseen alert should still escalate.	Recommended	Low.	Yes.	Feeds D1, D4, D5	Keep

14. Security, Privacy & Compliance

Currently under-specified relative to how sensitive the data involved actually is.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
N1 End-to-End Encryption (Audio/Video)	Encrypts the emergency audio/video bridge end to end.	Protects the most sensitive real-time data channel in the system.	Core	Medium.	Yes.	Depends on E2/E3	Keep
N2 Encryption at Rest (Vault & Location)	Encrypts stored medical records and location history.	Closes a real gap: this data is as sensitive as audio/video but previously had no stated protection.	Core	Medium.	Yes.	Depends on G1, C1	Keep - Added in Stage 4, resolves Inconsistency I3
N3 Sensitive-Action Audit Logging	Logs who viewed CCTV, accessed records, or changed permissions, and when.	Strong, standard security-maturity signal for evaluation/viva.	Recommended	Low-Medium.	Yes.	Shared component with B3	Keep

15. Data Management & Retention

Currently unaddressed for the medical vault specifically.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
O1 Data Retention & Deletion Policy	Defines how long data is kept and what happens to it on account closure.	Basic compliance hygiene; strengthens SRS completeness.	Recommended	Low - mostly policy plus a scheduled cleanup job.	Yes.	Depends on G1	Keep

16. Accessibility & Inclusive Design

Directly follows from the stated target population; the domain with the most items still open.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
P1 Dependent Mode (Simplified UI)	A simplified navigation mode scoped to Panic Mode, Wellness Check, and Medication Confirmation.	Makes the system's core safety actions genuinely usable by the actual target population.	Core	Medium.	Yes.	Applies to D2, D4, F1	Keep - Locked this session
P2 Large Text & High-Contrast Mode	Larger fonts and higher-contrast styling for Dependent Mode screens.	Completes P1's goal - simplified navigation still needs to be visually perceivable.	Core (proposed)	Low - mostly a design-system/theming decision.	Yes.	Extends P1	Pending - discussion concluded positively; awaiting formal team confirmation
P3 Voice-Guided Interaction	Text-to-speech prompts and voice confirmation as an alternative to tapping.	Not yet evaluated.	Pending	Not yet evaluated.	Not yet evaluated.	Likely extends P1	Pending - not yet discussed
P4 Multilingual (Urdu) Support	Localized interface for Urdu-speaking users.	Not yet evaluated.	Pending	Not yet evaluated.	Not yet evaluated.	None	Pending - not yet discussed

17. Analytics & Insights

Not present in any prior stage; low-hanging fruit given data already collected elsewhere.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
Q1 Adherence & Vitals Analytics Dashboard	Visual trends for medication adherence and recorded vitals.	Demoable, visual, and cheap - the underlying data already exists from F1 and H1.	Recommended	Low-Medium.	Yes.	Depends on F1, H1, H2	Keep - absorbs F2
Q2 Automated Summary Reports	Scheduled weekly/monthly summary sent to the Guardian.	Reuses G1's existing PDF export infrastructure.	Optional	Low.	Yes.	Depends on Q1, G1	Keep as stretch goal

18. Newly Identified - Final Pass Additions

Two small, high-impact items identified during this final consolidation, not previously discussed.

Feature	Purpose	Value to Project	Priority	Complexity	Feasibility	Dependencies	Final Decision
R1 External Emergency Contact Fallback (SMS/Call)	A single next-of-kin contact, outside the app, notified as a last resort if no Guardian responds.	Plugs a real single-point-of-failure: what happens if all 3 linked Guardians are unreachable?	Recommended	Low - one phone number plus an SMS/call gateway trigger.	Yes.	Depends on D5's escalation chain	Add - low effort, closes a real gap
R2 Primary Guardian Onboarding / Setup Wizard	A guided first-run flow to configure geofence, Wellness Check schedule, and medications together.	Improves first-use experience; good live-demo material for a viva.	Optional	Low-Medium.	Yes.	Depends on C2, D4, F1	Add - quality-of-life, not safety-critical

Overlap & Duplicate Feature Analysis

F2 (Adherence History) ↔ Q1 (Analytics Dashboard)

Both present the same underlying medication/vitals data as trends. Building them separately means duplicated charting logic for no added value. **Recommendation:** Merge F2 into Q1 as one section of a single Analytics Dashboard.

I2 (Contact-Logging) ↔ J2 (Session History Log)

Both are, structurally, the same pattern: a timestamped log of an interaction with an external party (a healthcare org vs. a home-care provider). **Recommendation:** Implement once as a shared Activity Log component, reused by both domains, rather than building the same logging mechanism twice.

B3 (Permission Audit Log) ↔ N3 (Sensitive-Action Audit Logging)

Both log who did what and when, just for different action types. **Recommendation:** Build one audit-logging service and feed both permission changes and sensitive actions (CCTV views, record access) into it, rather than two parallel logging systems.

High-Effort, Lower-Value Items Flagged for Trimming

These items are not being removed outright (except J3 and K3, already reclassified as Future Scope above), but should be the first candidates cut if the team's timeline gets tight partway through development:

- E5 - Multi-Guardian Bridge Call: real-time multi-party media mixing is a meaningfully harder problem than a standard 1:1 call, for a feature that's convenient rather than essential.
- D6 - Fall Detection: achievable, but tuning genuine accuracy without field test data is a real risk; if kept, present it in the report/demo conservatively rather than as a fully solved capability.
- C4 - Location History / Route Playback: pleasant to have, but not safety-critical in the moment - the system's value proposition doesn't depend on it.
- Q2 - Automated Summary Reports: cheap to build, but genuinely optional; a natural first cut if Q1 alone is running behind schedule.

Feature Lock Summary

Final Approved Feature List (Core + Recommended)

34 features across 18 domains are approved as Core or Recommended for the MVP build, spanning Identity & Access, Guardian-Dependent Management, Location & Geofencing, Emergency Detection & Escalation, Communication, Medication Management, Medical Records, Health Metrics (including the mandated wearable band), Healthcare Directory, a scoped-down Home-Care Marketplace, a scoped-down CCTV module, Device Health, Notifications, Security & Privacy, Data Retention, and Analytics. Full detail for each is in Sections 1-18 above.

Features Modified From Their Original Stage 3 Form

- H2 (Wearable Band): kept per supervisor mandate, but its role is scoped as one input among several rather than a sole crisis trigger.
- K1/K2 (CCTV): scoped down from continuous 24/7 recording to on-demand live view plus event-triggered clips.
- J1/J2 (Marketplace): scoped down from a full booking-and-payment platform to a directory with request-to-book.
- D2 (Panic Mode): retained, but formally documented as a supplementary detection layer, not the system's primary crisis-detection mechanism.
- D4 (Guardian Wellness Check): redesigned from a generic single daily check-in into Guardian-configurable, multiple scheduled windows with activity-aware escalation.
- P1 (Dependent Mode): scoped to a single in-app mode rather than a separate application, limited to three safety-critical screens for MVP.

Features Removed From MVP Scope (with Reasons)

- J3 - In-App Payments & Formal Provider Vetting: effectively a separate two-sided marketplace product; disproportionate effort relative to the rest of the project. Moved to Future Scope.
- K3 - Continuous 24/7 CCTV Recording & Storage: substantial video infrastructure cost (media relay, storage, bandwidth) plus an unresolved Dependent-consent question. Replaced by K1 + K2. Moved to Future Scope.

Features Newly Added (with Reasons)

- A3 - Guardian Identity Verification: closes the gap where the system's highest-privilege actor was the only unverified one.
- D4 - Guardian Wellness Check: closes the central detection gap identified across Stages 1-4 - a crisis with no medication due and no button pressed.
- L2 - Connectivity-Loss Alert: a distinct device-failure signal from low battery, previously unaddressed.
- N2 - Encryption at Rest: closes a real gap where medical/location data had no stated protection despite comparable sensitivity to the already-encrypted audio/video.
- P1/P2 (and P3/P4 pending) - Accessibility domain: entirely absent through Stage 3 despite following directly from the stated target population.
- Q1 - Analytics Dashboard: cheap, demoable, and reuses data already being collected elsewhere.
- R1 - External Emergency Contact Fallback: closes the "all 3 Guardians unreachable" gap in the escalation chain at very low implementation cost.

Overall Project Scope

The MVP centers on four tightly connected pillars: (1) a verified, permission-governed Guardian-Dependent relationship; (2) layered, largely automated crisis detection - medication escalation, Wellness Check, Panic Mode, and geofencing working together rather than relying on any single mechanism; (3) real-time intervention tools - remote alarm, emergency audio, on-demand CCTV; and (4) a health-record and care-coordination layer - medical vault, healthcare directory, and a scoped-down home-care marketplace. The wearable band is integrated as a supplementary data source within pillar (2), satisfying the supervisor's requirement without becoming the system's sole point of failure. Full-scale CCTV recording and an end-to-end paid marketplace are explicitly deferred beyond this project's scope.

Final Verdict: Readiness for SRS / SDS

The feature set is substantively mature and ready to inform SRS/SDS drafting for the large majority of the system. However, it is not yet fully locked. The following items should be resolved first, since writing formal specification sections against them now risks rework later:

- P2 (Large Text/Contrast Mode) - awaiting the team's explicit confirmation (discussion concluded positively but was not formally closed).
- P3 (Voice-Guided Interaction) and P4 (Multilingual Support) - not yet discussed at all.
- B2 - exact Guardian-cap composition (3 total vs. 3 Secondary + 1 Primary).
- B4 - whether one Guardian may be linked to multiple Dependents.
- E3 - the explicit trigger/gating condition for auto-answer emergency audio.
- H2 - the specific wearable device/vendor and required metrics, to be confirmed with the supervisor.
- Full confirmation of whether any supervisor-mandated requirements exist beyond the wearable band.

Recommendation: Resolve these seven items first - most are single-decision items rather than open-ended design work, and should take one or two further discussion sessions, not a new stage of analysis. Once closed, this document can be marked fully locked and used as the direct basis for the SRS. Starting SRS sections for already-locked domains (Sections 1-15, 17-18) in parallel is reasonable; just avoid finalizing the SRS's Accessibility and Health-Metrics sections until P2-P4 and H2's device details are confirmed.