


H9HP52AECMMD

Mobile / Embedded Memory Component

Mobile / Embedded Memory Solution

Technical Datasheet



Source Memory Chips (SMC) provides technical reference documentation for memory products used in industrial, networking, embedded and long-life electronic applications.

<https://www.sourcememorychips.com>

SK hynix H9HP52AECMMD Memory Solution Product Specification

Product Highlights

Feature	Description
Compact BGA Device	H9HP52AECMMD is referenced as a compact BGA memory component for mobile hardware.
Mobile-Oriented	Part-number references associate H9HP52AECMMD with smartphone / embedded repair and programming workflows.
Integrated Memory Device	Used as a board-level memory component where compact integration is required.
Conservative Specification	Unverified density, voltage, speed and internal architecture values are intentionally left unspecified.

1. Product Overview

H9HP52AECMMD is an SK hynix mobile / embedded memory component. Public technical information for the exact part number is limited, so this specification intentionally avoids assigning an unverified internal memory configuration.


Item	Specification
Manufacturer	SK hynix
Part Number	H9HP52AECMMD
Product Type	Mobile / Embedded Memory Component
Memory Integration	Not publicly specified for exact part number
Package Type	BGA (exact package details not publicly specified)
Application	Mobile / Embedded Hardware

2. Memory Architecture

Public sources confirm H9HP52AECMMD as an SK hynix BGA memory component used in mobile hardware contexts. The exact internal memory blocks are not specified here without an exact-part SK hynix datasheet.

Memory Block	Function
Internal non-volatile memory	Not publicly specified for H9HP52AECMMD
Internal volatile memory	Not publicly specified for H9HP52AECMMD

Memory Block Diagram



3. Product Advantages

- Compact BGA form factor for board-level implementation
- Used in space-constrained mobile hardware
- Exact electrical compatibility must be verified in the target design
- Referenced in mobile and embedded hardware contexts
- Useful in repair, rework and legacy-device support

4. Technical Specifications

Parameter	Specification
Manufacturer	SK hynix
Part Number	H9HP52AECMMD
Memory Technology	TBD - exact configuration not publicly specified
Memory Density	TBD
Interface	TBD
Operating Voltage	TBD
Package	BGA; exact dimensions / ball map TBD
Operating Temperature	TBD

5. Typical Applications

Application	Usage
Smartphones	Board-level memory component in supported mobile hardware
Mobile Devices	Compact memory implementation
Embedded Systems	Space-constrained embedded hardware
Repair / Rework	Device-level memory replacement and programming workflows
Legacy Hardware Support	Maintenance of systems using H9HP52AECMMD

Technical Reference Note

For H9HP52AECMMD, publicly accessible exact-part documentation is limited. Memory density, internal memory configuration, interface characteristics, operating voltage, package dimensions, ball map and operating-temperature limits are therefore not stated as confirmed values in this document.

For design-in, replacement or rework, verify the marking on the physical H9HP52AECMMD device and confirm electrical, package and firmware compatibility against the target board before use.

6. Ordering Information

Part Number	Description
H9HP52AECMMD	SK hynix Mobile / Embedded Memory Component

7. Source Memory Chips Capability

Source Memory Chips provides memory sourcing solutions including DRAM, NAND Flash, eMMC and embedded memory products.

With flexible sourcing capability and supply chain support, SMC helps customers secure reliable memory components for industrial, embedded and electronic applications.

Document Information

Item	Details
Document Type	Product Specification
Product	H9HP52AECMMD
Revision	1.0
Date	2026

H9HP52AECMMD Identification & Use Note

This specification is intentionally limited to H9HP52AECMMD. Similar H9HP-series part numbers and suffixed variants are not treated as interchangeable unless their manufacturer documentation and board-level compatibility are independently verified.

When sourcing H9HP52AECMMD, confirm the exact top marking, package condition and required application compatibility before procurement or installation.