




macOS / Windows

	3.2.0 / 1.2.3
	macOS Windows + Obsidian 1.9.0
	macOS Windows
	2026-08-15
Obsidian	

1.	Obsidian <code>.obsidian`</code> Markdown
2.	
3.	Obsidian “ ”
4.	
5.	



01

Obsidian macOS `.dmg`/`.pkg` Windows `.exe`/`.msi`
ZIP

	Obsidian 1.9.0
	Obsidian 1.13.7 macOS
	3.2.0
	1.2.3
	- -v3.2.0- .zip

1.1 □□□□

- Markdown
- `.obsidian/workspace.json` `.obsidian/graph.json`
- `.obsidian/plugins/xinghai-workbench/data.json`
- `.obsidian/themes` `.obsidian/plugins/xinghai-workbench`

Obsidian

02

ZIP

` /`	`theme.css` `manifest.json`
`xinghai-workbench/`	`main.js` `styles.css` `manifest.json`
` /`	Markdown Base
`README.md`	
`INSTALL.md`	
`QA-STATUS.md`	

03

macOS Windows

`Tmac`

3.1

macOS	`/Users/ /Documents/Tmac` `Tmac/.obsidian/themes/ /`
Windows	`D:\Obsidian\Tmac` `C:\Users\ \Documents\Tmac` `Tmac\.obsidian\themes\ \`
	`.obsidian/plugins/xinghai-workbench/`

3.2


1. Obsidian
2. ` - -v3.2.0- .zip`
3. ` ` `Tmac/.obsidian/themes/ /`
4. `xinghai-workbench` `Tmac/.obsidian/plugins/xinghai-workbench/`
5. `/00- .md` `03- .base`
6. Obsidian “ → → ” “ ”
7. “ → ” “ ”
8. Ribbon “ ”

→ macOS Finder `\.obsidian` `Command + Shift + .` Windows “ →
→ ” `\.obsidian`

Windows Obsidian `%APPDATA%`
`.obsidian`

04

- Obsidian
-
- Markdown
-
- 25 50
-



05

5.1 □□□□

- `workspace-xinghai.json`
- `graph-xinghai.json`
- `appearance-xinghai.json`

Obsidian

5.2 □□

1. `data.json`
- 2.
- 3.
- 4.

5.3 □□

1. Obsidian
2. `data.json` `workspace.json` `graph.json`
- 3.

06

	<code>`Tmac/.obsidian/themes/ /theme.css`</code>
	<code>`plugins/xinghai-workbench/manifest.json`</code> <code>`main.js`</code> Obsidian
	Ribbon
	<code>`##`</code> <code>`</code>
	“ ”
	/ Markdown
Windows	ZIP <code>`D:\Xinghai`</code>