aardio 范例: COM 接口 - 免注册调用远程桌面控件

```
//COM 接口 - 免注册调用远程桌面控件
import win.ui;
/*DSG{{*/
var winform = win.form(text="远程桌面客户端";right=599;bottom=799)
winform.add()
/*}}*/
winform.onEraseBkgnd = lambda() 0;
winform.show();
import com.lite;
var dll = com.lite("MsTscAx.dll");
//如果不是内存 DLL 可以省略参数@2里指定的类名(aardio 会自动获取)
var tsc = dll.createEmbedEx(winform,"{7cacbd7b-0d99-468f-ac33-22e495c0afe5}")
//响应远程桌面事件, 控件容器对象是默认的事件监听对象
tsc.OnDisconnected = function(discReason) {
   select (discReason)
           winform.msgbox("已注销登录");
       else{
           winform.msgbox("远程连接失败");
   }
//设置远程登录参数 https://docs.microsoft.com/en-us/windows/win32/termserv/mstscax
tsc.Server = "服务器地址";
tsc.UserName = "登录用户名";
tsc.AdvancedSettings2.ClearTextPassword = "登录密码"; //保存密码可省略
tsc.AdvancedSettings2.EnableCredSspSupport = true; //启用凭据安全服务提供程序(CredSSP)
tsc.AdvancedSettings2.RDPPort = 3389; //端口
tsc.AdvancedSettings2.RedirectPrinters = false; //取消共享打印
tsc.AdvancedSettings2.RedirectDrives = true; //允许共享磁盘
tsc.AdvancedSettings2.SmartSizing = true; //自动调整大小
tsc.DesktopWidth = "800" //桌面宽度
tsc.DesktopHeight = "600"; //桌面高度
tsc.FullScreen = false;//是否全屏
tsc.FullScreenTitle = winform.text;//全屏标题
tsc.ColorDepth = 32;//32位颜色
tsc.ConnectingText = "正在连接....."
tsc.Connect(); //连接
win.loopMessage();
```

Markdown 格式