## aardio 范例: UWP 应用 - 查看工具

```
//应用列表
import win.ui;
import win.ui.menu;
import fonts.fontAwesome;
/*DSG{{*/
 var winform = win.form(text="UWP 应用 - 查看工具";right=1150;bottom=666;bgcolor=16777215)
winform.add(editCode=(cls="plus";left=10;top=624;right=969;bottom=654;align="right";autohscroll=false;autovscroll=false;border={bottom=1;color=-4144960};dr=1;dt=1;editable="edit";font=LOGFON.listview=(cls="listview";left=8;top=41;right=1138;bottom=617;acceptfiles=1;asel=false;bgcolor=16777215;db=1;dl=1;dr=1;dr=1;cde=1;font=LOGFONT(name='SimSun');fullRow=1;gridLines=1;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedit=10;pullcosedi
import win.ui.grid;
var grid = win.ui.grid(winform.listview);
var reloadItemData = function() {
    thread.invoke(
        function(winform,grid) {
                                 winform.plusLoading.hide = false;
winform.plusSearch.hide = true;
winform.listview.hide = true;
                                 winform.plusLoading.disabledText = {'\uF254';'\uF251';'\uF252';'\uF253';'\uF250'}
                                 var dataTable = {}
for i,item in com.shell.eachApp() {
   if(string.find(item.path,"!")) {
      table.push( dataTable, {
         displayName = item.name;
         aumid = item.path
   }
}
                                  var word = string.trim(winform.plusSearch.text);
                                 var word = String.tram(variation);
if(#word){
  word = "@@" + word;
  dataTable = table.filter(dataTable
  ,lambda(v) string.find(v.displayName,word) || string.find(v.aumid,word) )
                                 dataTable.fields = {"displayName", "aumid"}
                                 return owner[name] < b[name]
                                                                  })
                                                                   table.sort(dataTable,function(b){
    return owner[name] > b[name]
                                                                 })
                                          }
                                 }
                                 grid.setTable( dataTable )
sleep(300);
                                  winform.plusLoading.disabledText = null;
                                 winform.plusLoading.hide = true;
winform.listview.hide = false;
winform.plusSearch.hide = false;
                                 winform.resize();
                     },winform,grid
grid.onSortColumn = function(column,desc) {
   grid.sortDesc = desc;
   grid.sortColumn = column;
   reloadItemData();
           return true;
grid.onEditChanged = functi
return false; //禁止编辑
                                                          function(text,iItem,iSubItem) {
winform.adjust = function( cx,cy,wParam ) {
    winform.listview.fillParent();
import win.debounce;
winform.plusSearch.editBox.onChange = win.debounce(function(){
    if(#winform.plusSearch.text) reloadItemData();
import com.shell:
winform.listview.onnotify = function(id,code,ptr){
           select(code) {
   case 0xffffffffb/*_NM_RCLICK*/ {
                                 var x,y = win.getCursorPos();
                                 winform.popmenu = win.ui.popmenu(winform);
                                 if(l===#winform.listview.selected){
  var item,path = winform.listview.getSelection(,2);
  winform.popmenu.add("返行",function(id){
    import com.shell,
      com.shell.activateApp(path);
}
                                           });
                                 \verb|winform.popmenu.popup(x,y,true)|;
                      };
case 0xFFFFFFFE/*_NM_CLICK*/{
  var item,path = winform.listview.getSelection(,2);
  winform.editCode.text = `com.shell.activateApp("`+path+`")`;
winform.onOk = function(){
          winform.plusSearch.setFocus()
```

<u>Markdown 格式</u>