

MANAGING PARTNER DIRECTIVE

ATT Mr Tanaka Stone- WEB-Bugs Developer

Issue of Bugs Registration:

REF: D.E.T WEB- Bugs Resolution & Functional Correction Memorandum

Let use the developer principle: that as we build the dummy website, let us build it as if real participants are already using it. That forces the payment flow, activation flow, and user experience to be tested properly instead of discovering problems after launch.

D.E.T WEBSITE DEVELOPMENT ENVIRONMENT REQUIREMENT

Requirement: The current dummy/pseudo website environment being developed for D.E.T shall be treated as a direct replica prototype of the final production website.

The objective is to ensure that once the pseudo-website development, testing, and validation phase is completed, migration to the live D.E.T website can occur with minimal restructuring and without requiring major infrastructure changes.

Developer Investigation Required: Ensure the pseudo-website matches the intended final website architecture in:

- a) Overall layout
- b) Page structure
- c) Navigation flow
- d) Button placement
- e) User journey
- f) Subscription flow
- g) Payment flow integration points
- h) Authentication process
- i) Client dashboard structure
- j) Download sections
- k) D.E.T activation workflow
- l) Terms & Conditions placement
- m) User data collection points
- n) Backend communication structure

Required Behaviour: The dummy website shall not be developed as a temporary design concept only. It shall function as

- a) A complete testing environment for the future live D.E.T platform.
- b) All major components should already represent the final intended system behaviour.

Migration Requirement: When the pseudo-website is approved, The transition to the live website should primarily involve:

- a) Domain replacement
- b) Production server deployment
- c) Live payment gateway connection
- d) Security configuration
- e) Final content adjustments

The core architecture, user flow, and system logic should remain unchanged. Required Outcome: The D.E.T development process shall follow: Prototype → Testing → Validation → Production Deployment

The final website should feel like an upgrade of the existing environment rather than a complete rebuild and ensures that all tested workflows can transfer directly into the live D.E.T ecosystem. This approach reduces:

- a. Development duplication
- b. Migration risks
- c. User experience inconsistencies
- d. Infrastructure changes after launch

D.E.T Participant Journey Language Framework

Stage 1 — Website Entry Avoid: "Register Account" Use: Get Started or: Start Your D.E.T Journey

Reason: Feels like beginning a service, not opening a financial account.

Stage 2 — Choosing Tier Avoid: "Select Investment Package" Use: Choose Your Trading Level

Stage 3 — Before Payment Avoid: "Accept Legal Agreement" Use: Review & Accept D.E.T Terms

Checkbox: ☐ I understand and agree to continue with D.E.T

Stage 4 — Payment Avoid: "Proceed to Payment Gateway" Use: Continue to Secure Payment

This feels like unlocking access, not buying software.

Stage 5 — After Payment Avoid: "Create Account" This is the biggest one. Use: Set Up Your D.E.T Profile or: Complete Your D.E.T Setup

Explanation: "We need a few details to connect your payment, activation, and D.E.T access." This answers: "Why do we need their details?" before they ask.

Stage 6 — Personal Details Avoid: "User Information" Use: Your Details Fields: Name. Email. WhatsApp Number. Country

Stage 7 — Verification Avoid: "KYC Verification" (front end) Use: Confirm Your Details

Message: "We will send your activation confirmation to your WhatsApp first then Email."

Stage 8 — Activation Avoid: "Account Activation" Use: Activate Your D.E.T or: Unlock Your D.E.T Access

Stage 9 — Download Avoid: "Download Client EA" Use: Download Your D.E.T or: Get Your D.E.T
Message: "Your personal D.E.T file is ready."

Stage 10 — Unique Number Avoid: "System Identification Code" Use: Your D.E.T ID or: Your Personal D.E.T Number
Message: "This unique number belongs only to your D.E.T and helps us keep your access secure."

Stage 11 — MT5 Connection Avoid: "Install Expert Advisor" Use: Connect D.E.T To MT5

Stage 12 — Loading Avoid: "Attach EA To Chart" Use: Activate D.E.T On Your Trading Chart

Stage 13 — Trading Status Avoid: "System Enabled" Use: D.E.T Is Ready

Stage 14 — Suspension Avoid: "Account Disabled" Use: D.E.T Temporarily Paused
Message: "Your D.E.T is currently taking a controlled pause according to your protection settings."

Stage 15 — Reactivation Avoid: "Account Reinstatement" Use: Restore D.E.T Access or: Restart Your D.E.T Journey

Stage 16 — Delete / Remove D.E.T Avoid: "Uninstall Application" Use: Remove D.E.T From MT5
Message: "Removing D.E.T will disconnect this installation from your trading chart."

COMPLETE PARTICIPANTS FLOW LANGUAGE

Website: "Start Your D.E.T Journey"



"Choose Your D.E.T Plan"



"Confirm Your D.E.T Agreement"

"Secure Your D.E.T Access"

"Complete Your D.E.T Setup"

"Verify Your Access"

"Activate Your D.E.T"

"Download Your D.E.T"



"Connect D.E.T To MT5"



"D.E.T Is Ready"

The participant experience stays simple. But backend can still say:

- a) Participant_ID
- b) Subscription_ID
- c) KYC
- d) Authentication
- e) Entitlement
- f) Activation Binding

D.E.T WEBSITE TO TRADING ACTIVATION FLOW. Participant Experience & System Workflow

1. Website Entry

Participant View: "Start Your D.E.T Journey" The participant enters the D.E.T website and explores:

- a. D.E.T Plans
- b. Trading Levels
- c. Approved Trading Float Options
- d. Features
- e. Risk Information
- f. Frequently Asked Questions

System Action: No account is created yet. The visitor is only browsing.

2. Choose D.E.T Plan

Participant View: Button: Choose Your D.E.T Plan

- a) System Action: Once selected: Create temporary D.E.T Journey Reference, For Example: DET-000123
- b) This tracks the participant journey before payment.

3. Confirm D.E.T Agreement

Participant View: Before payment: Display :-Confirm Your D.E.T Agreement

Checkbox: ☐ I understand and agree to continue with D.E.T

Include:

- a. Terms & Conditions
- b. Risk Disclosure
- c. Automated Trading Disclaimer
- d. Participant Responsibilities

System Action: Records:

- a. Agreement accepted
- b. Date/time
- c. Selected plan

4. Secure Payment

Participant View: Redirect: Continue to Secure Payment

Payment gateway handles:

- a. Payment processing
- b. Payment confirmation

System Action: Payment provider sends confirmation. For Example: DET-000123

Status: PAYMENT APPROVED

5. Complete Your D.E.T Setup

Participant View: Avoid: "Create Account" Use: Complete Your D.E.T Setup

Message: "We need a few details to connect your payment, activation, and D.E.T access."

Information required:

- a. Name
- b. Email
- c. WhatsApp Number
- d. Country

6. Verify Your Access

Participant View: Message: "We will send your activation confirmation to your WhatsApp first." Backup: Email

System Action: Verify:

- a. Contact details
- b. Payment reference
- c. Participant profile

Status: ACCESS VERIFIED

7. D.E.T Plan Assignment

Participant View: Display: Your D.E.T Plan: For Example:

- a) Topaz Level
- b) Approved Trading Float: \$900

System Action: Create Participant Profile and Assign:

- a. Plan
- b. Approved Float
- c. Trading Permissions
- d. Risk Parameters

Important:

- a) D.E.T only manages approved allocation.
- b) It does not recognise unauthorised balance.

8. Activate Your D.E.T

Participant View: Message: "Your D.E.T is ready for activation." System creates: Personal D.E.T ID For Example: 847392615

System Action Bind: Participant + Subscription + D.E.T ID

9. Download Your D.E.T

Participant View: Button: Download Your D.E.T

Message: "This D.E.T installation is uniquely assigned to you."

System Action: Generates a Unique 9 Digit D.E.T Number

Rules:

- a. Never duplicated
- b. Cannot be reused
- c. Permanently linked

10. Connect D.E.T To Mt5

Participant View Instruction: "Connect D.E.T to your MT5 trading platform."

Steps:

- a. Install D.E.T
- b. Load onto MT5 chart
- c. Activate Algo Trading

11. D.E.T Activation Check

System Checks, before trading: Verify:-

- a) Payment active
- b) Subscription valid
- c) D.E.T ID recognised
- d) Activation valid
- e) Correct participant profile
- f) Approved float available

12. D.E.T Ready Status

Participant sees: D.E.T Is Ready

- a) Status: ACTIVE

13. Temporary Pause Events

If risk rules trigger: For Examples:

- a. Designated Profit Reached
- b. Designated Loss Reached

Participant sees: D.E.T Temporarily Paused Not: Account Disabled

14. Restore D.E.T Access

After conditions are met: System checks:

- a. Suspension period completed
- b. Payment status
- c. Reactivation requirements

Then: Restore D.E.T Access or Request manual activation.

15. Remove D.E.T

Participant option: Remove D.E.T From MT5

Message: "Removing D.E.T disconnects this installation from your trading chart."

Complete Participant Journey

Start Your D.E.T Journey



Choose Your D.E.T Plan



Confirm Your D.E.T Agreement

Secure My D.E.T Access

Complete Your D.E.T Setup

Verify Your Access

Activate Your D.E.T

Download Your D.E.T

Connect D.E.T To MT5



D.E.T Is Ready



Trading Environment Managed

Backend Architecture Remains:

Visitor



Subscription Reference



Payment Confirmation

Participant Profile

Plan Entitlement

D.E.T Identity Assignment

Activation Binding



MT5 Connection



Trading Management

2.33 D.E.T Application Identity System

Requirement: Rename Dummy EA to D.E.T. All user-facing references shall replace Dummy EA terminology with D.E.T / CornerStore branding.

Website update: Replace: "Download Client EA" With: "Download D.E.T"

Developer Investigation Required: Verify:

- a) No remaining Dummy EA references exist in the user interface.
- b) Download buttons correctly point to D.E.T installation package.
- c) Client-facing terminology is consistent across website, dashboard, emails, and activation flow.

Required Behaviour: Each downloaded D.E.T instance shall receive a unique permanent identification number.

Required format: 9 Digit Unique D.E.T Identification Code. The D.E.T identification code shall operate as a digital fingerprint.

Rules:

- a) No two D.E.T installations may ever share the same code.
- b) Previously generated codes cannot be reused.
- c) The code remains permanently linked to that D.E.T instance.
- d) The code becomes the tracking reference for that installation.

2.34 Duplicate Download Detection System

Requirement: Prevent unnecessary duplicate D.E.T downloads by detecting existing installations.

Developer Investigation Required: Verify:

- a) System can identify previous D.E.T downloads linked to the client account.
- b) Previous D.E.T identification code is recorded.
- c) Duplicate download attempts trigger a user notification.

Required Behaviour: If client already has downloaded D.E.T: Display: "You already have a D.E.T installation registered to your account. There is no need to download another copy."

Options: Continue with existing D.E.T OR Proceed with new download. If client chooses new download: System may allow download. New D.E.T:

- a) Must receive a new unique 9 digit identification code.
- b) Must not duplicate previous identity.

Activation Key Binding System

Requirement: Activation keys must be permanently linked to the specific D.E.T identification code issued during download.

Developer Investigation Required: Verify:

- a) Activation key validation checks D.E.T identification number.
- b) Activation keys cannot activate another D.E.T instance.
- c) Previously used activation videos/codes cannot be reused.

Required Behaviour: For Example: D.E.T ID: 123456789 Activation Key: ABC-123. The key is valid ONLY for: D.E.T ID 123456789

If user downloads another D.E.T: New D.E.T ID: 987654321 Previous activation: INVALID

Terms & Conditions Acceptance Control

Requirement: Mandatory Terms & Conditions acceptance must occur before payment.

Developer Investigation Required: Verify:

- Terms checkbox is visible immediately after selecting subscription.
- User cannot proceed without acceptance.
- Acceptance timestamp is recorded.
- Agreement is linked to client account.

Required Behaviour: Place checkbox near: "Proceed to Secure Payment"

- The button position should remain stable and not shift due to page movement.

Payment To Client Authentication Flow

Requirement: After successful payment approval, client must move into secure authentication.

Workflow:

Subscription Selection

↓

Terms Acceptance

↓

Secure Payment Gateway

↓

Payment Confirmation

↓

Client Authentication Area {Authentication Requirement} Client area requires:

- Username/email
- Password

Basic account verification:

- Email
- Phone
- Payment confirmation

Client Registration System

Requirement: Replace "Sign Up" terminology with: Subscribe Reason: Maintain consistent flow:

Website-Subscribe-Payment-Activate-Access D.E.T

Contact Information Update: Replace:

- a) WhatsApp Number
- b) Mobile Number

With:

- a) WhatsApp Number
- b) Email Address

International Phone Validation

Requirement: Automatically apply country codes based on selected country. For Examples: Zimbabwe +263. United States +1 Botswana +267

Developer Investigation Required: Verify:

- a) Country selection determines correct code.
- b) User only enters local number.
- c) Invalid number length is rejected.
- d) Number mismatch prevents registration.

Required Behaviour: For Example: Country: Zimbabwe System displays: +263 User enters: 771234567 System stores: +263771234567

Activation Delivery System

Requirement: Activation code delivery must prioritize WhatsApp.

Required Behaviour: Display: "Your activation code will be sent to your WhatsApp number first. If unavailable, email delivery will be used."

Password Creation System

Requirement: Improve password creation experience.

Required Behaviour: Display: "Create a secure 8 character password"

Requirements:

- a) Minimum 8 characters.
- b) Hide password by default.
- c) Provide visibility toggle.

For Example:



Show Password

User Error Message Improvement

Requirement: Replace technical error codes with simple user-friendly explanations.

Developer Investigation Required: Identify all registration failures. Replace: Technical error messages with Human-readable explanations. For Examples:

- a) Instead of: ERROR 403 AUTH FAILURE Display: "Your details could not be verified. Please check your information and try again."
- b) Instead of: FIELD NULL Display: "Please complete the missing section before continuing."

Registration Failure Bug Investigation

Requirement: Investigate why account creation attempts are failing. Developer Investigation Required Review:

- a) Registration form submission.
- b) Database account creation.
- c) Email validation.
- d) Phone validation.
- e) Country code handling.
- f) Password validation.
- g) Payment-to-account linking.
- h) Activation code generation.
- i) User session creation.
- j) Error handling.

Required Outcome: Client journey must operate correctly:

Subscribe



Accept Terms



Secure Payment



Create Account

Authentication

Receive Activation

Download D.E.T



Bind Activation To Unique D.E.T ID



Activate Trading Environment

The system must ensure every D.E.T installation has a unique identity, controlled activation, traceable ownership, and a seamless client onboarding experience.

One additional architectural note: the 9-digit D.E.T number should probably be generated server-side, not inside the EA itself. That prevents duplication, cloning, and tampering. It becomes a true system identity rather than just a number inside a file.

D.E.T NETWORK PARTNER ATTRIBUTION & COMMISSION SYSTEM

2.44 D.E.T Network Partner Identification System

This is essentially a partner attribution + commission engine. The important architectural point is that the partner link should not just “send traffic”; it should create a permanent relationship record between:

Partner → Participant → Subscription → Payment → Commission Ledger

Requirement: Create a D.E.T Network Partner system that allows approved partners to promote D.E.T through unique tracking links containing embedded partner identification. The system must accurately identify which partner introduced each participant and maintain that relationship throughout the participant lifecycle.

Developer Investigation Required: Verify:

- a. Each approved partner receives a unique Partner ID.
- b. Partner ID cannot be duplicated.
- c. Partner links contain embedded tracking identification.
- d. Participant registration captures partner attribution data.
- e. Partner attribution remains linked after the first visit.
- f. Attribution cannot be overwritten by another partner link after registration.

Required Behaviour: Each partner receives a unique promotional link. For Example:

- a) D.E.T Website Link: www.shaunclarence.com/start?partner=123456
- b) Where: 123456 = Partner Identification Code
- c) When a participant enters through the partner link

The system records:

- a. Partner ID
- b. Date/time
- c. Participant journey reference
- d. Source tracking information

2.45 Participant Partner Association

Requirement: Create a permanent association between the participant and the referring D.E.T Network Partner.

Developer Investigation Required: Verify: Once participant registration begins through a partner link:

- a. Partner ownership is stored.
- b. Future payments remain linked to that partner.
- c. Relationship cannot be lost after account creation.
- d. Multiple partner claims cannot exist for one participant.

Required Behaviour: For Example:

- a) Partner D.E.T Network Partner A
- b) Participant: Participant 000123
- c) Relationship: Partner A → Participant 000123

This relationship remains active throughout the commission eligibility period.

2.46 Payment Event Commission Trigger

Requirement: Commission calculation shall only activate after confirmed participant payment.

No commission shall be generated from:

- a. Website visits
- b. Registrations
- c. Free downloads
- d. Uncompleted payments

Developer Investigation Required: Verify:

- a) Payment gateway confirmation communicates with D.E.T system.
- b) Required payment event: PAYMENT_APPROVED
- c) Triggers: Commission Calculation Engine

2.47 Commission Calculation Engine

Requirement: Implement time-based partner commission structure. Commission schedule:

Year 1: - 3% instant payments, the moment we receive our payments

Year 2: - 2% instant payments, the moment we receive our payments

Year 3: -1% instant payments, the moment we receive our payments

Year 4: -Expired

Required Behaviour: Commission calculation is based on actual successful participant payments.

For Example:

Participant payment: \$100

Partner commission: Year 1: 3% Per-Transaction

Commission: \$3

Year 2: \$100 payment

Commission: 2% Per-Transaction

Commission: \$2

Year 3: \$100 payment

Commission: 1% Per-Transaction

Commission: \$1

Year 4: No commission generated.

Status: EXPIRED

2.48 Commission Eligibility Timer

Requirement: Commission eligibility period must begin from the participant's first successful payment date.

Developer Investigation Required: Verify System records:

- a. First payment date
- b. Partner assignment date
- c. Commission start date
- d. Current commission year

Required Behaviour: For Example:

First Payment: 01 January 2026

Commission period: 01 January 2026 → 31 December 2026 Year 1: 3%

01 January 2027: Moves to Year 2: 2%

2.49 Partner Commission Ledger

Requirement: Create a transparent commission record system. Developer Investigation Required: Verify every commission event records:

- a. Partner ID
- b. Participant ID
- c. Payment reference
- d. Payment amount
- e. Commission percentage
- f. Commission amount
- g. Date generated
- h. Status

Required Outcome: Every commission must be traceable from:

Participant Payment

↓

Commission Calculation

↓

Partner Earnings Record

2.50 Payment Gateway Integration

Requirement: Integrate external payment gateway communication with the D.E.T Commission Engine.

Developer Investigation Required: Verify Payment gateway sends:

- a. Payment approved status
- b. Payment reference
- c. Participant reference
- d. Amount paid

D.E.T system then:

- a) Confirms participant identity.
- b) Checks partner attribution.
- c) Calculates commission.
- d) Creates commission ledger entry.

2.51 Partner Dashboard Requirement

Requirement: Provide approved D.E.T Network Partners with access to commission information.

Dashboard Information: Partner can view:

- a. Personal Partner ID
- b. Promotional link
- c. Registered participants
- d. Payment activity
- e. Commission earned
- f. Commission period
- g. Expiry status

2.52 Security & Fraud Prevention

Requirement: Prevent manipulation of partner attribution. Developer Investigation Required Protect against:

- a. Self-referrals
- b. Changing partner IDs after registration
- c. Duplicate participant accounts
- d. Fake payment confirmations
- e. Commission manipulation

Required Outcome: The D.E.T Network Partner System shall operate as a complete referral ecosystem:

Partner Link Generated

↓

Participant Joins Through Link

↓

Participant Pays

↓

Payment Confirmed

↓

Commission Calculated

↓

Partner Ledger Updated

↓

Partner Receives Eligible Commission

The system shall automatically manage the full 3-year commission lifecycle and permanently preserve attribution integrity.

D.E.T NETWORK PARTNER MANAGEMENT & COMMISSION CONTROL SYSTEM

2.53 Partner Attribution Locking System

Requirement: The D.E.T system must permanently store the partner relationship at the point of the participant's first successful registration, not only at payment confirmation. Developer Investigation Required: Verify:

- a. Partner attribution is captured when participant registration begins through a valid partner link.
- b. Partner relationship is stored after successful participant registration.
- c. Future payments remain connected to the original partner.
- d. Attribution cannot be overwritten by another partner link.
- e. Multiple partner claims cannot exist for one participant.

Required Behaviour: For Example Participant clicks:

Partner A Link

↓

Registers successfully

↓

System records: Participant 000123 Referred By: Partner A

↓

If participant later clicks Partner B Link: The system shall maintain: Original Partner: Partner A

Required Outcome: Partner ownership disputes are prevented by creating a permanent attribution record from the first successful participant registration.

2.54 D.E.T Network Partner Terms & Conditions Acceptance

Requirement: All D.E.T Network Partners must accept Partner Terms & Conditions before receiving an active promotional link. Developer Investigation Required: Verify Partner cannot:

- a. Access dashboard
- b. Generate links
- c. Promote D.E.T or Receive commissions until agreement acceptance is recorded.

Required Behaviour: Partner onboarding flow:

Apply To Become Partner

↓

Review Partner Terms

Tick Acceptance Box

Confirm Agreement

↓

Partner Account Activated

System records:

- a. Acceptance date
- b. Partner ID
- c. Agreement version
- d. IP/device information (where applicable)

2.55 Partner Link Traceability System

Requirement: All partner promotional links must contain unique embedded partner identification.

Developer Investigation Required: Verify Each click records:

- a. Partner ID
- b. Date/time
- c. Visitor source
- d. Registration conversion
- e. Participant journey reference

Required Behaviour: For Example: Partner Link: D.E.T.com/start?partner=456789

System recognises: Partner 456789. Tracking lifecycle: Click- Registration- Payment- Commission

2.56 Partner Status Management System

Requirement: Create partner lifecycle controls. Partner statuses: ACTIVE. WARNING. SUSPENDED. DEACTIVATED

Developer Investigation Required: Create controls for:

- a. Breach of Partner Terms
- b. Fraudulent activity
- c. Misrepresentation
- d. False advertising
- e. Manipulated referrals
- f. Unauthorized promises to participants

Required Behaviour: If partner breaches terms: System may:

- a. Disable promotional links
- b. Stop new participant attribution
- c. Freeze commission generation
- d. Restrict dashboard access

Required Outcome: D.E.T maintains control over partner quality and protects participant trust.

2.57 Partner Commission Protection Rules

Requirement: Partner deactivation must have defined commission handling.

Developer Investigation Required: Define: If partner is suspended: Are previous valid commissions:

- a. Paid normally?
- b. Held pending investigation?
- c. Cancelled only under proven breach?

Required Behaviour: Historical legitimate commissions should remain traceable. Future commission eligibility depends on partner status.

2.58 D.E.T Network Partner Dashboard

Requirement: Create a clean partner dashboard showing relevant performance and commission information.

Dashboard Sections: 1. Partner Profile Display:

- a. Partner Name
- b. Partner ID
- c. Partner Status
- d. Date Joined
- e. Terms Accepted Date

2. Partner Link Display: Personal D.E.T referral link For Example: D.E.T.com/start?partner=456789. Options:

- a. Copy Link
- b. Share Link

3. Referral Overview Display:

- a. Total Visitors
- b. Registered Participants
- c. Active Participants
- d. Pending Participants

4. Participant Journey Tracking Display: Participant Status: For Example:

Visited- Registered- Payment Pending- Payment Completed- Active D.E.T Participant

5. Commission Overview Display: Current Commission Tier:

- a) Year 1: 3%
- b) Year 2: 2%
- c) Year 3: 1%
- d) Year 4: Expired

Show:

- a. Total Commission Earned
- b. Pending Commission
- c. Paid Commission
- d. Commission History

6. Payment-Based Commission Records. Each commission entry: Shows:

- a. Participant reference number (privacy protected)
- b. Payment date
- c. Payment amount
- d. Commission percentage
- e. Commission earned
- f. Status

2.59 Partner Dashboard Security

Requirement: Partners must only see their own network information.

Developer Investigation Required: Prevent:

- a. Access to other partners' participants
- b. Viewing private participant information
- c. Manipulating commission data

Required Outcome: The D.E.T Network Partner ecosystem shall operate as:

- a) Partner Application - Terms Acceptance - Partner Approval - Unique Partner Link - Participant Attribution - Payment Confirmation - Commission Calculation - Partner Dashboard Reporting - Long-Term Partner Relationship Management

The system shall maintain transparency, security, and accurate commission tracking throughout the complete partner lifecycle.

2.60 Default Partner Attribution Fallback System

Requirement: Create a default partner attribution mechanism for all participants who register without using an approved D.E.T Network Partner referral link. All unattributed registrations shall automatically be assigned to the designated

Managing Partner / Founder account. Developer Investigation Required: Verify:

- a. Registration flow checks for valid partner referral identification.
- b. If partner referral ID exists, assign participant to that partner.
- c. If no partner referral ID exists, assign participant to default Managing Partner / Founder.
- d. Default attribution cannot be removed without authorised administrative action.
- e. Commission calculations correctly recognise the default attribution source.

Required Behaviour:

Scenario A — Participant Uses Partner Link:

- a) Participant enters through: Partner A referral link
- ↓
- b) System records: Participant Owner: Partner A

Scenario B — Participant Registers Directly:

- a) Participant visits website directly: No partner referral link detected
- ↓
- b) System automatically assigns: Participant Owner as Managing Partner / Founder

Required Outcome: Every participant must always have an attribution source. The system shall never allow:

- a) Unassigned participant records or
- b) Missing ownership attribution.

Attribution Priority Logic:

- a) Priority 1: Existing valid D.E.T Network Partner referral link
- ↓
- b) Priority 2: Managing Partner / Founder default attribution

Security Requirement:

- a) Participants cannot manually enter or modify partner attribution details.
- b) Partner ownership is controlled only by the D.E.T attribution engine.

D.E.T MANAGEMENT DASHBOARD

We need the ability to understand the entire participant lifecycle and where growth, friction, and risks are happening.

1. Website Traffic Overview

Purpose: Understand interest before commitment. Track:

- a) Total website visitors
- b) Unique visitors
- c) Returning visitors
- d) Average time spent
- e) Pages viewed
- f) Countries visiting
- g) Device type (mobile/desktop)
- h) Source: - Direct. Partner link. Social media. Search. Campaign

Key metric: Visitor → Registration conversion rate

2. Participant Journey Funnel

Track movement:

Website Visitor



Started D.E.T Journey



Accepted Terms



Selected Tier



Payment Started



Payment Completed



Profile Completed



D.E.T Downloaded



D.E.T Activated



Active Participant

This identifies where people drop off. For Example:

10,000 visitors



1,000 select plan



600 pay



500 activate

The system shows where improvement is needed.

3. Subscription / Tier Analytics

For each D.E.T level: Track:

- a) Number of participants
- b) Revenue generated
- c) Active users
- d) Suspended users
- e) Expired users
- f) Upgrades
- g) Downgrades

For Example:

Topaz Level Tier: 500 participants

Sapphire Level Tier: 300 participants

Solomonic Grade Tier: 50 participants

4. Country Statistics

Very important for global expansion. Track individually:

- a) Country
 - ↓
- b) Participants
 - ↓
- c) Revenue
 - ↓
- d) Active D.E.T users
 - ↓
- e) Retention
 - ↓
- f) Partner activity

For Example:

Zimbabwe: 500 participants

South Africa: 1,200 participants

USA: 300 participants

5. Partner Performance Dashboard

Track:

- a) Partner registrations
- b) Partner conversions
- c) Payments generated
- d) Commission owed
- e) Commission paid
- f) Active referrals
- g) Partner ranking

For Example: Partner A: 100 referrals. 40 paid participants. Commission generated: \$X

6. Participant Retention

Very important. Track:

- a) First-time participants
- b) Repeat participants
- c) Renewals
- d) Reactivations
- e) Cancelled participants

Questions answered: "Are people staying?" "Are they returning?"

7. D.E.T Installation Tracking

Because every D.E.T has a unique ID: Track:

- a) Total D.E.T downloads
- b) Activated D.E.T IDs
- c) Inactive D.E.T IDs
- d) Duplicate download attempts
- e) Version currently installed

8. Trading Environment Status

Track:

- a) Active D.E.T instances
- b) Suspended D.E.T
- c) Profit suspension events
- d) Loss suspension events
- e) Reactivations
- f) Manual activations

9. Payment & Revenue Dashboard

Track:

- a) Total payments
- b) Revenue by tier
- c) Revenue by country
- d) Payment failures
- e) Pending payments
- f) Refunds (if applicable)

10. User Support / Problem Tracking

Very useful. Track:

- a) Failed registrations
- b) Failed activations
- c) Failed downloads
- d) Password resets
- e) Payment issues
- f) Common errors

This tells developers what needs fixing.

11. Security / Fraud Monitoring

Track:

- a) Duplicate accounts
- b) Multiple D.E.T attempts
- c) Suspicious partner activity
- d) Failed activation attempts
- e) Unusual login activity

12. Future Prediction Module (Future)

Eventually: System could predict:

- a) Which countries are growing
- b) Which tiers are popular
- c) Which partners are performing
- d) Which users are likely to renew
- e) Where users abandon the process

The highest-level view could simply show: D.E.T GLOBAL CONTROL PANEL

- a) Today Visitors: 10,000
- b) New Participants: 500
- c) Payments: \$XX,XXX

- d) Active D.E.T: 4,500
- e) Countries: 38
- f) Partners: 120

One strategic thought: because D.E.T has partners + subscriptions + unique EA identity + trading lifecycle, this dashboard becomes almost as important as the D.E.T itself. It is the “mission control” that tells us whether the ecosystem is healthy.

2.61 D.E.T Pilot Phase Website Access Control System

Requirement: Implement temporary website access protection during the initial D.E.T pilot phase.

The purpose is to restrict public access while allowing only approved pilot participants, developers, testers, and designated users to test the complete D.E.T ecosystem. Developer Investigation Required: Verify:

- a. Entire website can be placed behind access control.
- b. Public visitors cannot access protected pages during pilot phase.
- c. Approved pilot users can access the website using assigned credentials.
- d. Access control can be removed without rebuilding website infrastructure.
- e. Transition from private pilot mode to public launch mode requires minimal configuration changes.

Required Behaviour: During pilot period, Website Status: PRIVATE PILOT MODE

Visitor attempts access:

↓

Access page displayed: "Welcome to the D.E.T Pilot Phase. Access is currently limited to approved participants."

Required input:

- a. Pilot Access Code
- or
- b. Approved Username & Password

2.62 Pilot User Management

Requirement: Create a controlled list of approved pilot users.

Developer Investigation Required: System must track:

- a. Pilot user identity
- b. Access approval date
- c. Access status
- d. Login activity
- e. Feedback/testing participation

Required Behaviour:

- a) Approved users: → Access granted
- b) Unapproved users: → Access denied

2.63 Pilot Duration Control

Requirement: Pilot access control shall remain active for the defined testing period. For Example Initial period: 39 Days

Developer Investigation Required: Verify:

- a. Pilot start date is recorded.
- b. 39-day countdown operates correctly.
- c. Pilot completion date is identifiable.
- d. Access transition can be manually controlled.

2.64 Public Launch Transition

Requirement: After successful pilot completion, convert website from:

- a) PRIVATE PILOT MODE
- to:
- b) PUBLIC ACCESS MODE

Required Behaviour:

- a) Admin action: Disable:
- b) Website Access Protection Enable: Public Website Access

Migration Requirement: The following must remain unchanged: Only access permission changes.

- a. Website structure
- b. Payment flow
- c. Registration flow
- d. D.E.T download process
- e. Partner system
- f. Dashboard architecture

2.65 Pilot Feedback Collection

Requirement: Include feedback collection during pilot phase. Track:

- a. User experience issues
- b. Registration problems
- c. Payment issues
- d. Download problems
- e. Activation issues
- f. Feature requests

Required Outcome: The 39-day pilot phase shall operate as a controlled live test environment.

After validation: Pilot Users - System Improvements - Public Website Release

The website shall transition from private access to public availability without major redevelopment.

D.E.T 39-DAY PILOT PHASE PARTICIPANT MANAGEMENT SYSTEM

2.66 Pilot Participant Access Control

Requirement: Create a controlled pilot participant system allowing selected users to access and test the D.E.T ecosystem before public release. The pilot phase shall operate as a private early-access environment. Developer Investigation

Required: Create:

- a. Pilot participant database
- b. Unique pilot participant IDs
- c. Controlled access links
- d. Feedback tracking
- e. Usage monitoring
- f. Bug reporting system

Required Behaviour: Each approved pilot participant receives:

- a) Pilot Access Link For Example: pilot.det.com/access/ABC123
OR
- b) Unique Pilot Login Username + Password

2.67 Pilot Participant Categories

Requirement: Separate pilot participants into testing groups. Suggested Groups:

Group A — Technical Testers Purpose: To Test:

- a. Website flow
- b. Registration
- c. Payment simulation
- d. Download process
- e. Installation

Group B — Traders. Purpose: To Test:

- a. MT5 connection
- b. D.E.T behaviour
- c. Trading modules
- d. Notifications
- e. Inhibitors

Group C — New Users. Purpose: To Test:

- a. Ease of understanding
- b. Instructions
- c. User experience
- d. First-time installation

Group D — Network Partners. Purpose: To Test:

- a. Referral links
- b. Tracking
- c. Dashboard
- d. Commission reporting

2.68 Pilot Participant Onboarding Flow

Requirement: Create a guided pilot onboarding journey Flow:

Invitation Sent



Pilot Access Link Received



Access Private D.E.T Website



Review D.E.T Information



Accept Pilot Terms



Complete Pilot Profile



Receive D.E.T Access



Install / Test D.E.T



Submit Feedback

2.69 Pilot Access Link System

Requirement: Each pilot participant receives a unique access identifier. Developer Investigation Required: Verify:

- a. Link identifies participant.
- b. Link cannot be shared unlimited times.
- c. Link activity is logged.
- d. Access can be revoked.

Required Behaviour: For Example:

- a) Pilot User: John.
- b) Pilot ID: PILOT-00045
- c) Access Link: <det.com/pilot/PILOT-00045>

2.70 Pilot Participant Tracking

Requirement: Track participant interaction throughout the pilot. Monitor

Website:

- a. Page visits
- b. Time spent
- c. Drop-off points

Registration:

- a. Started
- b. Completed
- c. Failed attempts

Payment Testing:

- a. Payment attempts
- b. Successful simulations
- c. Failed payments

D.E.T.:

- a. Downloaded
- b. Installed
- c. Activated
- d. Running status

Usage:

- a. Login frequency
- b. Errors
- c. Notifications
- d. Module behaviour

2.71 Pilot Feedback System

Requirement: Create structured feedback collection. Participants can report:

- a. Bugs
- b. Confusing steps
- c. Feature requests
- d. Suggestions
- e. Performance issues

Feedback categories:

- a) Critical
- b) Important
- c) Improvement
- d) General

2.72 Pilot Success Measurement

Requirement: Define measurable pilot completion criteria. Track: User Experience:

Can a first-time user:

- a) Understand D.E.T
- b) Complete setup
- c) Install D.E.T
- d) Activate successfully

Technical:

- a) Website stable
- b) Payment flow works
- c) Activation works
- d) MT5 connection works
- e) Partner tracking works

2.73 Pilot Admin Dashboard

Requirement: Create internal pilot monitoring dashboard. Display:

- a) Total Pilot Users
- b) Active Testers
- c) Completed Setup
- d) D.E.T Installed
- e) D.E.T Active
- f) Issues Reported
- g) Critical Bugs
- h) Average Completion Time

2.74 Pilot Completion Transition

Requirement: After 39 days: Review:

- a. Feedback
- b. Bugs
- c. User experience
- d. System stability

Possible outcomes:

- a) READY FOR PUBLIC RELEASE
- or
- b) EXTEND PILOT PERIOD

Required Outcome: The D.E.T pilot phase shall function as a controlled real-world validation environment.

The goal is not only to test software. The goal is to verify: Participant understanding + System reliability + Operational readiness before public launch.

D.E.T GEO-ACCESS CONTROL & REGIONAL MANAGEMENT SYSTEM

2.75 Geo-Location Access Control Engine

Requirement: Create a geographic control system that allows D.E.T administrators to define access permissions based on participant and partner location. The system shall support:

- a. Country Allow Lists
- b. Country Block Lists
- c. Regional Restrictions
- d. Partner Location Restrictions
- e. Future jurisdiction rules

Developer Investigation Required: Verify:

- a. User country can be detected during website access.
- b. Detection uses approved location sources.
- c. Country restrictions can be updated without rebuilding the website.
- d. Restricted users receive a clear message.
- e. Geo-controls apply consistently across website, registration, partner access, and D.E.T activation where required.

Required Behaviour: The system shall support multiple operating modes:

Mode 1 – Open Global Access

All supported countries allowed. For Example:

- a) Zimbabwe. USA. Botswana

Mode 2 – Country Allow List

Only selected countries allowed. For Example :

- a) Allowed: Zimbabwe. South Africa. Botswana
- b) All others: Restricted

Mode 3 – Country Block List

Selected countries restricted. For Example:

- a) Blocked: Country A. Country X. Country G. Country Y
- b) Allowed: All remaining approved countries

Mode 4 – Sanction / Compliance Block

Requirement: Allow automatic restriction of countries that are legally restricted or under sanctions.

Developer Requirement: Maintain Restricted Country Database

System checks: User location + Restriction status + Allow / Deny

2.76 D.E.T Network Partner Geo Control

Requirement: Create independent geographic controls for D.E.T Network Partners. Developer Investigation Required: Verify: Partners can be:

- a. Approved by country
- b. Restricted by country
- c. Suspended by region
- d. Limited by territory

For Example: Partner Access:

- a) Country A.X.Y- Approved
- b) Country B.C.D - Disabled

2.77 Geo-Based Partner Application Flow

Required Behaviour: When someone applies as a D.E.T Network Partner: System checks:

Country

↓

Geo Permission

↓

Partner Eligibility

- a) If allowed: Continue application
- b) If restricted: Display: "D.E.T Network Partner access is currently unavailable in your region."

2.78 Admin Geo Management Panel

Requirement: Create administrator controls. Admin can configure Country Status: ACTIVE, RESTRICTED, BLOCKED, UNDER REVIEW. And Admin can view:

- a. Countries enabled
- b. Countries restricted
- c. Partner availability
- d. Participant distribution

2.79 Geo Security Considerations

Developer Investigation Required: Prevent simple bypass attempts. Consider:

- a. VPN detection
- b. Suspicious location changes
- c. Account country mismatch
- d. Payment country mismatch

Required Outcome: D.E.T shall have flexible geographic control For Examples:

- a) Scenario A: All countries open except restricted regions.
- b) Scenario B: Only selected launch countries active.
- c) Scenario C: Zimbabwe-only pilot phase.
- d) Scenario D: Expand countries gradually without rebuilding infrastructure.

The system shall support controlled global expansion while maintaining operational and compliance flexibility.

2.80 System Version Control & Update Management

Requirement: Create a controlled version management system for D.E.T software releases. Developer Investigation

Required: Track:

- a. D.E.T version number
- b. Release date
- c. Update notes
- d. Participant version history
- e. Compatibility status

Required Behaviour: For Example:

- a) D.E.T Version: 2.1.0
- b) New release: 2.2.0

System must identify:

- a. Who needs update
- b. Who is already updated
- c. Failed update attempts

2.81 Automated Update System

Requirement: Allow future D.E.T updates without manual reinstallations. Required Behaviour: When new approved version is released: D.E.T checks:

- a) Server
↓
- b) Version availability
↓
- c) Permission
↓
- d) Update process

Important: Updates must not overwrite:

- a. Participant identity
- b. D.E.T ID
- c. Activation status
- d. Subscription information

2.82 System Audit Trail

Requirement: Create a permanent activity record. Developer Investigation Required to Record:

- a. Login events
- b. Downloads
- c. Activations
- d. Payments
- e. Partner changes
- f. Trading permission changes
- g. Admin actions

Required Outcome: Every important action must be traceable.

2.83 Admin Role Management

Requirement: Separate administrative access levels. Developer Investigation Required: Create roles:-

- a) Founder/Admin
- b) Developer
- c) Support
- d) Finance
- e) Partner Manager

Required Behaviour: Each role only accesses approved areas. For Example: Support can view issues. Cannot change financial settings.

2.84 Backup & Recovery System

Requirement: Protect D.E.T ecosystem data. Developer Investigation Required Backup:

- a. Participant database
- b. Partner database
- c. Payment records
- d. Activation records
- e. D.E.T IDs
- f. Dashboard data

Required Outcome: System recovery must be possible after:

- a. Server failure
- b. Database corruption
- c. Migration

2.85 Api Communication Layer

Requirement: Create a structured communication layer between:

- a) Website
- b) Payment Gateway
- c) D.E.T Server
- d) MT5
- e) Partner System

Developer Investigation Required: Ensure Systems communicate through secure approved methods.

2.86 Notification Center

Requirement: Create centralized notifications. Notifications

Participants:

- a. Payment received
- b. Activation ready
- c. D.E.T update available
- d. Suspension
- e. Reactivation

Partners:

- a. New participant
- b. Commission generated
- c. Status changes

Admin:

- a. System alerts
- b. Errors
- c. Security events

2.87 Support & Help Center

Requirement: Create self-service assistance. Include:

- a. Installation guides
- b. Frequently Asked Questions
- c. Troubleshooting
- d. Video guides
- e. Contact support

2.88 Multi-Language Preparation

Requirement: Prepare system for future international expansion. Developer Investigation Required: Ensure text is not hard-coded.

Allow: English and Future languages

2.89 Data Privacy Management

Requirement: Create participant data control. Track:

- a. Information collected
- b. Why collected
- c. Consent provided
- d. Data removal requests

2.90 Disaster Mode Control

Requirement: Create emergency system controls. Possible situations:

- a. Market disruption
- b. Technical failure
- c. Security issue

Admin controls:

- a) Emergency pause
- b) Global trading restriction
- c) Communication broadcast

2.91 Scalability Requirement

Requirement: System architecture must support future growth. Avoid designs that only work at pilot size. Consider:

- a) 10 users
↓
- b) 1,000 users
↓
- c) 100,000 users

2.92 Feature Flag System

Requirement: Allow new features to be activated gradually. For Example: New module released: Enabled for:

- a) Pilot users only
↓
- b) Selected countries
↓
- c) Global users

2.93 Test Environment Separation

Requirement and Required Outcome: Testing changes must never accidentally affect live participants. Separate:

- a) Development
- b) Testing
- c) Pilot
- d) Production

2.94 Knowledge Ownership & Documentation

Requirement: Maintain complete system documentation. Include:

- a. Architecture maps
- b. Module explanations
- c. Developer notes
- d. Change history
- e. Operating procedures

FINAL ARCHITECTURE PRINCIPLE

D.E.T must be designed as:

- a) A modular, scalable, secure technology ecosystem.
- b) Each component must operate independently but communicate through controlled interfaces.
- c) Future expansion must add capability, not require rebuilding the foundation.
- d) The current dummy/pseudo website environment being developed for D.E.T shall be treated as a direct replica prototype of the final production website.
- e) The objective is to ensure that once the pseudo-website development, testing, and validation phase is completed, migration to the live D.E.T website can occur with minimal restructuring and without requiring major infrastructure changes. Ensure the pseudo-website matches the intended final website architecture in:
 1. Overall layout
 2. Page structure
 3. Navigation flow
 4. Button placement
 5. User journey
 6. Subscription flow
 7. Payment flow integration points
 8. Authentication process
 9. Client dashboard structure
 10. Download sections
 11. D.E.T activation workflow
 12. Terms & Conditions placement
 13. User data collection points
 14. Backend communication structure

The Core and the most important purpose of this is:

1. The D.E.T Engine remains hosted within cloud infrastructure.
2. Participants do not receive the D.E.T Engine.
3. Participants receive only the CornerStore interface.

This D.E.T WEB-Bugs Resolution & Functional Correction Version shall be preserved as D.E.T Baseline Architecture Preservation Protocol: This memorandum constitutes the preserved baseline Bug Resolution Register for the D.E.T Architecture. No issue, requirement, bug report, logic correction, workflow amendment, functionality request, dependency investigation, or operational requirement contained herein may be removed, altered, reordered, rewired, reinterpreted, or functionally modified unless expressly authorised by the Managing Partner. Developer Teams may add notes, findings, solutions, test results, and implementation comments, but the original issue register shall remain preserved.

Authorised By:



Managing Partner