1. Heading 1

1.1 Heading 2

1.1.1 **Heading 3**

1.1.1.1 Heading 4

Heading 5

Heading 6

A simple paragraph

A paragraph with *emphasis* and **strong** and code and <u>link</u> (the link has a title and an URL) and



(the image has a

link and a title). We have some special <characters> here & there! and.

A second paragraph with a longer text is usefull to test things, because we need a longer text to see how paragraphs are wrapped and displayed. Sometimes longer texts are simulated by lorem ipsum. In this case we simulate it by writing complete nonsense. You might ask why? I will say: "Why not!". In fact: this is just a paragraph used for testing. So no one - absolutely no one - should read its content.

This document shows all important features!		
unordered:	ordered:	
• A	1. A	
• B	2. B	
• BA	1. BA	
• BB	2. BB	
• BBA	1. BBA	
• BBB	2. BBB	
• BC		
· C	3. BC 3. C	
Б	3. C D	
	-2-	

This document shows all important features!	
A blockquote	A code block **should** not be parsed!
With a second paragraph	
A nested quote!	
1. <i>A</i>	
2. B	
	- 3 -

This document shows all important features! For images and videos, there are several options: Video with relative URL Video with relative URL + file Empty image Video with absolute URL Image with relative URL Video with file Image with relative URL + file Image with absolute URL Image with file Image with re-used file Image with re-used filename The same options exists for videos: Empty video - 4 -

This document shows all important features!	
Another great feature are footnotes 1.	
This is a footnote	
11.13 10 4 10041010	
	- 5 -