

# 1. Heading 1

## 1.1 Heading 2

### ~~1.1.1 Heading 3~~

#### 1.1.1.1 Heading 4

Heading 5

Heading 6

A simple paragraph

A paragraph with *emphasis* and **strong** and code and [link](#) (the link has a title and an URL) and



(the image has a

link and a title). We have some special <characters> here & there! and .

A second paragraph with a longer text is usefull to test things, because we need a longer text to see how paragraphs are wrapped and displayed. Sometimes longer texts are simulated by lorem ipsum. In this case we simulate it by writing complete nonsense. You might ask why? I will say: "Why not!". In fact: this is just a paragraph used for testing. So no one - absolutely no one - should read its content.

unordered:

- A
- B
  - BA
  - BB
    - BBA
    - BBB
  - BC
- C
- D

ordered:

1. A
2. B
  1. BA
  2. BB
    1. BBA
    2. BBB
  3. BC
3. C
- D

*A blockquote*

*With a second paragraph*


*A nested quote!*

1. *A*
2. *B*


A code block **\*\*should\*\*** not be parsed!

For images and videos, there are several options:

- Empty image
- Image with relative URL
- Image with relative URL + file
- Image with absolute URL




- Image with file



- Image with re-used file

- Image with re-used filename



The same options exists for videos:

- Empty video

- Video with relative URL
- Video with relative URL + file
- Video with absolute URL
- Video with file

Another great feature are footnotes <sup>1</sup>.

---

<sup>1</sup> **This** is a footnote