


Templates, Páginas de Erro e Admin



Prof. Dr. João Paulo Lemos Escola
Copyright© 2026

O que veremos?


- Página de detalhes;
- Templates de módulos;
- Páginas de erro personalizadas;
- Django Admin.

Sumário

- 1) Mostrando detalhes de membros;
- 2) Template de App;
- 3) Páginas de Erro;
- 4) Django Admin.

Antes de começar...

- Baixe o projeto https://github.com/jpescola/my_tennis_club_aula2
- Descompacte o zip;
- Renomeie a pasta para **my_tennis_club_aula3**;
- Entre no cmd e digite os comandos:
 - `py -m venv .venv`
 - `.venv\scripts\activate`
 - `pip install django`
 - `py manage.py runserver`



1) Mostrando detalhes de membros

- Cada linha da **listagem de membros** (all_members.html) será transformada em um link;
- Ao clicar no link, os **detalhes do membro** serão exibidos em uma nova página (details.html).



my_tennis_club/members/templates/details.html:

```
<!DOCTYPE html>
<html>

<body>

<h1>{{ mymember.firstname }} {{ mymember.lastname }}</h1>

<p>Phone: {{ mymember.phone }}</p>
<p>Member since: {{ mymember.joined_date }}</p>

<p>Back to <a href="/members">Members</a></p>

</body>
</html>
```

my_tennis_club/members/templates/all_members.html:

```
<!DOCTYPE html>
<html>
<body>

<h1>Members</h1>

<ul>
  {% for x in mymembers %}
    <li><a href="details/{{ x.id }}">{{ x.firstname }} {{ x.lastname }}</a></li>
  {% endfor %}
</ul>

</body>
</html>
```

Incluiremos um link com o ID do membro


my_tennis_club/members/views.py:

```
from django.http import HttpResponse
from django.template import loader
from .models import Member

def members(request):
    mymembers = Member.objects.all().values()
    template = loader.get_template('all_members.html')
    context = {
        'mymembers': mymembers,
    }
    return HttpResponse(template.render(context, request))

def details(request, id):
    mymember = Member.objects.get(id=id)
    template = loader.get_template('details.html')
    context = {
        'mymember': mymember,
    }
    return HttpResponse(template.render(context, request))
```

The diagram illustrates the flow of data and function calls between the `members` and `details` views. A large blue arrow on the left points from the `members` function to the `details` function, indicating a call from the list view to the detail view. A blue arrow on the right points from the `details` function back to the `members` function, indicating a return path. Another blue arrow points from the `get_template` call in the `details` function to the `get_template` call in the `members` function, showing that both views use the same template loader.



my_tennis_club/members/urls.py:

The diagram shows a file path 'my_tennis_club/members/urls.py:' in a red monospace font. Below it, the contents of the file are shown in a light blue monospace font. A blue arrow points from the top right of the image to the file path, and another blue arrow points from the top right of the image to the 'views.details' attribute in the code.

```
from django.urls import path
from . import views
```

```
urlpatterns = [
    path('members/', views.members, name='members'),
    path('members/details/<int:id>', views.details, name='details'),
]
```

Verificando o resultado



Members

- [Emil Refsnes](#)
- [Tobias Refsnes](#)
- [Linus Refsnes](#)
- [Lene Refsnes](#)
- [Stalikken Refsnes](#)

2) Template de App

- Agora vamos aprimorar nosso projeto;
- Vamos criar um **template padrão**, que será aproveitado por todas as páginas do sistema;
- Esse template terá o **logo** e **menu** principal, além do **rodapé** padrão do nosso sistema.

master.html

- Vai conter o **logo** e o **menu principal**.
- Veja que estamos definindo os blocos de conteúdos.

my_tennis_club/members/templates/master.html :

```
1 <!DOCTYPE html>
2 <html lang="pt">
3 <head>
4   <meta charset="UTF-8">
5   <title>{% block title %}{% endblock %}</title>
6 </head>
7 <body>
8
9   <h1>My Tennis Club</h1>
10
11   <hr />
12   <p>
13     <a href="/">Home</a>
14     <a href="/members/">Members</a>
15   </p>
16   <hr />
17
18   {% block content %}
19   {% endblock %}
20
21 </body>
22 </html>
```

Faça as alterações nos demais arquivos do sistema:

my_tennis_club/members/templates/all_members.html :

```
1 {% extends "master.html" %}
2
3 {% block title %}
4     My Tennis Club - List of all members
5 {% endblock %}
6
7 {% block content %}
8
9     <h2>Members</h2>
10    <ul>
11        {% for x in mymembers %}
12            <li><a href="details/{{ x.id }}">{{ x.firstname }} {{ x.lastname }}</a></li>
13        {% endfor %}
14    </ul>
15    {% endblock %}
```

my_tennis_club/members/templates/details.html:

```
1 {% extends "master.html" %}
2
3 {% block title %}
4     Details about {{ mymember.firstname }} {{ mymember.lastname }}
5 {% endblock %}
6
7 {% block content %}
8     <h2>{{ mymember.firstname }} {{ mymember.lastname }}</h2>
9
10    <p>Phone: {{ mymember.phone }}</p>
11    <p>Member since: {{ mymember.joined_date }}</p>
12
13    <p>Back to <a href="/members">Members</a> </p>
14 {% endblock %}
```

Página principal

my_tennis_club/members/templates/main.html:

```
1  {% extends "master.html" %}
2
3  {% block title %}
4      My Tennis Club
5  {% endblock %}
6
7  {% block content %}
8      <h2>Bem vindo!</h2>
9      <h3>Members</h3>
10     <p>Check out all our <a href="members/">members</a> </p>
11  {% endblock %}
```

Vamos incluir a view para a página main:

my_tennis_club/members/views.py:

```
from django.http import HttpResponse
from django.template import loader
from .models import Member

def members(request):
    mymembers = Member.objects.all().values()
    template = loader.get_template('all_members.html')
    context = {
        'mymembers': mymembers,
    }
    return HttpResponse(template.render(context, request))

def details(request, id):
    mymember = Member.objects.get(id=id)
    template = loader.get_template('details.html')
    context = {
        'mymember': mymember,
    }
    return HttpResponse(template.render(context, request))

def main(request):
    template = loader.get_template('main.html')
    return HttpResponse(template.render())
```

Adicionando a url do Home

my_tennis_club/members/urls.py

```
from django.urls import path
from . import views


urlpatterns = [
    path('', views.main, name='main'),
    path('members/', views.members, name='members'),
    path('members/details/<int:id>', views.details, name='details'),
]
```

A URL raiz irá exibir a view main

Veja o resultado

- Agora já temos a estrutura funcionando corretamente, permitindo navegar entre todas as 3 páginas: Members, Details e Home.

Logo e menu vêm do template (master.html)




O restante vem do arquivo atual

Aplicando CSS

- Como temos um template principal, podemos aplicar CSS nesta única página e ver o resultado refletido em todo o sistema.

my_tennis_club/members/templates/master.html:

```
1  <!DOCTYPE html>
2  <html lang="pt">
3  <head>
4    <meta charset="UTF-8">
5    <title>{% block title %}{% endblock %}</title>
6    <style>
7      body {
8        background-color: beige;
9        font-family: sans-serif;
10       color: #333;
11      }
12
13    </style>
14  </head>
15  <body>
```





3) Páginas de Erro

- O Django tem suporte a **páginas genéricas** de erro para melhorar a experiência do usuário;
- Vamos agora aprender a manipular páginas de erro ou páginas inexistentes do projeto.


404

- O que acontece quando chama-se uma página inexistente?



Altere o arquivo setup/settings.py

setup/settings.py



```
.  
.  
# SECURITY WARNING: don't run with debug turned on in production!  
DEBUG = False  
ALLOWED_HOSTS = ['*']  
.  
.
```

Altere para '*'

404 personalizada

my_tennis_club/members/templates/404.html:

```
1 <!DOCTYPE html>
2 <html lang="pt">
3 <head>
4   <meta charset="UTF-8">
5   <title>Página não encontrada</title>
6 </head>
7 <body>
8   <h1>Página não encontrada!</h1>
9   <h2>Verifique o endereço e tente novamente.</h2>
10 </body>
11 </html>
```



http://127.0.0.1:8000/teste

Página não encontrada!

Verifique o endereço e tente novamente.

403 personalizada

members > templates > 403.html

```
1  <!DOCTYPE html>
2  <html lang="pt">
3  <head>
4  |   <meta charset="UTF-8" />
5  |   <title>Permissão Negada</title>
6  </head>
7  <body>
8  |   <h1>Permissão Negada</h1>
9  </body>
10 </html>
```



http://127.0.0.1:8000/

Permissão Negada

A seguir vamos ver como forçar uma exceção de permissão negada...

Altere o método **main** para forçar uma Exceção.

Importe a classe
PermissionDenied


Adicione essa linha
para forçar a exceção

```
views.py 4
members > views.py > ...
1  from django.http import HttpResponse
2  from django.template import loader
3  from .models import Member
4  from django.core.exceptions import PermissionDenied
5
6  def members(request):
7      mymembers = Member.objects.all().values()
8      context = {
9          'mymembers': mymembers
10     }
11     template = loader.get_template('all_members.html')
12     return HttpResponse(template.render(context, request))
13
14     def details(request, id):
15         mymember = Member.objects.get(id=id)
16         template = loader.get_template('details.html')
17         context = {
18             'mymember': mymember
19         }
20         return HttpResponse(template.render(context, request))
21
22     def main(request):
23         raise PermissionDenied("Erro")
24         template = loader.get_template("main.html")
25         return HttpResponse(template.render())
26
```

Remova o 'raise'


- Após testar remova a linha raise:

```
16     template = loader.get_template('details.html')
17     context = {
18         'mymember': mymember
19     }
20     return HttpResponse(template.render(context, request))
21
22 def main(request):
23     raise PermissionDenied("Erro")
24     template = loader.get_template("main.html")
25     return HttpResponse(template.render())
26
```



Retorne para True

setup/settings.py





```
.  
.  
# SECURITY WARNING: don't run with debug turned on in production!  
DEBUG = False  
  
ALLOWED_HOSTS = ['*']  
.  
.
```

Retorne o valor para **True** para continuarmos...

4) Django Admin

- Painel administrativo
- Gerada automaticamente
- Necessário definir os Models






Criando usuário para acessar Admin

```
PROBLEMS 5 OUTPUT DEBUG CONSOLE TERMINAL PORTS
(.venv) C:\Users\aluno\Downloads\my_tennis_club_aula3>py manage.py createsuperuser
Username (leave blank to use 'aluno'): admin
Email address: admin@admin.com
Password: admin
Password (again): admin
The password is too similar to the username.
This password is too short. It must contain at least 8 characters.
This password is too common.
Bypass password validation and create user anyway? [y/N]: y
Superuser created successfully.

(.venv) C:\Users\aluno\Downloads\my_tennis_club_aula3>
```

Comando:
**py manage.py
createsuperuser**

Especifique os valores
dos campos conforme
forem sendo solicitados.



Incluindo models no Admin


my_tennis_club/members/admin.py:

```
from django.contrib import admin  
  
# Register your models here.
```


my_tennis_club/members/admin.py:

```
from django.contrib import admin  
from .models import Member  
  
# Register your models here.  
admin.site.register(Member)
```

Aqui definimos quais dos nossos models poderão ser gerenciados pela interface Admin.



Não é o ideal



The image shows a web interface with a sidebar on the left and a main content area on the right. The sidebar has a search bar at the top, followed by a section titled 'AUTHENTICATION AND AUTHORIZATION'. Below this are 'Groups' and 'Users' with '+ Add' links. The 'MEMBERS' section is highlighted in blue, and the 'Members' link within it is highlighted in yellow and pointed to by a blue arrow. The main content area is titled 'Select member to change'. It features an 'Action:' dropdown menu, a 'Go' button, and a selection count '0 of 5 selected'. Below this is a list of five items, each with a checkbox and a label: 'MEMBER', 'Member object (5)', 'Member object (4)', 'Member object (3)', and 'Member object (2)'. The last item, 'Member object (1)', is pointed to by a blue arrow. At the bottom of the list, it says '5 members'.

Start typing to filter...	
AUTHENTICATION AND AUTHORIZATION	
Groups	+ Add
Users	+ Add
MEMBERS	
Members	+ Add

Select member to change

Action: _____ Go 0 of 5 selected

- ☐ MEMBER
- ☐ Member object (5)
- ☐ Member object (4)
- ☐ Member object (3)
- ☐ Member object (2)
- ☐ Member object (1)

5 members

Está exibindo, por padrão,
uma listagem de objetos
numerada.

Dados apresentados no Admin

my_tennis_club/members/models.py:

```
from django.db import models

class Member(models.Model):
    firstname = models.CharField(max_length=255)
    lastname = models.CharField(max_length=255)
    phone = models.IntegerField(null=True)
    joined_date = models.DateField(null=True)

    def __str__(self):
        return f"{self.firstname} {self.lastname}"
```

Método “dunder”:
Nesse caso define a String que será exibida
ao exibir objetos da classe atual.

Aqui estamos definindo que o nome e o
sobrenome serão exibidos na listagem
de objetos.

Agora
passou a
listar pelo
nome e
sobrenome.

Select members to change | Djan

127.0.0.1:8000/admin/members/member/

Django administration

WELCOME, **JOHNDOE**. [VIEW SITE](#) / [CHANGE PASSWORD](#) / [LOG OUT](#)

Home > Members > Members

Select member to change

[ADD MEMBER](#) +

Action: 0 of 5 selected

☐	MEMBER
☐	Stalikken Refsnes
☐	Lene Refsnes
☐	Linus Refsnes
☐	Tobias Refsnes
☐	Emil Refsnes

»

5 members

Definindo os campos do admin

Escolha os campos que serão exibidos na listagem.

my_tennis_club/members/admin.py:

```
from django.contrib import admin
from .models import Member

# Register your models here.

class MemberAdmin(admin.ModelAdmin):
    list_display = ("firstname", "lastname", "joined_date",)

admin.site.register(Member, MemberAdmin)
```

Select members to change | Djan

127.0.0.1:8000/admin/members/member/

Django administration

WELCOME, **JOHNDOE**. [VIEW SITE](#) / [CHANGE PASSWORD](#) / [LOG OUT](#)

Home > Members > Members

Select member to change

ADD MEMBER +

Action:

Go

 0 of 5 selected

☐	FIRSTNAME	LASTNAME	JOINED DATE
☐	Stalikken	Refsnes	-
☐	Lene	Refsnes	-
☐	Linus	Refsnes	-
☐	Tobias	Refsnes	-
☐	Emil	Refsnes	Jan. 5, 2022

5 members

»

Stalikken

Refsnes

-

Lene

Refsnes

-

Linus

Refsnes

-

Tobias

Refsnes

-

Emil

Refsnes

Jan. 5, 2022

Testando o CRUD Admin

- Vamos testar a interface Admin:
 - Adicionar membros;
 - Alterar dados dos membros;
 - Excluir membros.
- Visualizar o resultado:
 - Veremos a listagem dos membros na interface Admin e também na nossa página HTML criada anteriormente.

Adicionando membro

- Clique em um dos links:

Django administration

WELCOME, ADMIN. [VIEW SITE](#) / [CHANGE PASSWORD](#) / [LOG OUT](#)

Home > Members > Members

Start typing to filter...

AUTHENTICATION AND AUTHORIZATION

Groups [+ Add](#)

Users [+ Add](#)

MEMBERS

Members [+ Add](#)

Select member to change

ADD MEMBER +

Action: Go 0 of 1 selected

☐	FIRSTNAME	LASTNAME	JOINED DATE
☐	Email	Refsnes	Jan. 10, 2026

1 member

Preencha os campos e salve

Add member

Firstname:

Maria

Lastname:

Ferreira

Phone:

111

Joined date:

2026-03-03

Today |



Note: You are 3 hours behind server time.

SAVE

Save and add another

Save and continue editing

Veja o resultado no Admin e no site

Select member to change

ADD MEMBER +

Action: 0 of 2 selected

☐	FIRSTNAME	LASTNAME	JOINED DATE
☐	Maria	Ferreira	March 3, 2026
☐	Emil	Refsnes	Jan. 10, 2026

2 members

http://127.0.0.1:8000/members/

My Tennis Club

[Home](#) [Members](#)

Members

- [Emil Refsnes](#)
- [Maria Ferreira](#)

Alterando registro

- Clique no nome para abrir a interface de alteração do registro clicado:

Select member to change

ADD MEMBER +

Action:

Go

0 of 2 selected

☐	FIRSTNAME	LASTNAME	JOINED DATE
☐	Maria	Ferreira	March 3, 2026
☐	Emil	Refsnes	Jan. 10, 2026

2 members

Altere algum campo e salve

Change member

HISTORY

Maria Ferreira

Firstname:

Maria

Lastname:

Ferreira da Silva

Phone:

111

Joined date:

2026-03-03

Today |



Note: You are 3 hours behind server time.

SAVE

Save and add another

Save and continue editing

Delete

Ao salvar o registro é atualizado


✔ The member "Maria Ferreira da Silva" was changed successfully.

Select member to change ADD MEMBER +

Action: 0 of 2 selected

☐	FIRSTNAME	LASTNAME	JOINED DATE
☐	Maria	Ferreira da Silva	March 3, 2026
☐	Emil	Refsnes	Jan. 10, 2026

2 members



Deletando

Select member to change

ADD MEMBER +

Action:

Delete selected members ▾

Go

1 of 2 selected

☐	FIRSTNAME	LASTNAME	JOINED DATE
☒	Maria	Ferreira da Silva	March 3, 2026
☐	Emil	Refsnes	Jan. 10, 2026

2 members

Selecione o registro, escolha a ação e clique em **Go**.

Será solicitada a confirmação

- Clique em **Yes** para confirmar:

Delete multiple objects

Are you sure you want to delete the selected member? All of the following objects and their related items will be deleted:

Summary


- Members: 1

Objects

- Member: [Maria Ferreira da Silva](#)

Yes, I'm sure

No, take me back



Registro excluído com sucesso!

- Veja a confirmação:

✓ Successfully deleted 1 member.

Select member to change

ADD MEMBER +

Action:



Go

0 of 1 selected



FIRSTNAME

LASTNAME

JOINED DATE



Emil

Refsnes

Jan. 10, 2026

1 member

Outra forma de excluir

Quando clicamos no registro (nome do membro), na tela de alteração, também aparece o botão de deletar:

Change member

HISTORY

Maria Ferreira

Firstname:

Maria

Lastname:

Ferreira da Silva

Phone:

111

Joined date:

2026-03-03

Today |



Note: You are 3 hours behind server time.

SAVE

Save and add another

Save and continue editing

Delete

Menu da interface Admin

WELCOME, ADMIN. [VIEW SITE](#) / [CHANGE PASSWORD](#) / [LOG OUT](#) 

Password change

Please enter your old password, for security's sake, and then enter your new password twice so we can verify you typed it in correctly.

Old password:

New password:

Your password can't be too similar to your other personal information.
Your password must contain at least 8 characters.
Your password can't be a commonly used password.
Your password can't be entirely numeric.

New password confirmation:

Enter the same password as before, for verification.

[CHANGE MY PASSWORD](#)

Permite alterar a senha do usuário atual;

Sair da interface Admin

Alterar o tema entre Escuro e claro.

Publique seu projeto no GitHub

gh auth login

(acesse a URL e autentique com o código gerado)

git init

git add .

git commit -m “primeiro commit”

gh repo create --public --source=. --push

```
(.venv) C:\Users\aluno\Downloads\my_tennis_club_aula2>gh repo create --public --source=. --push
✓ Created repository jpescola/my_tennis_club_aula2 on github.com
  https://github.com/jpescola/my_tennis_club_aula2
✓ Added remote https://github.com/jpescola/my_tennis_club_aula2.git
Enumerating objects: 34, done.
Counting objects: 100% (34/34), done.
Delta compression using up to 4 threads
Compressing objects: 100% (32/32), done.
Writing objects: 100% (34/34), 8.10 KiB | 592.00 KiB/s, done.
Total 34 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/jpescola/my_tennis_club_aula2.git
 * [new branch]      HEAD -> master
branch 'master' set up to track 'origin/master'.
✓ Pushed commits to https://github.com/jpescola/my_tennis_club_aula2.git

(.venv) C:\Users\aluno\Downloads\my_tennis_club_aula2>
```

O que vimos?

- Página de detalhes;
- Templates de módulos;
- Páginas de erro personalizadas;
- Django Admin.