Contents

1 Tengwar Formal CSUR/AAT: Graphite and AAT options

Here are samples of the different options. The options are specified by adding something to the font name in the \font command. The extended font names are all given in this document. A font specification will look like this:

```
\font\bla="font(/GR):feature=value(;feature=value)"
```

In this specification, the part bla is a string of your choice. On Mac OS X, the part /GR is optional. It tells X_HT_EX to use the Graphite information. If you leave it away, it will use the AAT information, which only works on Mac OS X. Note that you can define as many features as you like:

```
\font\myformal="Tengwar Formal CSUR/GR:204=1;207=2"
```

After this \font command has been defined, you can use \myformal as a command, for instance as follows:

```
\myformal Acto 20ncm \normalfont
```

This will look like this: λςξο 20ncp

1.1 Character Alternatives

1.1.1 Descending W-Tengwa

```
Default
```

```
ალი 200ელ
"Tengwar Formal CSUR/GR:204=1"
აილი ეთელ
"Tengwar Formal CSUR/AAT:Character Alternatives=Descending
W-Tengwa;"
აილი ეთელ
```

1.1.2 Tilde Bar

```
Default
```

```
፲፱፫፫፫፡፡

"Tengwar Formal CSUR/GR:209=1"

፲፱፻፫፫፡፡

፲፱፻፫፫፡፡

፲፱፻፫፫፡፡
```

1.1.3 Circumflex A-Tehta

```
Default

pp

"Tengwar Formal CSUR/GR:210=1"

pp

"Tengwar Formal CSUR/AAT:Character Alternatives=Circumflex
A-Tehta"

pp
```

1.1.4 Swash Sa-Rince

```
Default
```

```
p.ເງເປເປັນໄດ້ການ.
"Tengwar Formal CSUR/GR:211=1"

p.ເງເປເປັນເລື່ອນ.
"Tengwar Formal CSUR/AAT:Character Alternatives=Swash
Sa-Rince"

p.ເປເປັນເລື່ອນ.
```

1.2 Osse Hook

Default

c7,c

Word Final

```
"Tengwar Formal CSUR/GR:207=1"

cて
"Tengwar Formal CSUR/AAT:Osse Hook=Word Final"

cて
c
```

Always

```
"Tengwar Formal CSUR/GR:207=2"

ççç

"Tengwar Formal CSUR/AAT:Osse Hook=Always"

ççç
```

1.3 Carrier Diacritic (for 'Full Writing')

```
Default plo 21
```

Dot

```
"Tengwar Formal CSUR/GR:213=1"

jub li

"Tengwar Formal CSUR/AAT:Carrier Diacritic (for 'Full
Writing')=Dot"

jub li cp
```

Acute

```
"Tengwar Formal CSUR/GR:213=2" \text{jn} \lambda \dot{\lambda} "Tengwar Formal CSUR/AAT:Carrier Diacritic (for 'Full Writing')=Acute" \text{jn} \lambda \dot{\lambda}
```

1.4 Osse Diacritic (for 'Full Writing')

Default bcq λ c \sim p

Dot on Ambiguous Osse

Dot on every osse

```
"Tengwar Formal CSUR/GR:214=2"
hcqλcτρ
"Tengwar Formal CSUR/AAT:Osse Diacritic (for 'Full Writing')=Dot on Every Osse"
hcqλcτρ
```

2 Sample Texts

2.1 Edwin Lowdham's Manuscript, Text II (DTS 51)

Graphite

AAT

2.2 Lorem Ipsum with some Tengwar Phrases