Contents

1 FreeMonoTengwar.ttf

1.1 Lowdham's Manuscript

"FreeMonoTengwar/GR"

ᴧᴊ Iᴢ ᴣ ᴉᴍ ᵹꞐᵴ ᴉᵯᴅᴢᵯᴍ·ᴢᵮᴍ ᴧᴊ ᵯᴳᵱᴍ ᵱᴩ·ᴉᴅ
ᴉ�ᴩ ᵱᵴ ᴧᴏ ᴧᴅᵱ ᵹᴳᴩᵱᴅᴩ....ᴄᴅᴩᴍ ᴧᴩ ᴄᵱᴊ ᴍᴄᴅᴍ
ᴕᴏᵱ ᴄ ᴉᴄᵯᵮᴍ ᴍᴩ ᴧᴊ ᴅᴢᴍ ᴄᵱᴅᴍ 7 ᵱᴳ ᵹᴏᵴ
ᴉᴍᵮᴍ...ᴧᴊ ᴉᴍᴅᴍ ᵯᴅᴗᴍᴉᴍ....ᴧᴩ ᴍᴢᵱ ᵹᵮᴍ
ᵯᴩ ᴄ ᴃᴊᴢ ᵯᴍᴢ, ᴃᴕᴍ ᴄ ᴐ ᴉᴄᴍᵱᴍ ᴃᴢᴅ "ᴍᴍᴩ„
ᵯᴍᴍᴐ ᵹᴅ ᴄᵱᴍ ᴉᴍ ᵯᴍᴍᴍᴩ 7 ᴧᴊ ᴍᴊᴄᴅᴍ ᵹᴄᴩ
ᵹᴩᴍ ᵯᴗ 7 ᵱᴅᴏ . . . .

"FreeMonoTengwar/AAT"[1]

ᴧᴊ Iᴢ ᴣ ᴉᴍ ᵹꞐᵴ ᴉᵯᴅᴢᵯᴍ·ᴢᵮᴍ ᴧᴊ ᵯᴳᵱᴍ ᵱᴩ·ᴉᴅ
ᴉ�ᴩ ᵱᵴ ᴧᴏ ᴧᴅᵱ ᵹᴳᴩᵱᴅᴩ....ᴄᴅᴩᴍ ᴧᴩ ᴄᵱᴊ ᴍᴄᴅᴍ
ᴕᴏᵱ ᴄ ᴉᴄᵯᵮᴍ ᴍᴩ ᴧᴊ ᴅᴢᴍ ᴄᵱᴅᴍ 7 ᵱᴳ ᵹᴏᵴ
ᴉᴍᵮᴍ...ᴧᴊ ᴉᴍᴅᴍ ᵯᴅᴗᴍᴉᴍ....ᴧᴩ ᴍᴢᵱ ᵹᵮᴍ
ᵯᴩ ᴄ ᴃᴊᴢ ᵯᴍᴢ, ᴃᴕᴍ ᴄ ᴐ ᴉᴄᴍᵱᴍ ᴃᴢᴅ "ᴍᴍᴩ„
ᵯᴍᴍᴐ ᵹᴅ ᴄᵱᴍ ᴉᴍ ᵯᴍᴍᴍᴩ 7 ᴧᴊ ᴍᴊᴄᴅᴍ ᵹᴄᴩ
ᵹᴩᴍ ᵯᴗ 7 ᵱᴅᴏ . . . .

"FreeMonoTengwar/ICU"

ᴧᴊ Iᴢ ᴣ ᴉᴍ ᵹꞐᵴ ᴉᵯᴅᴢᵯᴍ·ᴢᵮᴍ ᴧᴊ ᵯᴳᵱᴍ ᵱᴩ·ᴉᴅ
ᴉ�ᴩ ᵱᵴ ᴧᴏ ᴧᴅᵱ ᵹᴳᴩᵱᴅᴩ....ᴄᴅᴩᴍ ᴧᴩ ᴄᵱᴊ ᴍᴄᴅᴍ
ᴕᴏᵱ ᴄ ᴉᴄᵯᵮᴍ ᴍᴩ ᴧᴊ ᴅᴢᴍ ᴄᵱᴅᴍ 7 ᵱᴳ ᵹᴏᵴ
ᴉᴍᵮᴍ...ᴧᴊ ᴉᴍᴅᴍ ᵯᴅᴗᴍᴉᴍ....ᴧᴩ ᴍᴢᵱ ᵹᵮᴍ
ᵯᴩ ᴄ ᴃᴊᴢ ᵯᴍᴢ, ᴃᴕᴍ ᴄ ᴐ ᴉᴄᴍᵱᴍ ᴃᴢᴅ "ᴍᴍᴩ„
ᵯᴍᴍᴐ ᵹᴅ ᴄᵱᴍ ᴉᴍ ᵯᴍᴍᴍᴩ 7 ᴧᴊ ᴍᴊᴄᴅᴍ ᵹᴄᴩ
ᵹᴩᴍ ᵯᴗ 7 ᵱᴅᴏ . . . .

---

[1]Note that X∃TEX will only do AAT on Mac OS, and only if the font has been properly installed on the system (no using the font directly from the mirrored trunk directory).

1.2 Ligatures samples

"FreeMonoTengwar/GR"

"FreeMonoTengwar/AAT"

"FreeMonoTengwar/ICU"

1.3 Diacritic Dots (for 'Full Writing')

1.3.1 On Carriers

"FreeMonoTengwar/GR:+ss01"[2]

ıɒ ɲcᴚhı ʌᴇ̈ɒ ʌdcp̄

"FreeMonoTengwar/AAT:Diacritic Dots (for 'Full Writing')=On Carriers"

ıɒ ɲcᴚhı ʌᴇ̈ɒ ʌdcp̄

"FreeMonoTengwar/ICU"

ıɒ ɲcᴚhı ʌᴇ̈ɒ ʌdcp̄

1.3.2 On Osse

"FreeMonoTengwar/GR:+ss02"[3]

ıɒ ɲċᴚhı ʌᴇ̈ɒ ʌdċp̄

"FreeMonoTengwar/AAT:Diacritic Dots (for 'Full Writing')=On Osse"

ıɒ ɲċᴚhı ʌᴇ̈ɒ ʌdċp̄

"FreeMonoTengwar/ICU"

ıɒ ɲcᴚhı ʌᴇ̈ɒ ʌdcp̄

---

[2]Up to version 2010-06-11, the syntax was **"FreeMonoTengwar/GR:213=1"**.
[3]Up to version 2010-06-11, the syntax was **"FreeMonoTengwar/GR:214=1"**.

1.4 Short carrier insertion

"FreeMonoTengwar/GR:+ss03"[4]

íp íìṕê íṁṕṁ íṗ̃tím ~ Maximal number of tehtar: g̈ı̈

p	ṗ	p̄	p	p	ɹ	ṗ	p	p
ṗ	ṗı	ṗ	ṗ	ṗ	ɹ̇	ṗ	ṗ	ṗ
p̄	p̄	p̄ı	p̄	p̄	ɹ̄	p̄	p̄	p̄
p	ṗ	p̄	pı	p	ɹ	ṗ	p	p
p	ṗ	p̄	p	pı	ɹ	ṗ	p	p
ɹ	ɹ̇	ɹ̄	ɹ	ɹ	ɹı	ɹ̀	ɹ	ɹ
ṕ	ṕ̈	ṕ	ṕ	ṕ	ṕ	ṕı	ṕ	ṕ
p	ṗ	p̄	p	p	ɹ	ṗ	pı	p
p	ṗ	p̄	p	p	ɹ	ṗ	p	pı

"FreeMonoTengwar/AAT:Short carrier insertion=Automatic insertion"

íp íìṕê íṁṕṁ íṗ̃tím ~ Maximal number of tehtar: g̈ı̈

p	ṗ	p̄	p	p	ɹ	ṗ	p	p
ṗ	ṗı	ṗ	ṗ	ṗ	ɹ̇	ṗ	ṗ	ṗ
p̄	p̄	p̄ı	p̄	p̄	ɹ̄	p̄	p̄	p̄
p	ṗ	p̄	pı	p	ɹ	ṗ	p	p
p	ṗ	p̄	p	pı	ɹ	ṗ	p	p
ɹ	ɹ̇	ɹ̄	ɹ	ɹ	ɹı	ɹ̀	ɹ	ɹ
ṕ	ṕ̈	ṕ	ṕ	ṕ	ṕ	ṕı	ṕ	ṕ
p	ṗ	p̄	p	p	ɹ	ṗ	pı	p
p	ṗ	p̄	p	p	ɹ	ṗ	p	pı

"FreeMonoTengwar/ICU"

´p˚ṕê ´ṁṕṁ ´ṗtm ~ Maximal number of tehtar: g̈

---

[4]Up to version 2010-06-11, the syntax was "FreeMonoTengwar/GR:212=1".

2 FreeMonoTengwar-embedding.ttf

2.1 Lowdham's Manuscript

"FreeMonoTengwar-embedding/GR"

⟨Tengwar script text⟩

"FreeMonoTengwar-embedding/AAT"

⟨Tengwar script text⟩

"FreeMonoTengwar-embedding/ICU"

⟨Tengwar script text⟩

2.2 Ligatures samples

"FreeMonoTengwar-embedding/GR"

"FreeMonoTengwar-embedding/AAT"

"FreeMonoTengwar-embedding/ICU"