

## 1 Tengwar Formal Unicode/AAT: Graphite and AAT options

Here are samples of the different options. The options are specified by adding something to the font name in the `\font` command. The extended font names are all given in this document. A font specification will look like this:

```
\font\bla="font (/GR):feature=value (;feature=value)"
```

In this specification, the part `bla` is a string of your choice. On Mac OS X, the part `/GR` is optional. It tells `XYTeX` to use the Graphite information. If you leave it away, it will use the AAT information, which only works on Mac OS X. Note that you can define as many features as you like:

```
\font\myformal="Tengwar Formal Unicode/GR:204=1;207=2"
at 15pt
```

After this `\font` command has been defined, you can use `\myformal` as a command, for instance as follows:

$$\backslash\mathrm{myformal} \lambda c_{\mathcal{E}0} \ 20n\tau m \ \backslash\mathrm{normalfont}$$

This will look like this:  $\lambda_{\zeta\Xi^0} \mathcal{Z}^{\alpha\beta\gamma\delta}$

### 1.1 Descending W-tengwa

### 1.1.1 Default

```
"Tengwar Formal Unicode/GR"
  λcΞo 20n7p̃n
"Tengwar Formal Unicode/AAT"
  λcΞo 20n7p̃n
```

### 1.1.2 Descending W-tengwa

```
"Tengwar Formal Unicode/GR:204=1"
  λcΞο ροντρρ
"Tengwar Formal Unicode/AAT:Character Alternatives=Descending
W-tengwa;"
  λcΞο ροντρρ
```

## 1.2 Marked Osse

### 1.2.1 Default: Never

```
"Tengwar Formal Unicode/GR"
  cṬṬ
"Tengwar Formal Unicode/AAT"
  cṬṬ
```

### 1.2.2 Word final

```
"Tengwar Formal Unicode/GR:207=1"  
  ᑭᑭᑭ  
"Tengwar Formal Unicode/AAT:Marked Osse=Word final"  
  ᑭᑭᑭ
```

### 1.2.3 Always

```
"Tengwar Formal Unicode/GR:207=2"  
  ᑭᑭᑭ  
"Tengwar Formal Unicode/AAT:Marked Osse=Always"  
  ᑭᑭᑭ
```

### 1.3 Bar style

### 1.3.1 Default: Straight

"Tengwar Formal Unicode/GR"  
፲፱፻፳፯<sub>GR</sub>

"Tengwar Formal Unicode/AAT"  
፲፱፻፳፯<sub>AAT</sub>

### 1.3.2 Tilde

"Tengwar Formal Unicode/GR:209=1"  
፲፱፻፳፰

"Tengwar Formal Unicode/AAT:Bar style=Tilde"  
፲፱፻፳፰

## 1.4 A-tehta style

### 1.4.1 Default: Dots

"Tengwar Formal Unicode/GR"  
 ᑭᑭ

ᐅᐅ

"Tengwar Formal Unicode/GR:210=1"

 $\hat{p}\hat{p}$ 

řř

### 1.5.1 Default: Hook

բԿԸԿԸՆԼԵՆԼՆ:

[illegible]

"Tengwar Formal Unicode/GR:211=1"

ጥራቱ ምን ያህል ነው?

ገረግረግ ረገገገገ

## 2 Sample Text

## 2.1 Graphite

[illegible]

## 2.2 AAT

[illegible]

[illegible]

[illegible]



[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

𐎠	𐎡	𐎢	𐎣	𐎤	𐎥	𐎦	𐎧	𐎨	𐎩	𐎪	𐎫	𐎬	𐎭	𐎮	𐎯	𐎰	𐎱	𐎲	𐎳	𐎴	𐎵	𐎶	𐎷	𐎸	𐎹	𐎺	𐎻	𐎼	𐎽
𐎞	𐎟	𐎠	𐎡	𐎢	𐎣	𐎤	𐎥	𐎦	𐎧	𐎨	𐎩	𐎪	𐎫	𐎬	𐎭	𐎮	𐎯	𐎰	𐎱	𐎲	𐎳	𐎴	𐎵	𐎶	𐎷	𐎸	𐎹	𐎺	𐎻
𐎾	𐎿	𐏀	𐏁	𐏂	𐏃	𐏄	𐏅	𐏆	𐏇	𐏈	𐏉	𐏊	𐏋	𐏌	𐏍	𐏎	𐏏	𐏐	𐏑	𐏒	𐏓	𐏔	𐏕	𐏖	𐏗	𐏘	𐏙	𐏚	𐏛
𐏜	𐏝	𐏞	𐏟	𐏠	𐏡	𐏢	𐏣	𐏤	𐏥	𐏦	𐏧	𐏨	𐏩	𐏪	𐏫	𐏬	𐏭	𐏮	𐏯	𐏰	𐏱	𐏲	𐏳	𐏴	𐏵	𐏶	𐏷	𐏸	𐏹
𐏺	𐏻	𐏼	𐏽	𐏾	𐏿	𐐀	𐐁	𐐂	𐐃	𐐄	𐐅	𐐆	𐐇	𐐈	𐐉	𐐊	𐐋	𐐌	𐐍	𐐎	𐐏	𐐐	𐐑	𐐒	𐐓	𐐔	𐐕	𐐖	𐐗
𐐘	𐐙	𐐚	𐐛	𐐜	𐐝	𐐞	𐐟	𐐠	𐐡	𐐢	𐐣	𐐤	𐐥	𐐦	𐐧	𐐨	𐐩	𐐪	𐐫	𐐬	𐐭	𐐮	𐐯	𐐰	𐐱	𐐲	𐐳	𐐴	
𐐷	𐐸	𐐹	𐐺	𐐻	𐐼	𐐽	𐐾	𐐿	𐑀	𐑁	𐑂	𐑃	𐑄	𐑅	𐑆	𐑇	𐑈	𐑉	𐑊	𐑋	𐑌	𐑍	𐑎	𐑏	𐑐	𐑑	𐑒	𐑓	𐑔
𐑖	𐑗	𐑘	𐑙	𐑚	𐑛	𐑜	𐑝	𐑞	𐑟	𐑠	𐑡	𐑢	𐑣	𐑤	𐑥	𐑦	𐑧	𐑨	𐑩	𐑪	𐑫	𐑬	𐑭	𐑮	𐑯	𐑰	𐑱	𐑲	𐑳
𐑶	𐑷	𐑸	𐑹	𐑺	𐑻	𐑼	𐑽	𐑾	𐑿	𐒀	𐒁	𐒂	𐒃	𐒄	𐒅	𐒆	𐒇	𐒈	𐒉	𐒊	𐒋	𐒌	𐒍	𐒎	𐒏	𐒐	𐒑	𐒒	𐒓
𐒖	𐒗	𐒘	𐒙	𐒚	𐒛	𐒜	𐒝	𐒞	𐒟	𐒠	𐒡	𐒢	𐒣	𐒤	𐒥	𐒦	𐒧	𐒨	𐒩	𐒪	𐒫	𐒬	𐒭	𐒮	𐒯	𐒰	𐒱	𐒲	𐒳
𐒶	𐒷	𐒸	𐒹	𐒺	𐒻	𐒼	𐒽	𐒾	𐒿	𐓀	𐓁	𐓂	𐓃	𐓄	𐓅	𐓆	𐓇	𐓈	𐓉	𐓊	𐓋	𐓌	𐓍	𐓎	𐓏	𐓐	𐓑	𐓒	𐓓
𐓖	𐓗	𐓘	𐓙	𐓚	𐓛	𐓜	𐓝	𐓞	𐓟	𐓠	𐓡	𐓢	𐓣	𐓤	𐓥	𐓦	𐓧	𐓨	𐓩	𐓪	𐓫	𐓬	𐓭	𐓮	𐓯	𐓰	𐓱	𐓲	𐓳
𐓶	𐓷	𐓸	𐓹	𐓺	𐓻	𐓼	𐓽	𐓾	𐓿	𐔀	𐔁	𐔂	𐔃	𐔄	𐔅	𐔆	𐔇	𐔈	𐔉	𐔊	𐔋	𐔌	𐔍	𐔎	𐔏	𐔐	𐔑	𐔒	𐔓
𐔖	𐔗	𐔘	𐔙	𐔚	𐔛	𐔜	𐔝	𐔞	𐔟	𐔠	𐔡	𐔢	𐔣	𐔤	𐔥	𐔦	𐔧	𐔨	𐔩	𐔪	𐔫	𐔬	𐔭	𐔮	𐔯	𐔰	𐔱	𐔲	𐔳
𐔶	𐔷	𐔸	𐔹	𐔺	𐔻	𐔼	𐔽	𐔾	𐔿	𐕀	𐕁	𐕂	𐕃	𐕄	𐕅	𐕆	𐕇	𐕈	𐕉	𐕊	𐕋	𐕌	𐕍	𐕎	𐕏	𐕐	𐕑	𐕒	



[illegible]

[illegible]

[illegible]