## Contents

L	Ten	gwar Formal Unicode/AAT: Graphite and AAT options	1
	1.1	Character Alternatives	
		1.1.1 Descending W-Tengwa	4
		1.1.2 Tilde Bar	4
		1.1.3 Circumflex A-Tehta	
		1.1.4 Swash Sa-Rince	
	1.2	Osse Hook	
	1.3	Carrier Diacritic (for 'Full Writing')	
	1.4	Osse Diacritic (for 'Full Writing')	
2	San	aple Texts	
	2.1	Edwin Lowdham's Manuscript, Text II (DTS 51)	,
	2.2	Lorem Ipsum with some Tengwar Phrases	(

# 1 Tengwar Formal Unicode/AAT: Graphite and AAT options

Here are samples of the different options. The options are specified by adding something to the font name in the \font command. The extended font names are all given in this document. A font specification will look like this:

```
\font\bla="font(/GR):feature=value(;feature=value)"
```

In this specification, the part bla is a string of your choice. On Mac OS X, the part /GR is optional. It tells X<sub>H</sub>T<sub>E</sub>X to use the Graphite information. If you leave it away, it will use the AAT information, which only works on Mac OS X. Note that you can define as many features as you like:

```
\font\myformal="Tengwar Formal Unicode/GR:204=1;207=2"
```

After this \font command has been defined, you can use \myformal as a command, for instance as follows:

```
\myformal Acgo 20ncm \normalfont
```

This will look like this: Acto 2017pm

## 1.1 Character Alternatives

# 1.1.1 Descending W-Tengwa

```
Default

λοξο 2007μ

"Tengwar Formal Unicode/GR:204=1"

λοξο 2007μ

"Tengwar Formal Unicode/AAT:Character Alternatives=Descending
W-Tengwa;"

λοξο 2007μ
```

#### 1.1.2 Tilde Bar

#### 1.1.3 Circumflex A-Tehta

```
Default

pp

"Tengwar Formal Unicode/GR:210=1"

pp

"Tengwar Formal Unicode/AAT:Character Alternatives=Circumflex
A-Tehta"

pp
```

#### 1.1.4 Swash Sa-Rince

```
Default

p.ເປັດປ່ວວກການ.
"Tengwar Formal Unicode/GR:211=1"

p.ເປັດປ່ວວກການ.
"Tengwar Formal Unicode/AAT:Character Alternatives=Swash
Sa-Rince"

p.ເປັດປ່ວວກການ.
```

## 1.2 Osse Hook

Default c\_c

```
Word Final
```

## Always

```
"Tengwar Formal Unicode/GR:207=2"

$\sigma \sigma \sigma \text{Tengwar Formal Unicode/AAT:Osse Hook=Always"} 

$\sigma \sigma \sigma \text{V} \text{Sigma} \text{
```

# 1.3 Carrier Diacritic (for 'Full Writing')

Default

μω λι

#### Dot

```
"Tengwar Formal Unicode/GR:213=1"

jub li
"Tengwar Formal Unicode/AAT:Carrier Diacritic (for 'Full
Writing')=Dot"

jub li cp
```

#### Acute

```
"Tengwar Formal Unicode/GR:213=2" \text{jnb}\ \text{Ni} "Tengwar Formal Unicode/AAT:Carrier Diacritic (for 'Full Writing')=Acute" \text{jnb}\ \text{Ni}
```

# 1.4 Osse Diacritic (for 'Full Writing')

Default

pcd yczb

## Dot on Ambiguous Osse

```
"Tengwar Formal Unicode/GR:214=1" 
hcq λcτp
```

"Tengwar Formal Unicode/AAT:Osse Diacritic (for 'Full Writing')=Dot on Ambiguous Osse"
hcq

# Dot on every osse

```
"Tengwar Formal Unicode/GR:214=2"
hcq \(\lambda\c)p\"
"Tengwar Formal Unicode/AAT:Osse Diacritic (for 'Full Writing')=Dot on Every Osse"
hcq \(\lambda\c)p\"
```

# 2 Sample Texts

# 2.1 Edwin Lowdham's Manuscript, Text II (DTS 51)

# Graphite

υ-ρίαων γαφω λουβωνω γλω το ρια αρώς γίρω το ρίαων γαφω γουβωνω για ανίσω για απορησιών για το μαρων κου μαρων κου μαρων κου μα το μαρων κου μαρων κου μαρων κου μα το μαρων κου μαρων κου μαρων κου μα το μαρων κου μα το μαρων κου μα το μαρων κου μα το μαρων κου μαρων κου μαρων κου μαρων το και μαρων κου μαρων το κου

#### AAT

# 2.2 Lorem Ipsum with some Tengwar Phrases

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua: ζým jμm. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat (μαμρ ής μαμρ ής μαμρ ης μαμ