

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.post.description

Left:

Right:

Summary: Removed:■-

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptL

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/accept

Summary: Added:■■- \$ref: #/parameters/contentTypeParam

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.post.responses.510

Left:

Right: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/domestic.post.security

Left: - xs2a\_auth\_aspsp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■■- xs2a\_auth\_aspsp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.post.description

Left:

Right:

Summary: Removed:■-

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.post.responses.510

Left:

Right: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/EEA.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/nonEEA.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/nonEEA.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/nonEEA.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/nonEEA.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/nonEEA.post.responses.510

Left:

Right: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/nonEEA.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.post.description

Left:

Right:

Summary: Removed:■-

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.post.responses.500

Left: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.post.responses.503

Left: description: Service Unavailable■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.post.responses.510

Left:

Right: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/tax.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.post.description

Left:

Right:

Summary: Removed:■-

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■■- \$ref: #/parameters/contentTypeParam

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.post.responses.510

Left:

Right: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/bundle.post.security

Left: - xs2a\_auth\_aspsp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■■- xs2a\_auth\_aspsp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.post.description

Left:

Right:

Summary: Removed:■-

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/contentTypeParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/contentTypeParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.post.responses.510

Left:

Right: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/recurring.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getPayment.x-swagger-router-controller

Left: pis■...

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getPayment.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/contentTypeParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/contentTypeParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getPayment.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getPayment.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getPayment.post.responses.510

Left:

Right: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getPayment.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getBundle.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getBundle.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getBundle.post.responses.500

Left: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getBundle.post.responses.503

Left: description: Service Unavailable■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getBundle.post.responses.510

Left:

Right: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getBundle.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getRecurringPayment.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getRecurringPayment.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getRecurringPayment.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getRecurringPayment.post.responses.503

Left: description: Service Unavailable■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getRecurringPayment.post.responses.510

Left:

Right: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getRecurringPayment.post.security

Left: - xs2a\_auth\_asp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■- xs2a\_auth\_asp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/getMultiplePayments

Left: x-swagger-router-controller: pis■post:■ summary: Get the status of multiple payments■ description: Get the status of multiple payments

Right:

Summary: Removed:■- x-swagger-router-controller: pis■- post: summary: Get the status of multiple payments

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelPayments.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelPayments.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelPayments.post.responses.500

Left: description: Internal Server Error■schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelPayments.post.responses.503

Left: description: Service Unavailable■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelPayments.post.responses.510

Left:

Right: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelPayments.post.security

Left: - xs2a\_auth\_aspssp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■■- xs2a\_auth\_aspssp: - pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelRecurringPayment.x-swagger-router-controller

Left: pis■...■

Right:

Summary: Removed:■- pis

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelRecurringPayment.post.parameters

Left: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Right: - \$ref: '#/parameters/authorizationParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■- \$ref: '#/parameters/acceptEncodingParam'■

Summary: Added:■■- \$ref: '#/parameters/contentTypeParam'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelRecurringPayment.post.responses.500

Left: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelRecurringPayment.post.responses.503

Left: description: Service Unavailable■ schema:■ \$ref: '#/definitions/Error'■

Right:

Summary: Removed:■- description: Service Unavailable■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelRecurringPayment.post.responses.510

Left:

Right: description: Internal Server Error■ schema:■ \$ref: '#/definitions/Error'■

Summary: Added:■- description: Internal Server Error■- schema: \$ref: '#/definitions/Error'

Section: PIS

Path: /v2\_1\_1.1/payments/v2\_1\_1.1/cancelRecurringPayment.post.security

Left: - xs2a\_auth\_aspssp:■ - pis■- xs2a\_auth\_decoupled:■ - pis■

Right: - xs2a\_auth\_decoupled:■ - pis■

Summary: Removed:■■- xs2a\_auth\_aspssp: - pis



Section: CAF

Path: /v2\_1\_1.1/confirmation/v2\_1\_1.1/getConfirmationOfFunds

Left: x-swagger-router-controller: caf■post:■ summary: Confirmation of the availability of funds■ des

Right:

Summary: Removed:■- x-swagger-router-controller: caf■- post: summary: Confirmation of the availab

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/deleteConsent

Left: x-swagger-router-controller: ais■post:■ summary: Removes consent■ description: Removes co

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Removes consent■descrip

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getAccounts

Left: x-swagger-router-controller: ais■post:■ summary: Get information about all user's payment acco

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get information about all us

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getAccount

Left: x-swagger-router-controller: ais■post:■ summary: Get detailed information about user payment

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get detailed information ab

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getTransactionsDone

Left: x-swagger-router-controller: ais■post:■ summary: Get list of user done transactions■ descriptio

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get list of user done transa

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getTransactionsPending

Left: x-swagger-router-controller: ais■post:■ summary: Get list of user's pending transactions■ desc

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get list of user's pending tr

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getTransactionsRejected

Left: x-swagger-router-controller: ais■post:■ summary: Get list of user's rejected transactions■ desc

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get list of user's rejected tr

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getTransactionsCancelled

Left: x-swagger-router-controller: ais■post:■ summary: Get list of user cancelled transactions■ desc

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get list of user cancelled tr

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getTransactionsScheduled

Left: x-swagger-router-controller: ais■post:■ summary: Get list of user scheduled transactions■ des

Right:

Summary: Removed:■- x-swagger-router-controller: ais■- post: summary: Get list of user scheduled t

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getHolds

Left: x-swagger-router-controller: ais post: summary: Get list of user's holded operations description:

Right:

Summary: Removed: x-swagger-router-controller: ais post: summary: Get list of user's holded operations

Section: AIS

Path: /v2\_1\_1.1/accounts/v2\_1\_1.1/getTransactionDetail

Left: x-swagger-router-controller: ais post: summary: Get detailed information about user's single transaction

Right:

Summary: Removed: x-swagger-router-controller: ais post: summary: Get detailed information about user's single transaction

Section: AS

Path: /v2\_1\_1.1/auth/v2\_1\_1.1/authorize

Left: x-swagger-router-controller: as post: summary: Requests OAuth2 authorization code description:

Right:

Summary: Removed: x-swagger-router-controller: as post: summary: Requests OAuth2 authorization code

Section: AS

Path: /v2\_1\_1.1/auth/v2\_1\_1.1/authorizeExt

Left: x-swagger-router-controller: as post: summary: Requests OAuth2 authorization code based on external data

Right:

Summary: Removed: x-swagger-router-controller: as post: summary: Requests OAuth2 authorization code based on external data

Section: AS

Path: /v2\_1\_1.1/auth/v2\_1\_1.1/token

Left: x-swagger-router-controller: as post: summary: Requests OAuth2 access token value description:

Right:

Summary: Removed: x-swagger-router-controller: as post: summary: Requests OAuth2 access token value

Section: Definitions

Path: AuthorizeRequest

Left: description: Klasa zapytania o uzyskanie kodu autoryzacyjnego zgodnego z OAuth2 type: object

Right:

Summary: Removed: description: Klasa zapytania o uzyskanie kodu autoryzacyjnego zgodnego z OAuth2

Section: Definitions

Path: AuthorizeResponse

Left: description: "Klasa odpowiedzi na zapytanie TPP o autoryzacj\u0119 PSU do wykonania" \ us\

Right:

Summary: Removed: description: Klasa odpowiedzi na zapytanie TPP o autoryzacj\u0119 PSU do wykonania

Section: Definitions

Path: EatCodeRequest

Left: description: Klasa zapytania o uzyskanie kodu autoryzacyjnego zgodnego z OAuth2 na podstawie

Right:

Summary: Removed: description: Klasa zapytania o uzyskanie kodu autoryzacyjnego zgodnego z OAuth2

Section: Definitions

Path: TokenRequest

Left: description: "Klasa zapytania o uzyskanie tokena dost\u0119pnego zgodnego z OAuth2" type:

Right:

Summary: Removed: description: Klasa zapytania o uzyskanie tokena dost\u0119pnego zgodnego z OAuth2

Section: Definitions

Path: TokenResponse

Left: description: "Klasa odpowiedzi na zapytanie TPP o wygenerowanie tokena dost\u0119pny" poweg

Right:

Summary: Removed:- description: Klasa odpowiedzi na zapytanie TPP o wygenerowanie tokena dost

Section: Definitions

Path: DeleteConsentRequest

Left: description: "Klasa zapytania o usuni\u0119cie zgody na dost\u0119p do AIS" type: object required:

Right:

Summary: Removed:- description: Klasa zapytania o usuni\u0119cie zgody na dost\u0119p do AIS type: obj

Section: Definitions

Path: AccountsRequest

Left: description: Klasa zapytania o rachunki / Accounts Request Class type: object required:- requ

Right:

Summary: Removed:- description: Klasa zapytania o rachunki / Accounts Request Class type: obj

Section: Definitions

Path: AccountResponse

Left: description: Klasa odpowiedzi na zapytania o konto PSU / PSU's Account Response Class required:

Right:

Summary: Removed:- description: Klasa odpowiedzi na zapytania o konto PSU / PSU's Account Res

Section: Definitions

Path: AccountsResponse

Left: description: Klasa odpowiedzi na zapytania o wiele kont PSU / PSU's Multiple Accounts Respo

Right:

Summary: Removed:- description: Klasa odpowiedzi na zapytania o wiele kont PSU / PSU's Multiple

Section: Definitions

Path: AccountBaseInfo

Left: description: Klasa informacji o koncie / Account Information Class type: object required:- acco

Right:

Summary: Removed:- description: Klasa informacji o koncie / Account Information Class type: obj

Section: Definitions

Path: AccountInfo

Left: description: Klasa informacji o koncie / Account Information Class type: object required:- acco

Right:

Summary: Removed:- description: Klasa informacji o koncie / Account Information Class type: obj

Section: Definitions

Path: AccountInfoRequest

Left: description: Klasa zapytania o pojedynczy rachunek / Account Information Request Class type:

Right:

Summary: Removed:- description: Klasa zapytania o pojedynczy rachunek / Account Information Re

Section: Definitions

Path: ItemInfoRequestBase

Left: description: "Bazowa klasa dla zapyta\u0142 o elementy takie jak transakcja i blokada" \ / Elem

Right:

Summary: Removed:- description: Bazowa klasa dla zapyta\u0142 o elementy takie jak transakcja i bloka

## Section: Definitions

Path: TransactionInfoRequest

Left: description: Klasa zapytania o transakcje / Transaction Information Request Class■allOf:■- \$ref:

Right:

Summary: Removed:■- description: Klasa zapytania o transakcje / Transaction Information Request C

## Section: Definitions

Path: HoldRequest

Left: description: Klasa zapytania o elementy (transakcje lub blokady) / Element (transaction or hold

Right:

Summary: Removed:■- description: Klasa zapytania o elementy (transakcje lub blokady) / Element (tr

## Section: Definitions

Path: ItemInfoBase

Left: description: Klasa bazowa informacji o elemencie (transakcji lub blokadzie) / Element (transact

Right:

Summary: Removed:■- description: Klasa bazowa informacji o elemencie (transakcji lub blokadzie) / E

## Section: Definitions

Path: HoldInfo

Left: description: "Klasa opisuj\u0105ca blokad\u0119 na rachunku / Hold info class"■allOf:■- \$ref: '#/

Right:

Summary: Removed: - description: Klasa opisujaca blokadę na rachunku / Hold info class - allOf: -

## Section: Definitions

Path: TransactionPendingInfo

Left: description: "Klasa opisuj\u0105ca oczekuj\u0105c\u0105 transakcj\u0119 p\u0142atnicz\u0105"

Right:

Summary: Removed: - description: Klasa opisuj■ca oczekuj■c■ transakcj■ p■atnicz■. Jest to trans

## Section: Definitions

Path: TransactionRejectedInfo

Left: description: "Klasa opisuj\u0105ca odrzucon\u0105 transakcj\u0119 p\u0142atnicz\u0105"allOf

Right:

Summary: Removed: - description: Klasa opisujaca odrzucon transakcje platnicz - allOf: - \$ref:

## Section: Definitions

Path: TransactionInfo

Left: description: "Klasa opisuj\u0105ca transakcj\u0119 p\u0142atnicz\u0105"■allOf:■- \$ref: '#/defini

Right:

Summary: Removed: - description: Klasa opisujaca transakcje pienieczne - allOf: - \$ref: '#/definition

## Section: Definitions

Path: TransactionCancelledInfo

Left: description: "Klasa opisuj\u0105ca odwo\u0142an\u0105 transakcj\u0119 p\u0142atnicz\u0105"■

Right:

Summary: Removed: - description: Klasa opisujaca odwołan transakcji płaatnicz - allOf: - \$ref

## Section: Definitions

Path: TransactionScheduledInfo

Left: description: "Klasa opisuj\u0105ca zaplanowan\u0105 transakcj\u0119 p\u0142atnicz\u0105"■al

Right:

Summary: Removed: - description: Klasa opisujaca zaplanowan transakcji p latnicz - allOf: - \$

Section: Definitions

Path: TransactionsDoneInfoResponse

Left: description: "Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji done / Done\[\] \ Transaction"

Right:

Summary: Removed:[]- description: Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji done / Done Trans

Section: Definitions

Path: TransactionsCancelledInfoResponse

Left: description: "Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji cancelled /\[\] \ Cancelled"

Right:

Summary: Removed:[]- description: Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji cancelled / Cancell

Section: Definitions

Path: TransactionsScheduledInfoResponse

Left: description: "Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji scheduled /\[\] \ Scheduled"

Right:

Summary: Removed:[]- description: Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji scheduled / Sched

Section: Definitions

Path: TransactionPendingInfoResponse

Left: description: "Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji pending / Pending\[\] \ Tran

Right:

Summary: Removed:[]- description: Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji pending / Pending

Section: Definitions

Path: TransactionRejectedInfoResponse

Left: description: "Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji rejected / Rejected\[\] \ Tra

Right:

Summary: Removed:[]- description: Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 transakcji rejected / Rejected

Section: Definitions

Path: HoldInfoResponse

Left: description: "Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 blokad na rachunku / Hold\[\] \ Inform

Right:

Summary: Removed:[]- description: Klasa odpowiedzi zawieraj\u0105c\u0105 list\u0119 blokad na rachunku / Hold In

Section: Definitions

Path: TransactionDetailRequest

Left: description: "Klasa zapytania o pojedyncz\u0105 transakcj\u0119 / Transaction Detail\[\] \ Reque

Right:

Summary: Removed:[]- description: Klasa zapytania o pojedyncz\u0105 transakcj\u0119 / Transaction Detail Re

Section: Definitions

Path: Payor.properties.payorIdType.description

Left: "Typ identyfikatora p\u0142atnika / Payor ID type"[\]

Right: "Typ identyfikatora p\u0142atnika / Payor ID type\n\* `N` - NIP\n\* `P` - Pesel\n\* `R`\[\] \ - Regon"

Summary: Added:[]- Typ identyfikatora p\u0142atnika / Payor ID type[\]\* `N` - NIP[\]\* `P` - Pesel[\]\* `R` - Re

Section: Definitions

Path: Payor.properties.payorIdType.enum

Left: - N[\]- P[\]- R[\]- 1[\]- 2[\]- 3[\]

Right: - N[\]- P[\]- R[\]- '1'[\]- '2'[\]- '3'[\]

Summary: Added:[]- 1[\]Added:[]- 2[\]Added:[]- 3[\]Removed:[]- 1[\]Removed:[]- 2[\]Removed:

Section: Definitions

Path: Payor.properties.payorIdType.x-ms-enum

Left: name: payorIdType values: - value: N description: NIP - value: P description: Pesel - val

Right:

Summary: Removed: - name: payorIdType values: - value: N description: NIP - value: P des

Section: Definitions

Path: SocialSecurityPayor

Left: description: "Klasa informacji o p\u0142atniku do ZUS / Polish Social Security Institution \ (ZU

Right:

Summary: Removed: - description: Klasa informacji o p\u0142atniku do ZUS / Polish Social Security Instit

Section: Definitions

Path: TransactionInfoZUS

Left: description: Klasa informacji danych dla przelewu do ZUS / ZUS Transfer Information Class ty

Right:

Summary: Removed: - description: Klasa informacji danych dla przelewu do ZUS / ZUS Transfer Info

Section: Definitions

Path: TransactionInfoCard

Left: type: object description: "Klasa reprezentuj\u0105ca informacje o karcie w ramach transakcji \

Right:

Summary: Removed: - type: object - description: Klasa reprezentuj\u0105ca informacje o karcie w ramac

Section: Definitions

Path: TransactionDetailResponse

Left: description: "Klasa odpowiedzi na zapytanie o transakcj\u0119 / Transaction Detail \ Response

Right:

Summary: Removed: - description: Klasa odpowiedzi na zapytanie o transakcj\u0119 / Transaction Detail

Section: Definitions

Path: RecurringDomesticPayment.properties.system.enum

Left: - Elixir - ExpressElixir - Sorbnet - BlueCash - Internal

Right: - Elixir - Internal

Summary: Removed: - ExpressElixir Removed: - Sorbnet Removed: - BlueCash

Section: Definitions

Path: PaymentEEARequest.properties.deliveryMode.enum

Left: - ExpressD0 - StandardD1

Right: - ExpressD0 - StandardD1 - UrgentD1

Summary: Added: - UrgentD1

Section: Definitions

Path: PaymentEEARequest.properties.system.enum

Left: - SEPA - InstantSEPA - Target

Right: - SEPA - InstantSEPA - Target - Swift - SantanderOnePayFX

Summary: Added: - Swift Added: - SantanderOnePayFX

Section: Definitions

Path: PaymentNonEEARequest.properties.recipientBank.\$ref

Left: '#/definitions/Bank'

Right: '#/definitions/PaymentNonEEARequestBank'

Summary: Added: - #/definitions/PaymentNonEEARequestBank

Section: Definitions

Path: PaymentNonEEARequest.properties.system.enum

Left: - Swift■

Right: - Swift■- SEPA■- Target■- SantanderOnePayFX■

Summary: Added:■■- SEPA■Added:■■- Target■Added:■■- SantanderOnePayFX

Section: Definitions

Path: PaymentRequest.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: BundleRequest.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: RecurringPaymentStatusRequest.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: PaymentsBundleRequest.properties.transfersTotalAmount.maxLength

Left:

Right: 35■...■

Summary: Added:■- 35

Section: Definitions

Path: RecurringPaymentRequest.properties.typeOfPayment.enum

Left: - domestic■- EEA■- nonEEA■- tax■

Right: - domestic■

Summary: Removed:■■- EEA■Removed:■■- nonEEA■Removed:■■- tax

Section: Definitions

Path: RecurringPaymentRequest.properties.EEAPayment

Left: \$ref: '#/definitions/RecurringEEAPayment'■

Right:

Summary: Removed:■- \$ref: '#/definitions/RecurringEEAPayment

Section: Definitions

Path: RecurringPaymentRequest.properties.nonEEAPayment

Left: \$ref: '#/definitions/RecurringNonEEAPayment'■

Right:

Summary: Removed:■- \$ref: '#/definitions/RecurringNonEEAPayment

Section: Definitions

Path: RecurringPaymentRequest.properties.taxPayment

Left: \$ref: '#/definitions/RecurringTaxPayment'■

Right:

Summary: Removed:■- \$ref: '#/definitions/RecurringTaxPayment

Section: Definitions

Path: PaymentsBundleResponse.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: RecurringPaymentResponse.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: CancelPaymentsRequest.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: CancelRecurringPaymentRequest.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: CancelPaymentsResponse.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: CancelRecurringPaymentResponse.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: PaymentsRequest.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: PaymentTokenEntry.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: AddPaymentResponse.type

Left:

Right: object■...■

Summary: Added:■- object



Section: Definitions

Path: PaymentInfo.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: GetPaymentResponse.description

Left: "Klasa odpowiedzi na pytanie o p\u0142atno\u015B\u0107 / Payment Get Response Class"

Right:

Summary: Removed: - Klasa odpowiedzi na pytanie o p\u0142atno\u015B\u0107 / Payment Get Response Class

Section: Definitions

Path: GetPaymentResponse.allOf

Left: - \$ref: '#/definitions/PaymentInfo' - type: object - required: - responseHeader - paymentId

Right: - \$ref: '#/definitions/PaymentInfo' - properties: responseHeader \$ref: '#/definitions/ResponseHeader'

Summary: Added: - properties: responseHeader: \$ref: '#/definitions/ResponseHeader' - required:

Section: Definitions

Path: BundleResponse.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: RecurringPaymentStatusResponse.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: PaymentsResponse.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: ConfirmationOfFundsRequest

Left: description: "Klasa zapytania o dost\u0119pne \u015Brodk\u0142y na rachunku \ / Co

Right:

Summary: Removed: - description: Klasa zapytania o dost\u0119pne \u015Brodk\u0142y na rachunku / Con

Section: Definitions

Path: ConfirmationOfFundsResponse

Left: description: "Klasa odpowiedzi na zapytanie o dost\u0119pne \u015Brodk\u0142y na rachunku \ na

Right:

Summary: Removed: - description: Klasa odpowiedzi na zapytanie o dost\u0119pne \u015Brodk\u0142y na rachunku

Section: Definitions

Path: Error.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: RequestHeaderWithoutToken.properties.userAgent.maxLength

Left:

Right: 255■...■

Summary: Added:■- 255

Section: Definitions

Path: RequestHeaderWithoutToken.properties.ipAddress.maxLength

Left:

Right: 255■...■

Summary: Added:■- 255

Section: Definitions

Path: RequestHeaderWithoutToken.properties.tppld.maxLength

Left:

Right: 127■...■

Summary: Added:■- 127

Section: Definitions

Path: RequestHeaderWithoutTokenAS

Left: description: "Klasa zawieraj\u0105ca informacje o PSU na potrzeby us\u0142ug autoryzacji"■ \ /

Right:

Summary: Removed:■- description: Klasa zawieraj■ca informacje o PSU na potrzeby us■ug autoryzacji

Section: Definitions

Path: RequestHeaderWithoutTokenCallbackAS

Left: description: "Klasa zawieraj\u0105ca informacje o PSU and callback URL / PSU and callback"■

Right:

Summary: Removed:■- description: Klasa zawieraj■ca informacje o PSU and callback URL / PSU and

Section: Definitions

Path: RequestHeaderCallback.description

Left: "Klasa zawieraj\u0105ca informacje o PSU and callback URL / PSU and callback URL Information

Right:

Summary: Removed:■- Klasa zawieraj■ca informacje o PSU and callback URL / PSU and callback U

Section: Definitions

Path: RequestHeaderCallback.allOf

Left: - \$ref: '#/definitions/RequestHeaderWithoutToken'■- type: object■ required:■ - token■ properti

Right: - \$ref: '#/definitions/RequestHeaderWithoutToken'■- properties:■ token:■ description: Tok

Summary: Added:■■- properties: token:■ description: Token autoryzacyjny / Authorization token■ m

Section: Definitions

Path: RequestHeader.description

Left: "Klasa zawieraj\u0105ca informacje o PSU / PSU Information Class"■

Right:

Summary: Removed:■- Klasa zawieraj■ca informacje o PSU / PSU Information Class

Section: Definitions

Path: RequestHeader.allOf

Left: - \$ref: '#/definitions/RequestHeaderWithoutToken'■- type: object■ required:■ - token■ properti

Right: - \$ref: '#/definitions/RequestHeaderWithoutToken'■- properties:■ token:■ description: Tok

Summary: Added:■■- properties: token:■ description: Token autoryzacyjny / Authorization token■ m

Section: Definitions

Path: RequestHeaderAIS

Left: description: "Klasa zawieraj\u0105ca informacje o PSU / PSU Information Class"■allOf:■- \$ref: '■

Right:

Summary: Removed:■- description: Klasa zawieraj■ca informacje o PSU / PSU Information Class■- a

Section: Definitions

Path: RequestHeaderAISCallback

Left: description: "Klasa zawieraj\u0105ca informacje o PSU and callback URL / PSU and callback\■

Right:

Summary: Removed:■- description: Klasa zawieraj■ca informacje o PSU and callback URL / PSU and

Section: Definitions

Path: ResponseHeader.properties.requestId.format

Left: uuid■...■

Right:

Summary: Removed:■- uuid

Section: Definitions

Path: ResponseHeader.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: SenderPISForeign.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: SenderPISDomestic.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: Bank.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: BankAccountInfo

Left: description: "Klasa zawieraj\u0105ca dane banku / Bank Data Class"■properties:■ bicOrSwift:■

Right:

Summary: Removed:■- description: Klasa zawieraj■ca dane banku / Bank Data Class■- properties: b

Section: Definitions

Path: RecurringTransferParameters.properties.dayOffOffsetType.enum

Left: - before■- after■

Right: - after■

Summary: Removed:■■- before

Section: Definitions

Path: TransferDataBase

Left: description: Bazowa klasa dla TransferData / TransferData Base Class■type: object■properties:

Right:

Summary: Removed:■- description: Bazowa klasa dla TransferData / TransferData Base Class■- type:

Section: Definitions

Path: TransferDataBaseTax.properties.amount.maxLength

Left:

Right: 35■...■

Summary: Added:■- 35

Section: Definitions

Path: TransferDataBaseTax.properties.executionDate.maxLength

Left: 10■...■

Right:

Summary: Removed:■- 10

Section: Definitions

Path: TransferData.description

Left: "Klasa zawieraj\u0105ca dane przelewu / Transfer Data Class"■

Right: Bazowa klasa dla TransferData / TransferData Base Class■...■

Summary: Added:■- Bazowa klasa dla TransferData / TransferData Base Class

Section: Definitions

Path: TransferData.allOf

Left: - \$ref: '#/definitions/TransferDataBase'■- type: object■ required:■ - description■ - amount■ pr

Right:

Summary: Removed:■- - \$ref: '#/definitions/TransferDataBase'■- type: object■ required:■ - descript

Section: Definitions

Path: TransferData.properties

Left:

Right: description:■ maxLength: 140■ description: "Pole opisuj\u0105ce przelew / Description"■ typ

Summary: Added:■- description: maxLength: 140■description: "Pole opisuj\u0105ce przelew / Descrip

Section: Definitions

Path: TransferData.required

Left:

Right: - amount■- description■

Summary: Added:■- - amount■- description

Section: Definitions

Path: TransferData.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: TransferDataCurrencyRequired.description

Left: "Klasa zawieraj\u0105ca dane przelewu / Transfer Data Class"■

Right: Bazowa klasa dla TransferData / TransferData Base Class■...■

Summary: Added:■- Bazowa klasa dla TransferData / TransferData Base Class

Section: Definitions

Path: TransferDataCurrencyRequired.allOf

Left: - \$ref: '#/definitions/TransferDataBase' - type: object - required: - description - amount -

Right:

Summary: Removed: - \$ref: '#/definitions/TransferDataBase' - type: object - required: - description

Section: Definitions

Path: TransferDataCurrencyRequired.properties

Left:

Right: description: maxLength: 140 description: "Pole opisuj\u0105ce przelew / Description" type:

Summary: Added: - description: maxLength: 140 description: "Pole opisuj\u0105ce przelew / Description"

Section: Definitions

Path: TransferDataCurrencyRequired.required

Left:

Right: - currency - amount - description

Summary: Added: - currency - amount - description

Section: Definitions

Path: TransferDataCurrencyRequired.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: TransferDataCurrencyRequiredTax.description

Left: "Klasa zawieraj\u0105ca dane przelewu / Transfer Data Class"

Right:

Summary: Removed: - Klasa zawieraj\u0105ca dane przelewu / Transfer Data Class

Section: Definitions

Path: TransferDataCurrencyRequiredTax.allOf

Left: - \$ref: '#/definitions/TransferDataBaseTax' - type: object - required: - amount - currency

Right:

Summary: Removed: - \$ref: '#/definitions/TransferDataBaseTax' - type: object - required: - amount

Section: Definitions

Path: TransferDataCurrencyRequiredTax.properties

Left:

Right: amount: pattern: ^([0-9]{1,9}[0-9]{0,})\.\d{2}\$ description: Kwota przelewu / Amount type: string

Summary: Added: - amount: pattern: ^([0-9]{1,9}[0-9]{0,})\.\d{2}\$ description: Kwota przelewu / Amount

Section: Definitions

Path: TransferDataCurrencyRequiredTax.required

Left:

Right: - currency - amount

Summary: Added: - currency - amount

Section: Definitions

Path: TransferDataCurrencyRequiredTax.type

Left:

Right: object...

Summary: Added: - object

Section: Definitions

Path: SenderRecipient

Left: description: "Klasa zawieraj\u0105ca dane nadawcy/odbiorcy u\u017Cywana w \u017C\u0105"■

Right:

Summary: Removed:■- description: Klasa zawieraj■ca dane nadawcy/odbiorcy u■ywana w ■■dania

Section: Definitions

Path: RecipientPIS.required

Left: - nameAddress■- accountNumber■

Right: - accountNumber■- nameAddress■

Summary:

Section: Definitions

Path: RecipientPIS.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: RecipientPISTax.required

Left: - nameAddress■- accountNumber■

Right: - accountNumber■- nameAddress■

Summary:

Section: Definitions

Path: RecipientPISTax.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: RecipientPISForeign.required

Left: - nameAddress■- accountNumber■

Right: - accountNumber■- nameAddress■

Summary:

Section: Definitions

Path: RecipientPISForeign.type

Left:

Right: object■...■

Summary: Added:■- object

Section: Definitions

Path: NameAddress.required

Left:

Right: - value■

Summary: Added:■- - value

Section: Definitions

Path: NameAddress.type

Left:

Right: object■...■

Summary: Added:■- object

## Section: Definitions

Path: PageInfo

Left: description: "Klasa zawieraj\u0105ca dane pozwalaj\u0105ce na korzystanie z mechanizmu \u25a0 \u25a1 stroni

Right:

Summary: Removed: - description: Klasa zawierajca dane pozwalajace na korzystanie z mechanizmu

## Section: Definitions

Path: CurrencyRate

Left: description: "Klasa zawieraj\u0105ca kursy przewalutowa\u0144 / Currency rate"■properties:■ r

Right:

Summary: Removed: - description: Klasa zawierajca kursy przewalutowa / Currency rate - prope

## Section: Definitions

## Path: Map

Left: description: Klasa mapy <string, string> / Map (Dictionary) class ■ type: object ■ additionalProperties:

Right:

Summary: Removed:■- description: Klasa mapy <string, string> / Map (Dictionary) class■- type: object

## Section: Definitions

Path: DictionaryItem

Left: description: "Klasa zawieraj\u0105ca dane elementu/pozycji s\u0142ownika / Dictionary\ \ Item

Right:

Summary: Removed: - description: Klasa zawierajca dane elementu/pozycji sownik / Dictionary

## Section: Definitions

Path: ScopeDetailsInput

Left: description: "Zakres, limity, parametry i czas wa\u017Cno\u015Bci zg\u0142\u00f3szenia re prosi T

Right:

Summary: Removed: - description: Zakres, limity, parametry i czas ważności zgód, o które prosi TP

## Section: Definitions

Path: ScopeDetailsOutput

Left: description: "Zakres, limity, parametry i czas wa\u017Cno\u015Bci zg\u0142\u015Bd, kt\u0142\u0142 re potwierc

Right:

Summary: Removed: - description: Zakres, limity, parametry i czas ważności zgód, które potwierdza

## Section: Definitions

Path: PrivilegeAisAspsplnSimple

Left: description: "Lista atrybut\u00F3w uprawnienia us\u0142ugi AIS b\u0119d\u0105cych przedmiotem

Right:

Summary: Removed: - description: Lista atrybutów uprawnienia usługi AIS b d cych przedmiotem

## Section: Definitions

Path: PrivilegeAisAspspln

Left: description: "Lista atrybut\u00F3w uprawnienia us\u0142ugi AIS b\u0119d\u0105cych przedmiotem

Right:

Summary: Removed: - description: Lista atrybutów uprawnienia usługi AIS b d cych przedmiotem

## Section: Definitions

Path: PrivilegeAisAspspOutSimple

Left: description: "Lista atrybutów uprawnień usługi AIS dla klientów została wygenerowana i wysłana do systemu"

Right:

Summary: Removed: - description: Lista atrybutów uprawnienia usługi AIS dla których została wyra

Section: Definitions

Path: PrivilegeAisAspspOut

Left: description: "Lista atrybutów uprawnień usługi AIS dla których zostają wygenerowane raporty"

Right:

Summary: Removed: - description: Lista atrybutów uprawnień usługi AIS dla których zostają wygenerowane raporty

Section: Definitions

Path: PrivilegePayment

Left: description: "Lista atrybutów uprawnień do \u017C\u0105dania statusu płatności"

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do \u017C\u0105dania statusu płatności / The list of

Section: Definitions

Path: PrivilegeBundle

Left: description: "Lista atrybutów uprawnień do \u017C\u0105dania statusu paczki płatności"

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do \u017C\u0105dania statusu paczki płatności

Section: Definitions

Path: PrivilegeRecurringPaymentStatus

Left: description: "Lista atrybutów uprawnień do \u017C\u0105dania statusu płatności cyklicznych"

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do \u017C\u0105dania statusu płatności cyklicznych

Section: Definitions

Path: PrivilegeDomesticTransfer

Left: description: "Lista atrybutów uprawnień do inicjacji przelewu zwykłego \u2013 The list of

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do inicjacji przelewu zwykłego / The

Section: Definitions

Path: PrivilegeForeignTransferEEA

Left: description: "Lista atrybutów uprawnień do inicjacji przelewu zagranicznego EEA \u2013 / The list of

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do inicjacji przelewu zagranicznego EEA

Section: Definitions

Path: PrivilegeForeignTransferNonEEA

Left: description: "Lista atrybutów uprawnień do inicjacji przelewu zagranicznego bez EEA / The list of

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do inicjacji przelewu zagranicznego bez EEA

Section: Definitions

Path: PrivilegeTaxTransfer

Left: description: "Lista atrybutów uprawnień do inicjacji przelewu urzędowego \u2013 The list of

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do inicjacji przelewu urzędowego

Section: Definitions

Path: PrivilegeCancelPayment

Left: description: "Lista atrybutów uprawnień do odwołania zainicjowanego przelewu \u2013 The list of

Right:

Summary: Removed: - description: Lista atrybutów uprawnień do odwołania zainicjowanego przelewu



## Section: Definitions

Path: PrivilegeCancelRecurringPayment

Left: description: "Lista atrybut\u00F3w uprawnienia do anulowania p\u0142atno\u015Bci cyklicznej" \ \

Right:

Summary: Removed: - description: Lista atrybutów uprawnienia do anulowania płaatności cyklicznej

## Section: Definitions

## Path: PrivilegeBundleTransfers

Left: description: "Lista atrybutów uprawnień do zainicjowania paczki przelewu / The \list of at

Right:

Summary: Removed:■- description: Lista atrybutów uprawnienia do zainicjowania paczki przelewu / T

## Section: Definitions

Path: PrivilegeRecurringPayment

Left: description: "Lista atrybut\u00F3w uprawnia\u0107 do zdefiniowania nowej p\u0142atno\u015Bci ci cy

Right:

Summary: Removed: - description: Lista atrybutów uprawnia do zdefiniowania nowej p

## Section: Definitions

Path: ScopeDetailsInputPrivilegeList

Left: description: "Pe\u0142na lista uprawnie\u0144 b\u0119d\u0105cych przedmiotem zapytania\

Right:

Summary: Removed: - description: Pe na lista uprawnie b d cych przedmiotem zapytania o zgod

## Section: Definitions

Path: ScopeDetailsOutputPrivilegeList

Left: description: "Pe\u0142na lista uprawnie\u0144, dla kt\u00f3rych zosta\u0142a wyra\u017c\u25a1 ona

Right:

Summary: Removed:■- description: Pe■na lista uprawnie■, dla których zosta■a wyra■ona zgoda prz

## Section: Definitions

Path: PaymentNonEEARequestBank

Left:

Right: description: "Klasa zawiera\u0105ca dane banku u\u017Cywan\u0105 w \u017C\u0105daniach\

Summary: Added:■- description: Klasa zawieraj■ca dane banku u■ywana w ■■daniach AIS / AIS Ba