

# **PVR File Format Specification**

Copyright © Imagination Technologies Ltd. All Rights Reserved.

This publication contains proprietary information which is subject to change without notice and is supplied 'as is' without warranty of any kind. Imagination Technologies and the Imagination Technologies logo are trademarks or registered trademarks of Imagination Technologies Limited. All other logos, products, trademarks and registered trademarks are the property of their respective owners.

Filename : PVR File Format.Specification.REL\_2.10@905358.External.doc  
Version : REL\_2.10@905358 External Issue (Package: POWERVR SDK  
REL\_2.10@905358)  
Issue Date : 08 Feb 2012  
Author : Imagination Technologies Ltd

## Contents

<b>1.</b>	<b>Introduction .....</b>	<b>3</b>
1.1.	Document Overview .....	3
1.2.	Specification Version .....	3
<b>2.</b>	<b>Format Description .....</b>	<b>4</b>
2.1.	Header Format.....	4
2.1.1.	Version .....	4
2.1.2.	Flags.....	4
2.1.3.	Pixel Format .....	5
2.1.4.	Colour Space.....	6
2.1.5.	Channel Type .....	6
2.1.6.	Height .....	6
2.1.7.	Width .....	6
2.1.8.	Depth .....	6
2.1.9.	Num. Surfaces.....	6
2.1.10.	Num. Faces .....	6
2.1.11.	MIP-Map Count .....	7
2.1.12.	Meta Data Size .....	7
2.2.	Meta Data Format.....	8
2.2.1.	FourCC .....	8
2.2.2.	Key .....	8
2.2.3.	Data Size .....	8
2.2.4.	Data .....	8
2.2.5.	Pre-Defined Meta Data.....	9
2.3.	Texture Data .....	10
2.3.1.	Texture Data Structure .....	10
<b>3.</b>	<b>Contact Details .....</b>	<b>11</b>

## List of Figures

Figure 2-1	File Layout .....	4
------------	-------------------	---

# 1. Introduction

## 1.1. Document Overview

The purpose of this document is to act as a specification for the PVR file format.

## 1.2. Specification Version

PVR specification version:


3.0.0

## 2. Format Description

PVR files contain three elements:

- One Header, of 52 bytes length.
- Zero or more meta-data elements, whose length can be determined from the header.
- One texture data element, whose length can be determined from the header.

The file is laid out as follows:



**Figure 2-1 File Layout**

### 2.1. Header Format

Name	Size(bytes)	Data Format
Version	4	Unsigned 32bit Integer
Flags	4	Unsigned 32bit Integer
Pixel Format	8	Unsigned 64bit Integer
Colour Space	4	Unsigned 32bit Integer
Channel Type	4	Unsigned 32bit Integer
Height	4	Unsigned 32bit Integer
Width	4	Unsigned 32bit Integer
Depth	4	Unsigned 32bit Integer
Num. Surfaces	4	Unsigned 32bit Integer
Num. Faces	4	Unsigned 32bit Integer
MIP-Map Count	4	Unsigned 32bit Integer
Meta Data Size	4	Unsigned 32bit Integer

#### 2.1.1. Version

'Version' contains the version of the PVR header format. The exact value of 'Version' will be one of the following depending upon the endianness of the file, and the computer reading it:

- 0x03525650, if endianness does not match
- 0x50565203, if endianness does match

#### 2.1.2. Flags

The purpose of the 'Flags' field is to allow for future proofing of the header format, giving the format the ability to specify flags that can dictate how the texture data is stored. The following flags are currently supported:

Name	Value	Description
No Flag	0	No flag has been set.
Pre-multiplied	0x02	When this flag is set, colour values within the texture have been pre-multiplied by the alpha values.

### 2.1.3. Pixel Format

'Pixel Format' is a 64bit unsigned integer containing the pixel format of the texture data. Where the most significant 4 bytes have been set to '0' the least significant 4 bytes will contain a 32bit unsigned integer value identifying the pixel format. The values are as follows:

Formats	Value
PVRTC 2bpp RGB	0
PVRTC 2bpp RGBA	1
PVRTC 4bpp RGB	2
PVRTC 4bpp RGBA	3
PVRTC-II 2bpp	4
PVRTC-II 4bpp	5
ETC1	6
DXT1	7
DXT2	8
DXT3	9
DXT4	10
DXT5	11
BC1	12
BC2	13
BC3	14
BC4	15
BC5	16
BC6	17
BC7	18
UYVY	19
YUY2	20
BW1bpp	21
R9G9B9E5 Shared Exponent	22
RGBG8888	23
GRGB8888	24
ETC2 RGB	25
ETC2 RGBA	26
ETC2 RGB A1	27
EAC R11 Unsigned	28
EAC R11 Signed	29
EAC RG11 Unsigned	30
EAC RG11 Signed	31

If the most significant 4 bytes contain a value, the full 8 bytes are used to determine the pixel format. The least significant 4 bytes contain the channel order, each byte containing a single character, or a null character if there are fewer than four channels; for example, {'r','g','b','a'} or {'r','g','b','\0'}. The most significant 4 bytes state the bit rate for each channel in the same order, each byte containing a single 8bit unsigned integer value, or zero if there are fewer than four channels; for example, {8,8,8,8} or {5,6,5,0}.

#### 2.1.4. Colour Space

'Colour Space' is a 32bit unsigned integer that specifies which colour space the texture data is in. The two valid values are:

Colour Space	Value	Description
Linear RGB	0	Texture data is in the Linear RGB colour space
sRGB	1	Texture data is in the Standard RGB colour space

#### 2.1.5. Channel Type

'Channel Type' is a 32bit unsigned integer that determines the data type of the colour channels within the texture data. Valid values are as follows:

Data Type	Value
Unsigned Byte Normalised	0
Signed Byte Normalised	1
Unsigned Byte	2
Signed Byte	3
Unsigned Short Normalised	4
Signed Short Normalised	5
Unsigned Short	6
Signed Short	7
Unsigned Integer Normalised	8
Signed Integer Normalised	9
Unsigned Integer	10
Signed Integer	11
Float	12

#### 2.1.6. Height

'Height' is a 32bit unsigned integer representing the height of the texture stored in the texture data, in pixels.

#### 2.1.7. Width

'Width' is a 32bit unsigned integer representing the width of the texture stored in the texture data, in pixels.

#### 2.1.8. Depth

'Depth' is a 32bit unsigned integer representing the depth of the texture stored in the texture data, in pixels.

#### 2.1.9. Num. Surfaces

'Num. Surfaces' is used for texture arrays; it is a 32bit unsigned integer representing the number of surfaces within the texture array.

#### 2.1.10. Num. Faces

'Num. Faces' is a 32bit unsigned integer that represents the number of faces in a cube map.

### **2.1.11. MIP-Map Count**

'MIP-Map Count' is a 32bit unsigned integer representing the number of MIP-Map levels present including the top level; a value of one therefore means that only the top level texture exists.

### **2.1.12. Meta Data Size**

'Meta Data Size' is a 32bit unsigned integer representing the total size (in bytes) of all the meta data following the header.

## 2.2. Meta Data Format

Name	Size(bytes)	Data Format
FourCC	4	Four Byte Array
Key	4	Unsigned 32bit Integer
Data Size	4	Unsigned 32bit Integer
Data	Variable	Variable

Meta data allows for the creator of a PVR to store custom information within the PVR file relating to the storage

### 2.2.1. FourCC

'FourCC' is a four byte identifier (consisting of single byte characters or integers) whose value, combined with the value of 'Key', is used to determine how 'Data' should be handled. The values {'P', 'V', 'R', 0} to {'P', 'V', 'R', 255} (and there numerical equivalents) are reserved and must not be used except as described in this specification.

### 2.2.2. Key

'Key' is an unsigned 32bit integer, which, when coupled with 'FourCC' determines how 'Data' should be handled.

### 2.2.3. Data Size

'Data Size' is an unsigned 32bit integer representing the size of 'Data' in bytes.

### 2.2.4. Data

'Data' is an array of user defined information of size determined from 'Data Size' of a data type and purpose determined from the value of 'FourCC' and 'Key'.



## 2.2.5. Pre-Defined Meta Data

The following meta data elements are pre-defined by this specification:

FourCC	Key	Data Size	Data Description
'P', 'V', 'R', 3	0	Variable	<p>An array of integers describing the position and sizes of each texture within a texture atlas.</p> <p>Each sequence of four integers represent the information for a single texture within the atlas and appear in the order:</p> <ol style="list-style-type: none"> <li>1. X Position</li> <li>2. Y Position</li> <li>3. Width</li> <li>4. Height</li> </ol>
'P', 'V', 'R', 3	1	8	<p>Specifies that the file contains normal map information.</p> <p>The 8 bytes are in the form of a 32bit float representing the scale of the normal map, followed by a four character array describing the order of the channels, for example {'x', 'y', 'z', 'h'}.</p> <p>Use of 'h' as the representation for a given channel denotes that the channel in question contains the original height map.</p>
'P', 'V', 'R', 3	2	6	<p>Specifies that the file contains a cube map, and the order of the faces within that cube map.</p> <p>The 6 bytes represent a six character string; this string shows the order the cube map faces are stored in the texture data, for example 'XxYyZz'. Uppercase letters refer to a positive axis position; while lowercase refer to a negative axis position. Not all axes must be present.</p>
'P', 'V', 'R', 3	3	3	<p>Specifies the logical orientation of the texture within the texture data. This does not affect the mapping from pixels to texture coordinates.</p> <p>Each byte is a boolean value representing the orientation for a single axis in the order X, Y, Z. The values are as follows:</p> <ul style="list-style-type: none"> <li>• X Axis <ul style="list-style-type: none"> <li>○ Non-zero value = X values increase to the left</li> <li>○ Zero value = X values increase to the right</li> </ul> </li> <li>• Y Axis <ul style="list-style-type: none"> <li>○ Non-zero value = Y values increase upwards</li> <li>○ Zero value = Y values increase downwards</li> </ul> </li> <li>• Z Axis <ul style="list-style-type: none"> <li>○ Non-zero value = Z values increase outwards</li> <li>○ Zero value = Z values increase inwards</li> </ul> </li> </ul>
'P', 'V', 'R', 3	4	12	<p>Specifies whether the texture has a border.</p> <p>The 12 bytes are broken down into three unsigned 32bit integers. The three integers represent the size of the border of the image, in pixels, on the X, Y and Z axes respectively. These values are used to offset texture reads by the size of the border in order to obtain the actual texture data.</p> <p>It should be noted that only three border sizes are given, this means that the border size for X is applied to both the left and right of the image, Y to the top and bottom, and Z to the front and back.</p>

## 2.3. Texture Data

The remainder of the file, after the header and meta data, is texture data. The format and size of this texture data can be found in the header (see Section 2.1 Header Format).

### 2.3.1. Texture Data Structure

The texture data is laid out as follows:

```
for each MIP-Map Level in MIP-Map Count
  for each Surface in Num. Surfaces
    for each Face in Num. Faces
      for each Slice in Depth
        for each Row in Height
          for each Pixel in Width
            Byte data[Size_Based_On_PixelFormat]
          end
        end
      end
    end
  end
end
end
end
```

### 3. Contact Details

For further support contact:

[devtech@imgtec.com](mailto:devtech@imgtec.com)

PowerVR Developer Technology  
Imagination Technologies Ltd.  
Home Park Estate  
Kings Langley  
Herts, WD4 8LZ  
United Kingdom

Tel: +44 0) 1923 260511

Fax: +44 0) 1923 277463

Alternatively, you can use the PowerVR Insider forums:

[www.imgtec.com/forum](http://www.imgtec.com/forum)

For more information about PowerVR or Imagination Technologies Ltd. visit our web pages at:

[www.imgtec.com](http://www.imgtec.com)

Imagination Technologies, the Imagination Technologies logo, AMA, Codescape, Enigma, IMGworks, I2P, PowerVR, PURE, PURE Digital, MeOS, Meta, MBX, MTX, PDP, SGX, UCC, USSE, VXD and VXE are trademarks or registered trademarks of Imagination Technologies Limited. All other logos, products, trademarks and registered trademarks are the property of their respective owners.