
BMD ENG 301 Quantitative Systems Physiology (Nervous System)

Pain

2022 v3

Professor Malcolm MacIver

FIGURE 10.1 The neuronal basis of pain




45

Temperature (°C)

50

After Fields (1987) Pain. New York: McGraw-Hill.


NEUROSCIENCE 6e, Figure 10.1
© 2018 Oxford University Press



After Fields (1990) Pain Syndromes in Neurology. London: Butterworths.

NEUROSCIENCE 6e, Figure 10.2 © 2018 Oxford University Press


Box 10A Capsaicin




NEUROSCIENCE 5e, Box 10A

© 2012 Sinauer Associates, Inc.


FIGURE 10.3 The anterolateral system



NEUROSCIENCE 6e, Figure 10.3 © 2018 Oxford University Press




The convergence of nociceptor input from the viscera and the skin.




Pearson Education, Inc., publishing as Benjamin Cummings

FIGURE 10.4 Nociceptive and mechanosensory pathways




NEUROSCIENCE 6e, Figure 10.4 © 2018 Oxford University Press

BOX 10C A Dorsal Column Pathway for Visceral Pain




NEUROSCIENCE 6e, Box 10C © 2018 Oxford University Press

FIGURE 10.8 Descending systems modulate the transmission of ascending pain signals (Part 1)




NEUROSCIENCE 6e, Figure 10.8 (Part 1)
© 2018 Oxford University Press

FIGURE 10.6 Discriminative pain pathways



NEUROSCIENCE 6e, Figure 10.6 © 2018 Oxford University Press

FIGURE 10.7 Inflammatory response to tissue damage



NEUROSCIENCE 6e, Figure 10.7
© 2018 Oxford University Press

Sensitization


Hyperalgesia



http://www.hellobeautyblog.com/wp-content/uploads/2010/07/sunburn_hawk684.jpg





http://farm4.static.flickr.com/3096/2618585448_0705af5730.jpg




NEUROSCIENCE 6e, Clinical Applications 10 (Part 1) © 2018 Oxford University Press

FIGURE 10.8 Descending systems modulate the transmission of ascending pain signals





Placebo and opioid analgesia



Left Image: Brain activity most pronounced in the rostral anterior cingulate cortex (rACC) during the height of opioid treatment. Increased activity also in the lower pons.

Middle Image: rACC in high-placebo responders during "opioid" treatment.

Right Image: rACC in nonresponders during "opiod" treatment.

(Petrovic et al., Reprinted from Science, 295:1737-40, 2002.)