

### Performance optimization in React

front.jit #1 (28.06.2022)

https://jit.team

#### Maciej Kankowski



- In Jit Team for 50 months
- Frontend (React/Next/Vue + \*)
- Mobile ()
- o Internal projects / mentoring 💆 💆
- Travel, drones, books, cars \*\*



# Today's agenda

- Short introduction to optimization
- Is React fast?
- Solving performance issues by examples



# Performance optimization

Jit Team -

- Need for optimization
- Measurement and tools
- Choice of solution



#### Strategie optymalizacyjne

#### Runtime

- Component extraction
- Composition pattern
- Virtualization
- SSR
- WebWorkers
- "Lazy loading"
- Immutability
- O ...

#### Buildtime

- Webpack, Vite, Rollup, ESBuild, Browserify
- Production vs Debug flavor
- Bundle size analyzer, e.g. webpack-bundleanalyzer
- "Code splitting", e.g.. multiple app entry points
- "Lazy loading" for routes and components
- "Tree shaking" unused code removal




# React is FAST!



#### React

- Virtual DOM
- Key attribute
- Memoization



https://reactjs.org/docs/optimizing-performance.html

#### useMemo

- o In the future, React may choose to "forget" some previously memoized values and recalculate them on next render, e.g. to free memory for offscreen components. Write your code so that it still works without useMemo and then add it to optimize performance.
- We should also not use useMemo when the function returns a primitive value, such as a boolean or a string. Because primitive values are passed by value, not by reference, it means that they always remain the same, even if the component is re-rendered.
- If you're performing an operation that's not expensive (think Big O notation), then you don't need to memoize the return value. The cost of using useMemo may outweigh the cost of reevaluating the function.

#### useCallback

- Every callback function should be memoized to prevent useless re-rendering of child components that use the callback function"
- Big list of items: Memoization of the row cell in memoized parent component to prevent re-renders (and avoid break of the parent memorization)



# console.warn('Talk is cheap, show me your code!')

# Example #1: Unresponsive (slow) component

	Ŗ	Performance issue	Potential solution
Slow or unnecessary reloading of a component that has not changed state  Trace the state flow, identify what affects the unnecessary render and fix the source of the problems	C	a component that has not	what affects the unnecessary render and fix the source of the

https://github.com/mackankowski/front.jit/tree/main/src/lectures/performance-optimization/samples/slow-component

#### Example #2: Slow-loading list/table

Performance issue	Potential solution
A lot of elements to be displayed at the same time (e.g. a multiline	Virtualization ("windowing")
table with a form)	vs. paginacja vs. lazy-loading

https://github.com/mackankowski/front.jit/tree/main/src/lectures/performance-optimization/samples/virtualized-table

#### **Podsumowanie**

- Optimization when needed
- Using tools for specific problem resolving
- One issue = many solutions

Performance optimizations are not free. They ALWAYS come with a cost but do NOT always come with a benefit to offset that cost.

Kent C. Dodds





#### Links

#### **Articles:**

- https://reactjs.org/docs/optimizing-performance.html
- https://reactjs.org/docs/hooks-reference.html#usememo
- https://dmitripavlutin.com/use-react-memo-wisely/
- https://dmitripavlutin.com/dont-overuse-react-usecallback/
- https://overreacted.io/before-you-memo/
- o <a href="https://kentcdodds.com/blog/usememo-and-usecallback">https://kentcdodds.com/blog/usememo-and-usecallback</a>
- https://blog.logrocket.com/rethinking-hooks-memoization/
- https://medium.com/@paularmstrong/twitter-lite-and-high-performancereact-progressive-web-apps-at-scale-d28a00e780a3
- https://www.patterns.dev/posts/virtual-lists/
- https://blog.logrocket.com/guide-performance-optimization-webpack/
   https://brycedooley.com/debug-react-rerenders/

#### Tools:

- Chrome DevTools Profiler with "Why did this render" feature
   https://reactjs.org/docs/profiler.html
- https://github.com/welldone-software/why-did-you-render
- https://gist.github.com/mackankowski/53843a02399f4dbac5b972624c24d c6b
- https://github.com/bvaughn/react-window
- https://github.com/bvaughn/react-window-infinite-loader

