Class: Southern Wet-Mesic Hardwood Forest MHs49

SOUTHERN WET-MESIC HARDWOOD FOREST											
			Variety or	Species	Variety or Subspecies		² Rarity				
Genus	Species		Subspecies	Author	Author	Common Name	Status	³ Freq	⁴ Abund	⁵ Index	
Canopy Trees	(>10 m)										
Fraxinus	nigra			Marsh.		Black ash		100	18	1800	
Tilia	americana			L.		Basswood		100	16	1600	
Acer	negundo			L.		Box elder		57	24	1368	
Acer	saccharum			Marsh.		Sugar maple		29	39	1131	
Fraxinus	pennsylvanica			Marsh.		Green ash		43	12	516	
Ulmus	rubra			Muhl.		Slippery elm		43	10	430	
Celtis	occidentalis			L.		Hackberry		57	6	342	
				(Wang.) K.							
Carya	cordiformis			Koch		Bitternut hickory		14	15	210	
Ulmus	thomasii			Sarg.		Rock elm		14	5	70	
Ostrya	virginiana			(Mill.) K. Koch		Ironwood		14	5	70	
Betula	papyrifera			Marsh.		Paper-birch		14	3	42	
Ulmus	americana			L.		American elm		29	1	29	
Quercus	macrocarpa			Michx.		Bur oak		14	1	14	
Populus	deltoides	ssp.	monilifera	Marsh.	(Ait.) Eckenw.	Cottonwood		14	1	14	
Understory Tr	ees										
Ulmus	rubra			Muhl.		Slippery elm		71	27	1917	
Acer	saccharum			Marsh.		Sugar maple		57	30	1710	
Fraxinus	nigra			Marsh.		Black ash		86	10	860	
Celtis	occidentalis			L.		Hackberry		100	8	800	
0				(MCII.) IZ IZ-al-		T		7.1	0	5.00	
Ostrya	virginiana			(Mill.) K. Koch		Ironwood		71 57	8	568	
Tilia	americana			L.		Basswood		57	10	570	
Carya	cordiformis			(Wang.) K. Koch		Bitternut hickory		57	9	513	
Acer	negundo			L.		Box elder		57		342	
Fraxinus	pennsylvanica			Marsh.		Green ash		57		342	
Ulmus	thomasii			Sarg.		Rock elm		29		261	
Carpinus	caroliniana	ssp.	virginiana	Walt.	(Marsh.) Furlow	Blue beech		14		210	
Ulmus	americana	ssp.	virginiana	L.	(wiaish.) Turiow	American elm		43		129	
	rubra			L.		Northern red oak		43		86	
Quercus				Michx.				14			
Populus	tremuloides			инспх.		Quaking aspen		14	3	42	

Class: Southern Wet-Mesic Hardwood Forest MHs49

Populus	deltoides	ssp.	monilifera	Marsh.	(Ait.) Eckenw.	Cottonwood	14	3	42
Prunus	serotina			Ehrh.		Black cherry	14	3	42
Shrubs									
Prunus	virginiana			L.		Chokecherry	86	15	1290
Sambucus	racemosa			L.		Red-berried Elder	29	21	609
Ribes	missouriense			Nutt.		Missouri gooseberry	57	10	570
Ribes	cynosbati			L.		Prickly gooseberry	57	7	399
Crataegus	punctata			Jacq.		Hawthorn	29	9	261
Cornus	alternifolia			L. f.		Pagoda dogwood	57	3	171
Viburnum	lentago			L.		Nannyberry	29	3	87
Zanthoxylum	americanum			Mill.		Prickly ash	29	2	58
Cornus	racemosa			Lam.		Gray dogwood	14	3	42
Diervilla	lonicera			Mill.		Bush honeysuckle	14	3	42
Low Shrubs									
Rubus	idaeus	var.	strigosus	L.	(Michx.) Maxim	Red raspberry	29	3	87
Vines									
Vitis	riparia			Michx.		Wild grape	57	4	228
Menispermum	canadense			L.		Canada moonseed	29	4	116
Parthenocissus	spp.					Virginia creeper	43	2	86
Smilax	hispida			Torr.		Green-briar	14	3	42
Celastrus	scandens			L.		Climbing bittersweet	14	1	14
Forbs									
Hydrophyllum	virginianum			L.		Virginia waterleaf	86	23	1978
Laportea	canadensis			(L.) Wedd.		Wood-nettle	71	21	1491
Enemion	biternatum			(Raf.)		False rue-anemone	57	13	741
Galium	aparine			L.		Cleavers	100	5	500
Erythronium	albidum			Nutt.		White trout-lily	43	11	473
Asarum	canadense			L.		Wild ginger	86	4	344
Sanguinaria	canadensis			L.		Bloodroot	43	7	301
Osmorhiza	longistylis			(Torr.) DC.		Anise-root	29	9	261
Geum	canadense			Jacq.		White avens	71	3	213
Viola	cm1					Violet	57	4	228
Sanicula	marilandica			L.		Mariland black snakeroot	14	15	210
Geranium	maculatum			L.		Wild geranium	71	3	213
Caulophyllum	thalictroides			(L.) Michx.		Blue cohosh	57	3	171
Uvularia	grandiflora			Sm.		Yellow bellwort	57	3	171
Phlox	divaricata	ssp.	laphamii	L.	(Wood) Wherry	Blue phlox	43	4	172

65

Class: Southern Wet-Mesic Hardwood Forest MHs49

Dicentra	cucullaria			(L.) Bernh.		Dutchman's-breeches	43	4	172
Ranunculus	abortivus			L.		Kidney-leaf buttercup	57	3	171
Urtica	dioica	ssp.	gracilis	L.	(Ait.) Selander	Stinging nettle	57	3	171
Viola	cm4					Violet	43	3	129
Rudbeckia	laciniata			L.		Goldenglow	43	3	129
Solidago	flexicaulis			L.		Zig-zag goldenrod	43	3	129
Allium	tricoccum			Ait.		Wild leek	43	3	129
Thalictrum	dioicum			L.		Early meadow-rue	43	3	129
Circaea	lutetiana	ssp.	canadensis	L.	(L.) Asch. & Magnus	Canada enchanter's nightshade	29	4	116
Claytonia	virginica	1		L.		Virginia spring-beauty	29	4	116
Anemone	quinquefolia	var.	bifolia	L.	Farw.	Wood-anemone	29	4	116
Smilax	cmx.		J			Carrion-flower	43	2	86
Ranunculus	hispidus			Michx.		Hispid buttercup	29	3	87
Galium	triflorum			Michx.		Three-flowered bedstraw	29	3	87
Uvularia	sessilifolia			L.		Pale bellwort	29	3	87
Smilacina	racemosa			(L.) Desf.		Racemose false Solomon's-seal	29	3	87
Actaea	rubra			(Ait.) Willd.		Red baneberry	14	5	70
Anemone	canadensis			L.		Canada anemone	14	5	70
Arisaema	triphyllum			(L.) Schott		Jack-in-the-pulpit	29	2	58
Pilea	spp.					Clearweed	14	3	42
Campanula	americana			L.		Tall bellflower	14	3	42
Cryptotaenia	canadensis			(L.) DC.		Honewort	14	3	42
Fragaria	virginiana			Duchesne		Common strawberry	14	3	42
Mitella	diphylla			L.		Two-leaved miterwort	14	3	42
0 1:	7			(Michx.)			1,4		40
Osmorhiza	claytonii			Clarke		Clayton's sweet cicely	14	3	42
Amphicarpaea	bracteata			(L.) Fern.		Hog-peanut	14	3	42
Allium	canadense			L.		Wild garlic	14	3	42
Aquilegia	canadensis			L.		Columbine	14	3	42
Rubus	pubescens			Raf.		Dwarf raspberry	14	3	42
Smilacina	stellata			(L.) Desf.		Starry false Solomon's-seal	14	3	42
Aster	cordifolius			L.		Heart-leaved aster	14	3	42
Hackelia	spp.					Stickseed	14	1	14
Trillium	cernuum			L.		Nodding trillium	14	1	14
Phryma	leptostachya			L.		Lopseed	14	1	14
Erigeron	philadelphicus			L.		Philadelphia fleabane	14	1	14

66

Class: Southern Wet-Mesic Hardwood Forest MHs49

Trillium	grandiflorum			(Michx.) Salisb.		Large-flowered trillium	14	1	14
Grasses, Rushe	og and Sadgag								
Carex	sprengelii			Spreng.		Sprengel's sedge	43	8	344
Carex	blanda			1 0		1 0 0	29	10	290
Carex				Dewey		Charming sedge	43	-	290
	pensylvanica			Lam.		Pennsylvania sedge		5	
Elymus	hystrix			L.	-	Bottlebrush grass	43	4	172
Carex	amphibola	var.	turgida	Steud.	Fern.	Ambiguous sedge	29	3	87
Elymus	virginicus			L.		Virginia wild rye	14	5	70
Festuca	subverticillata			(Pers.) E. Alexeev.		Nodding fescue	14	5	70
Carex	sparganioides			Muhl. ex Willd.		Sparganium-like sedge	14	5	70
Carex	hirtifolia			Mack.		Hairy-leaved sedge	29	2	58
Brachyelytrum	erectum			(Schreb.) Beauv.		Bearded shorthusk	14	3	42
Carex	albursina			Sheld.		White bear-sedge	14	3	42
Carex	pedunculata			Muhl. ex Willd.		Long-stalked sedge	14	3	42
Ferns and Fern	n Allies								
Equisetum	hyemale	var.	affine	L.	(Engelm.) A. A. Eat.	Tall scouring-rush	29	45	1305
Matteuccia	struthiopteris	var.	pensylvanica	(L.) Todaro	(Willd.) Morton	Ostrich-fern	57	7	399
Athyrium	filix-femina	var.	angustum	(L.) Roth		Lady-fern	29	3	87
Exotic Invasive	e Species - Do Not	Plant							
Rhamnus	cathartica			L.		Common buckthorn	57	9	513
Lonicera	tatarica			L.		Tartarian Honeysuckle	29	9	261
Hesperis	matronalis			L.		Dame's-rocket	29	9	261
Taraxacum	spp.					Common dandelion	43	2	86
Glechoma	hederacea			L.		Creeping Charlie	14	5	70
Stellaria	aquatica			(L.) Scop.		Giant chickweed	14	5	70
Phalaris	arundinacea			L.		Reed canary-grass	14	3	42
Leonurus	cardiaca			L.		Lion's ear	29	1	29

State Listed Rare Species - Do Not Plant Without a Permit

major

Plantago

14

Common plantain

L.

Class: Southern Wet-Mesic Hardwood Forest MHs49

Juglans	cinerea		L.	Butternut	SC	43	10	430
Erythronium	propullans		Gray	Minnesota dwarf trout-lily	Е	29	5	145

68

¹See the report Species Lists for Terrestrial and Palustrine Native Plant Communities in East-central Minnesota for instructions for using these species lists

²Rarity Status: State-listed rare species. E - Endangered, T - Threatened, SC - Special Concern

³Frequency: Number of releve plots in which species occurs divided by total number of releve plots, multiplied by 100

⁴Abundance: Average percent cover of species within the community. It is most appropriate to interpret each value as a cover class similar to those used for original data collection (see text of report for more details)

⁵Index of Commonness: Frequency multiplied by Abundance