

Scenario Coverage Module (SCCM)

OOF™ Origin Open Foundation™

Independent Methodological Authority

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: SIMULOS® — Simulation Governance Architecture

Parent Standard: Simulation Scenario Standard (SSS)

Operational Layer: Simulation Scenario Governance Layer

Category: AI & Simulation

Subcategory: Simulation Governance

Type: Parent Standard Module

Governed Space: Simulation Scenario Coverage

Version: 1.0

Status: Canonical · Open Module

Effective Date: 18 August 2026

Compatibility: OOF® Methodology OS™ · GOA™ · ORA™ · VALIDOS® · INTEGROS® · ADIT® · AGA™ · AIG® · ASGA™ · RIS™

AI-Readable: Yes

Authority: OOF®

Protection: MIP® — Methodological Intellectual Property

Canonical Language: English (UCL™)

Governed Space

Simulation Scenario Coverage

Canonical Definition

Scenario Coverage Module (SCCM) defines the governance framework for determining, documenting, measuring where appropriate, challenging, and maintaining whether the governed Scenario Set sufficiently represents the materially relevant Scenario Space required by the Simulation Purpose.

SCCM governs the relationship between:

what could materially matter

and:

what the simulation program has actually selected for examination.

It integrates the governed outputs of Scenario Identification, Scenario Variation, Scenario Edge-Case governance, and Scenario Stress-Condition governance into a structured coverage basis capable of revealing represented regions, insufficiently represented regions, excluded regions, unknown regions, and material Scenario Coverage Gaps.

Its purpose is not to claim that every possible scenario has been simulated.

Its purpose is to make explicit:

what Scenario Space has been covered, what remains uncovered, why that remaining gap matters, and what claims may legitimately be made from the resulting scenario basis.

Operational Role

SCCM serves as the fifth and final internal governance space of the Simulation Scenario Standard (SSS).

The preceding modules establish:

SCIM — Which scenarios materially belong in the simulation inquiry?

SCVM — Across which conditions must those scenarios vary?

SECM — Which edges, thresholds, transitions, sparse regions, and unusual interactions require deliberate examination?

SSCM — Which materially demanding conditions must be stressed to expose degradation, limits, failure, cascading effects, and recovery behavior?

SCCM asks:

Does the resulting governed Scenario Set sufficiently cover the materially relevant Scenario Space for the Simulation Purpose, and where does meaningful coverage remain absent, weak, uncertain, or unknown?

The progression is:

Scenario Requirements

↓

Governed Scenario Register

↓

Variation Space

↓

Governed Edge-Case Set

↓

Governed Stress-Condition Set

↓

Coverage Dimensions

↓

Coverage Mapping

↓

Coverage Gap Identification

↓

Coverage Sufficiency Assessment

↓

Governed Scenario Coverage Basis

↓

Simulation Execution

Module Operational Space

SCCM governs: Scenario Coverage requirements, Scenario Space definition, coverage dimensions, coverage units, coverage domains, coverage mapping, nominal coverage, variation coverage, edge-case coverage, stress-condition coverage, boundary coverage, threshold coverage, transition coverage, interaction coverage, temporal coverage, sequence coverage, environmental coverage, configuration coverage, dependency coverage, failure coverage, recovery coverage, multi-agent coverage, human-system interaction coverage, autonomous-behavior coverage, known Scenario Space, unknown Scenario Space, covered regions, partially covered regions, uncovered regions, excluded regions, infeasible regions, sparse regions, Scenario Coverage Gaps, coverage materiality, coverage prioritization, coverage sufficiency, coverage confidence, coverage saturation, diminishing coverage value, coverage expansion, coverage reduction, coverage change, coverage versioning, coverage traceability, and Governed Scenario Coverage Basis formation.

Scenario Space

A Scenario Space is the governed set of materially relevant conditions, configurations, variations, interactions, edges, stresses, transitions, sequences, and contextual states within which the Simulation Object may need to be examined for the declared Simulation Purpose.

Scenario Space is not necessarily equivalent to:

all theoretically imaginable situations.

It is bounded by: Simulation Object, Simulation Purpose, Simulation Scope, Reality Representation, Simulation Assumptions, Model & Environment, Inputs & Data, Scenario Requirements, and materially relevant operational conditions.

Scenario Coverage

Scenario Coverage represents the extent to which the governed Scenario Set addresses the materially relevant Scenario Space.

Coverage can concern: breadth, depth, boundary representation, interaction representation, stress representation, temporal representation, configuration representation, or another simulation-specific dimension.

Coverage Is Multidimensional

A single percentage may hide material weaknesses.

For example:

95% Scenario Coverage

has little meaning if it represents only:

95% of nominal operating combinations

while: critical transitions, edge cases, stress conditions, recovery states, and rare high-consequence interactions

remain unexamined.

SIMULOS® therefore establishes:

Scenario Coverage should be interpreted across materially relevant dimensions rather than reduced automatically to one aggregate number.

Coverage Dimension

A Coverage Dimension identifies an aspect of Scenario Space whose representation matters.

Possible dimensions include:

Operational Condition

Environment

System Configuration

Input Condition

Variation Dimension

Edge Condition

Stress Condition

Threshold

Transition

Interaction

Sequence

Time

Dependency State

Failure State

Recovery State

Human Interaction

Agent Interaction

or another context-specific dimension.

Coverage Requirement

A Coverage Requirement states what portion or type of Scenario Space must be represented sufficiently for the Simulation Purpose.

A Coverage Requirement should remain connected to: purpose, scope, consequence, uncertainty, system complexity, operational relevance, and intended downstream reliance.

No Universal Coverage Threshold

SIMULOS® does not prescribe one universal percentage of sufficient Scenario Coverage.

The appropriate level depends upon the governed simulation inquiry.

A low-consequence exploratory simulation may legitimately require different coverage from: spacecraft autonomy, autonomous vehicles, critical infrastructure, medical systems, industrial safety systems, or high-consequence AI agents.

Coverage Depth

Coverage is not only about whether a condition appears once.

A region may require deeper examination through: additional variations, repeated scenarios, higher resolution, more configurations, longer duration, additional interactions, or more demanding stress levels.

SCCM therefore distinguishes:

Coverage Presence

from:

Coverage Depth.

Coverage Breadth

Coverage Breadth represents how widely the Scenario Set spans materially relevant Scenario Space.

Broad coverage with insufficient depth may remain inadequate.

Deep examination of one narrow region may also remain inadequate.

Coverage Balance

SCCM may examine whether simulation effort is disproportionately concentrated in convenient or nominal regions while difficult regions remain sparse.

This is a critical diagnostic function.

A simulation program can contain millions of runs and still possess poor Scenario Coverage if those runs repeatedly examine nearly identical conditions. Run Count $\neq$ Coverage

SIMULOS® establishes:

The number of simulation executions is not itself evidence of Scenario Coverage.

Ten million executions concentrated inside one narrow region may provide less meaningful coverage than a smaller, deliberately structured Scenario Set spanning materially distinct regions.

Coverage Density

Coverage Density describes how intensively a region of Scenario Space has been examined.

Possible conceptual states include:

Dense

Moderate

Sparse

Uncovered

or:

Unknown.

Density alone does not determine importance.

A sparse low-materiality region may be acceptable.

A sparse critical transition region may represent a major Coverage Gap.

Nominal Coverage

Nominal Coverage examines expected operating conditions.

It provides an important baseline.

However:

Nominal Coverage $\neq$ Scenario Coverage Sufficiency.

Variation Coverage

Variation Coverage asks whether materially relevant changes identified under SCVM are sufficiently represented.

It may examine: range, direction, combinations, dependencies, resolution, and configuration diversity.

Edge-Case Coverage

Edge-Case Coverage examines whether the materially relevant Edge Cases identified under SECM have been: represented, configured, executed where applicable, or explicitly recorded as gaps.

Stress-Condition Coverage

Stress-Condition Coverage examines whether the materially relevant Stress Conditions established under SSCM have been sufficiently represented.

This may include: individual stresses, progressive stresses, sustained stresses, compound stresses, cascading stresses, and recovery stresses.

Boundary Coverage

Boundary Coverage examines whether behavior near materially relevant limits has been represented.

This may include:

Below Boundary

At Boundary

Above Boundary

where applicable.

Threshold Coverage

Threshold Coverage examines regions where system behavior, authority, control, safety mode, or another state changes materially.

A simulation may require greater Scenario Resolution around thresholds than

within stable regions.

Transition Coverage

Transition Coverage examines movement between states.

Examples include: startup, shutdown, manual-to-autonomous transfer, autonomous-to-human handover, primary-to-backup transition, nominal-to-degraded mode, failure-to-recovery transition, mission-phase change, or system reconfiguration.

SIMULOS® establishes:

Coverage of State A and State B does not establish coverage of the transition between them.

Interaction Coverage

Interaction Coverage examines whether materially relevant combinations of conditions have been represented.

This is especially important where system behavior is nonlinear.

Coverage of:

Condition A

and:

Condition B

does not establish coverage of:

$A \times B$.

Higher-Order Interaction Coverage

Complex systems may exhibit behavior only when three or more conditions interact.

However, exhaustive combinatorial simulation may become impossible.

SCCM therefore governs material interaction coverage, not blind enumeration of every combination.

Combinatorial Explosion

As the number of Scenario Dimensions increases, the possible Scenario Space can grow extremely rapidly.

For example, if ten independent dimensions each contain ten possible states, the naive combination space becomes:

10^{10} possible configurations.

Running every configuration may be impractical or meaningless.

SCCM therefore requires deliberate governance over: materiality, interaction relevance, coverage prioritization, scenario reduction, and residual uncertainty.

No Exhaustive Enumeration Requirement

SIMULOS® establishes:

Scenario Coverage does not require exhaustive enumeration where exhaustive enumeration is infeasible or does not materially improve the Simulation Purpose.

The requirement is governed sufficiency, not brute-force completeness.

Temporal Coverage

Temporal Coverage examines whether materially relevant system behavior across time is represented.

This may include: initialization, stable operation, transition, prolonged operation, degradation, recovery, repeated cycles, or end-of-life behavior.

Sequence Coverage

Sequence Coverage examines whether materially different event orders have been represented where ordering can affect system behavior.

Environmental Coverage

Environmental Coverage examines whether the range and interaction of materially relevant environmental conditions are represented.

Configuration Coverage

Configuration Coverage examines whether materially distinct: hardware, software, model, subsystem, parameter, mission, or operational configurations

are sufficiently represented.

Dependency Coverage

Dependency Coverage examines relevant states of external or internal dependencies.

Examples include:

Available

Degraded

Intermittent

Unavailable

Recovering

where material.

Failure Coverage

Failure Coverage asks whether materially relevant failure states and pathways have been represented.

This does not require deliberately causing every conceivable failure.

It requires visibility over the failure conditions relevant to the Simulation Purpose.

Recovery Coverage

Recovery Coverage asks whether the Scenario Set sufficiently represents: recovery initiation, partial recovery, fallback, restart, restoration, degraded recovery, failed recovery, and repeated recovery

where material.

Human-System Interaction Coverage

Where humans materially interact with the Simulation Object, SCCM may examine coverage of: normal intervention, delayed intervention, incorrect intervention, conflicting intervention, absent intervention, authority handover, misunderstanding, and workload conditions.

Multi-Agent Coverage

For multi-agent systems, Scenario Coverage may include: agent population, role diversity, coordination structures, competing objectives, cooperation, conflict, communication patterns, resource competition, and emergent group behavior.

Autonomous-Behavior Coverage

Autonomous systems may require deliberate coverage of: authority states, permission states, fallback behavior, escalation, override, autonomous recovery, ambiguous information, changing objectives, coordination, and boundary behavior.

Known Scenario Space

Known Scenario Space contains materially relevant conditions that have been identified and can be represented sufficiently to participate in coverage assessment.

Unknown Scenario Space

Complex systems inevitably contain conditions that have not yet been identified.

SCCM therefore explicitly recognizes:

Unknown Scenario Space.

This is particularly important for: adaptive AI, autonomous systems, multi-agent systems, novel operational environments, and complex mission systems.

No Known-Space Completeness Assumption

SIMULOS® establishes:

Complete coverage of the currently known Scenario Space does not establish that all materially relevant Scenario Space is known.

Coverage State Model

A Scenario Space region may be classified as:

Covered

The required Scenario Coverage has been sufficiently established.

Conditionally Covered

Coverage is sufficient only under defined conditions or assumptions.

Partially Covered

Some materially relevant portions remain insufficiently represented.

Sparse

Representation exists but is materially limited.

Uncovered

The relevant region has not been sufficiently represented.

Excluded

The region is intentionally outside the governed Scenario Set with a documented basis.

Infeasible

The region is materially relevant but cannot currently be represented sufficiently.

Unknown

The existence, extent, or relevance of the region remains insufficiently

known.

Scenario Coverage Gap

A Scenario Coverage Gap exists where a materially relevant portion of Scenario Space is: absent, insufficiently represented, insufficiently varied, insufficiently stressed, insufficiently resolved, poorly understood, or currently infeasible to simulate.

Coverage Gap $\neq$ Simulation Failure

A Coverage Gap does not automatically mean the Simulation Object is unsafe, invalid, or unsuitable.

It means:

the simulation basis does not yet provide sufficient information about that region.

This distinction is essential.

Coverage Gap Materiality

Coverage Gaps may be assessed according to: operational relevance, consequence, uncertainty, system sensitivity, probability where known, boundary proximity, interaction potential, failure severity, recovery significance, and downstream reliance.

Critical Coverage Gap

A Critical Coverage Gap may exist where a materially important region remains insufficiently examined and the consequence of unknown behavior is high.

Examples may include: spacecraft autonomous recovery, collision avoidance, medical-device failure mode, autonomous industrial shutdown, critical infrastructure failover, or high-consequence AI authority transition.

Coverage Gap Register

SCCM may maintain a Scenario Coverage Gap Register containing: Coverage Gap ID, affected Scenario Space, originating requirement, gap classification, materiality, consequence, uncertainty, reason for gap, feasibility, planned treatment, responsible governance process, status, and version.

Coverage Exclusion

A Scenario Space region may be intentionally excluded.

Possible bases include: outside Simulation Scope, physically impossible, operationally irrelevant, materially immaterial, duplicate representation, or another governed reason.

No Convenience Exclusion Principle

SIMULOS® establishes:

A materially relevant Scenario Space must not be classified as excluded merely because it is expensive, difficult, computationally demanding, data-poor, or likely to produce unfavorable results.

Such conditions may create:

Coverage Limitations

or:

Coverage Gaps.

They do not erase relevance.

Infeasible Coverage

Some materially relevant Scenario Space may not be simulatable with current capabilities.

SCCM preserves this as:

Material Scenario Space — Coverage Infeasible

rather than silently removing it from the denominator of the governance inquiry.

Coverage Confidence

Coverage Confidence expresses how strongly the available Scenario Set supports the claim that a defined Scenario Space region has been sufficiently represented.

Coverage Confidence may depend upon: Scenario quality, representation fidelity, input quality, variation quality, edge-case discovery, stress design, model capability, uncertainty, and execution completeness.

Coverage Confidence ≠ System Confidence

SIMULOS® establishes:

Confidence that Scenario Space has been covered is not equivalent to confidence that the simulated system will perform successfully within that space.

Coverage governs examination.

Performance is an outcome of that examination.

Coverage Sufficiency

Coverage Sufficiency asks:

Is the governed Scenario Set sufficiently representative of materially relevant Scenario Space for the declared Simulation Purpose?

Possible outcomes may include:

Sufficient

Conditionally Sufficient

Partially Sufficient

Insufficient

or:

Undetermined.

Coverage Sufficiency Is Purpose-Bound

The same Scenario Set may be:

Sufficient

for:

early design exploration

but:

Insufficient

for:

high-consequence deployment reliance.

Therefore every sufficiency conclusion must remain tied to the Simulation Purpose.

No Universal Sufficiency Transfer

SIMULOS® establishes:

Scenario Coverage judged sufficient for one Simulation Purpose must not automatically be represented as sufficient for another purpose, consequence level, operational context, or reliance decision.

Coverage Saturation

A simulation program may eventually reach a point where additional scenarios produce little new information.

SCCM may identify Coverage Saturation where repeated scenario expansion no longer materially improves understanding of a defined region. Coverage

Saturation ≠ Universal Completeness

Saturation within a known region does not establish: complete Scenario Space, complete edge discovery, complete stress discovery, or absence of unknown scenarios.

Marginal Coverage Value

Additional simulation should ideally improve the governed understanding of Scenario Space.

SCCM may therefore assess:

Marginal Coverage Value

—the additional Scenario Coverage gained from additional simulation effort.

Coverage Efficiency

Coverage Efficiency concerns how effectively simulation resources expand materially useful Scenario Coverage.

This can help distinguish:

more simulation

from:

more useful simulation.

No Run-Volume Optimization Principle

SIMULOS® establishes:

The objective is not to maximize the number of simulated scenarios; it is to maximize materially useful Scenario Coverage relative to the Simulation Purpose and available resources.

Coverage Prioritization

Where resources are finite, SCCM may prioritize Scenario Space according to: materiality, consequence, uncertainty, operational likelihood, novelty, boundary sensitivity, interaction complexity, failure severity, recovery importance, and existing coverage density.

A conceptual relationship may be:

Coverage Priority $\propto$ Materiality $\times$ Consequence $\times$ Uncertainty $\times$ Coverage Deficit

This is a governance relationship, not a mandatory mathematical formula.

Adaptive Coverage Expansion

Simulation results may reveal where additional coverage is needed.

The lifecycle can become:

Initial Scenario Set

↓

Simulation Execution

↓

Unexpected Behavior / Sensitivity

↓

New Scenario Requirement

↓

Coverage Gap

↓

Scenario Expansion

↓

New Execution

↓

Coverage Reassessment

This makes Scenario Coverage adaptive rather than static.

Coverage-Driven Simulation Planning

SCCM can support simulation planning by identifying where the next simulation resources may create the greatest informational value.

Instead of:

run more simulations

the question becomes:

Which currently insufficiently covered region is most material to examine next?

Coverage Reduction

Scenario Sets may also be reduced.

Redundant scenarios may be removed where: equivalent coverage remains, material interactions are preserved, boundaries remain represented, stress requirements remain represented, and traceability is maintained.

Coverage Compression

Large Scenario Sets may sometimes be represented through smaller strategically selected sets.

Methods may include: equivalence classes, representative configurations, boundary selection, combinatorial reduction, sensitivity-guided selection, or other justified methods.

SCCM governs the coverage consequence.

It does not prescribe one mathematical technique.

No Untraceable Compression

Scenario reduction must not make it impossible to determine:

which material Scenario Space remains represented and which was lost.

Coverage Change

Scenario Coverage may change when: the Simulation Object changes, Simulation Purpose changes, Simulation Scope changes, assumptions change, model capability changes, inputs change, operating environment changes, new edge cases are discovered, new stress conditions emerge, incidents occur, or new operational evidence becomes available.

Coverage Versioning

Materially different coverage bases should remain distinguishable.

A Coverage Version may identify: Scenario Set version, object version, scope, assumptions, model version, input basis, edge-case basis, stress basis, known gaps, and date.

Historical Coverage Preservation

New Scenario Coverage must not rewrite previous simulation history.

SIMULOS® establishes:

A newly discovered scenario cannot be retroactively treated as having been covered by earlier simulation campaigns that did not examine it.

Point-in-Time Coverage

SCCM supports questions such as:

What Scenario Space was considered known at the time?

Which scenarios had actually been represented?

Which Coverage Gaps were known?

Which exclusions were active?

Which critical conditions had not yet been discovered?

This can become important for: audits, incidents, validation, accountability, certification, and operational decision reconstruction.

Coverage Traceability

SCCM should support:

Simulation Purpose

↓

Scenario Requirement

↓

Scenario ID

↓

Variation Configuration

↓

Edge-Case Requirement

↓

Stress-Condition Requirement

↓

Coverage Requirement

↓

Coverage Status

↓

Simulation Execution

↓

Observed Result

This makes Scenario Coverage reconstructable.

Coverage Matrix

A practical SCCM implementation may use a Scenario Coverage Matrix.

For example: Scenario Domain Nominal Variation Edge Stress Recovery Coverage
Status Navigation Covered Covered Partial Covered Partial Partially Sufficient
Communication Covered Covered Covered Covered Covered Sufficient Autonomous
Handover Covered Partial Sparse Partial Uncovered Insufficient Power
Management Covered Covered Covered Covered Partial Conditionally Sufficient

The matrix is illustrative.

SIMULOS® does not require this exact representation.

Coverage Heat Map

Complex simulation programs may represent Scenario Coverage through a Coverage Heat Map.

This can reveal: dense nominal regions, sparse edge regions, uncovered transitions, poorly represented interactions, and critical stress gaps.

For organizations operating thousands or millions of simulation runs, this may provide more decision value than raw execution counts.

Coverage Bottleneck

A Coverage Bottleneck is the materially weakest region limiting the usefulness of the overall Scenario Set for its intended purpose.

The bottleneck may be: one missing transition, one unknown dependency interaction, one critical recovery state, one poorly represented environment, or one unsimulated compound stress.

Therefore:

Overall Scenario Volume may be high while effective Scenario Coverage remains bounded by a small number of critical gaps.

Scenario Coverage and Simulation Value

Scenario Coverage directly influences the informational value of simulation.

A highly accurate model executing poorly selected scenarios may produce precise answers to the wrong questions.

SCCM therefore creates a governance bridge between:

simulation capability

and:

simulation usefulness.

Relationship to SCIM

SCIM establishes the Scenario population that materially belongs in the inquiry.

SCCM determines whether that population is sufficiently represented.

Relationship to SCVM

SCVM defines materially relevant variation.

SCCM determines whether that Variation Space has been sufficiently covered.

Relationship to SECM

SECM identifies difficult edges.

SCCM determines whether those Edge Cases remain sufficiently represented or constitute Coverage Gaps.

Relationship to SSCM

SSCM establishes materially relevant Stress Conditions.

SCCM determines whether those conditions are sufficiently represented within the Scenario Set.

Relationship to Simulation Purpose & Scope

Coverage cannot be judged independently of purpose.

A Scenario Set is not simply:

well covered

or:

poorly covered.

It is:

sufficiently or insufficiently covered for a declared Simulation Purpose and Scope.

Relationship to Reality Representation

Scenario Coverage cannot compensate for missing reality representation.

A simulation may have extensive Scenario Coverage over a Reality Representation that omits a material part of the real system.

Therefore:

Scenario Coverage $\neq$ Reality Representation Completeness.

Relationship to Simulation Assumptions

Scenario Coverage may depend upon assumptions.

If an assumption excludes a class of conditions, the Coverage Assessment should remain aware of that boundary.

Relationship to Model & Environment

Scenario Coverage may exceed the capability of the current model or environment.

This should create a visible:

Coverage Capability Gap

rather than an implicit assumption of coverage.

Relationship to SIDS

Scenario Coverage depends upon available Simulation Inputs & Data.

Insufficient input representativeness may constrain practical coverage even where Scenario Requirements are correctly identified.

Relationship to Simulation Execution

SCCM establishes the Scenario Coverage basis that execution will instantiate.

Execution may subsequently reveal: new gaps, unexpected sensitivity, unknown edge cases, new stress conditions, or redundant scenarios.

These findings may return to SCCM for reassessment.

Relationship to VALIDOS®

SCCM does not determine whether Scenario Coverage is sufficient to validate the Simulation Object or another system.

It establishes a governed Scenario Coverage record.

VALIDOS® determines what validation conclusion that record may legitimately support.

Relationship to ORA™

ORA™ may provide Operational Reality information showing: actual operating conditions, new environments, incidents, unexpected interactions, or emerging conditions

that reveal Scenario Coverage Gaps.

SCCM governs their effect on Simulation Scenario Coverage.

Relationship to ASGA™

ASGA™ may identify autonomy-related operational spaces requiring Scenario Coverage, including: authority transitions, permission boundaries, escalation, override, coordination, fallback, and autonomous continuity.

SCCM governs whether these materially relevant spaces have been sufficiently represented in simulation.

Relationship to AIG®

AIG® may identify AI behavioral conditions that require representation.

SCCM does not govern AI behavior itself.

It governs whether the relevant behavioral conditions are sufficiently represented within the Scenario Set.

Space and Mission Systems

Scenario Coverage becomes especially important in space systems because: real-world testing opportunities are limited, mission conditions may be difficult to reproduce, many failures are unrecoverable after deployment, environmental combinations are large, communication can be delayed, autonomy may increase when ground control becomes unavailable, and rare transitions can carry extreme consequence.

A space agency may run millions of Monte Carlo simulations.

SCCM asks a different question:

What materially relevant mission Scenario Space do those millions of runs actually cover?

The simulation campaign may be dense around: nominal trajectory, ordinary navigation uncertainty, standard communication conditions, and expected power behavior

while remaining sparse around: autonomous recovery during communication loss, compound power and navigation degradation, rare deployment transitions, sensor disagreement during mission-phase change, or recovery after multiple simultaneous subsystem degradations.

The bottleneck is therefore not necessarily:

insufficient simulation volume.

It may be:

insufficient governance over what the simulation volume actually represents.

Monte Carlo Coverage Governance

Monte Carlo simulation can generate enormous numbers of runs.

However, random or probabilistic sampling does not automatically guarantee material Scenario Coverage.

SCCM may ask:

Which dimensions were sampled?

Which distributions governed sampling?

Which rare but material regions received little probability mass?

Which interactions were effectively never sampled?

Which boundaries were underrepresented?

Which operational states were excluded by the sampling model?

Which high-consequence low-frequency conditions require deliberate scenario injection rather than waiting for random occurrence?

This creates an important distinction:

Statistical Sampling Coverage

versus:

Governed Material Scenario Coverage.

Autonomous Spacecraft Example

Scenario

An autonomous spacecraft navigation system undergoes:

8 million simulation runs.

Management initially interprets the volume as strong evidence of broad coverage. Application

SCCM maps the runs against: mission phases, communication states, navigation uncertainty, sensor disagreement, power states, autonomy levels, recovery states, edge conditions, and compound stresses.

The mapping reveals:

7.4 million runs

are concentrated in nominal or near-nominal conditions.

Only a small fraction represent:

communication loss during autonomous recovery.

Almost none represent:

communication loss + low power + sensor disagreement during recovery initiation. Result

The problem is not insufficient total simulation.

The problem is a Critical Scenario Coverage Gap hidden inside a very large execution volume.

SCCM allows simulation resources to be redirected toward the materially weak region.

Autonomous Vehicle Example

Scenario

An autonomous vehicle has extensive simulation coverage across weather, road types, pedestrians, and traffic. Application

SCCM identifies strong individual-dimension coverage but weak interaction coverage around:

construction zones + low visibility + temporary road markings + emergency vehicle behavior. Result

The organization discovers that apparently broad scenario diversity contains a material interaction gap.

Additional scenarios can be targeted precisely at the missing region.

AI Agent Example

Scenario

An AI agent has been simulated across thousands of tasks. Application

SCCM maps: task type, permission state, tool availability, memory state, information conflict, human oversight, execution latency, and authority transitions.

Coverage is strong for task diversity.

It is weak for:

permission changes during active tool execution

and:

conflicting instructions during delayed external actions. Result

The organization can distinguish:

task coverage

from:

governance-critical behavioral coverage.

Industrial Robotics Example

Scenario

A manufacturer runs extensive robot simulations before deployment. Application

SCCM maps coverage across: payload, speed, human proximity, sensor confidence, network availability, environmental conditions, production density, failure states, and recovery behavior.

The organization discovers that:

high payload

and:

low sensor confidence

have both been extensively simulated individually.

Their interaction during:

human intervention

has almost no coverage. Result

A specific Coverage Gap becomes visible before operational deployment.

Diagnostic Application

SCCM can be applied to an existing simulation program without replacing its simulation technology.

An organization can ask:

What Scenario Space are we claiming to cover?

Which parts are actually covered?

Which are merely sampled heavily?

Which dimensions have strong individual coverage but weak interaction coverage?

Where are the edges?

Where are the stress conditions?

Which transitions are missing?

Which recovery states are missing?

Which critical gaps are hidden by high run volume?

Which regions are excluded?

Which regions cannot currently be simulated?

What remains unknown?

Which next simulation runs would produce the greatest material coverage improvement?

This makes SCCM directly usable as a simulation-program diagnostic layer.

Module Boundary

SCCM begins when the governed outputs of:

Scenario Identification

Scenario Variation

Scenario Edge Cases

and:

Scenario Stress Conditions

are sufficiently available to define the materially relevant Scenario Space.

SCCM ends when: Coverage Requirements are established, Scenario Space is mapped, material Coverage Dimensions are identified, covered and insufficiently covered regions are distinguished, Coverage Gaps are documented, exclusions and infeasible regions remain visible, Coverage Sufficiency is assessed, and a Governed Scenario Coverage Basis is available for Simulation Execution and downstream interpretation.

SCCM does not govern: Simulation Execution itself, simulation-output interpretation, Simulation Validity, operational deployment authorization, or final Validation Determination.

Minimum Implementation Framework

1. Define the Scenario Space

Integrate the governed outputs of: SCIM, SCVM, SECM, and SSCM.

2. Establish Coverage Dimensions

Identify the dimensions across which coverage materially matters. 3. Establish Coverage Requirements

Determine the required breadth, depth, boundary representation, interaction representation, stress representation, and other relevant coverage conditions.

4. Map Existing Scenario Coverage

Classify Scenario Space regions as: Covered, Conditionally Covered, Partially Covered, Sparse, Uncovered, Excluded, Infeasible, or Unknown.

5. Identify Scenario Coverage Gaps

Record materially insufficient regions and their consequences. 6. Assess Coverage Materiality

Prioritize gaps according to: consequence, uncertainty, operational relevance, sensitivity, interaction potential, and downstream reliance.

7. Assess Coverage Sufficiency

Determine whether the Scenario Set is: Sufficient, Conditionally Sufficient, Partially Sufficient, Insufficient, or Undetermined

for the declared Simulation Purpose. 8. Optimize Coverage Expansion

Direct additional simulation effort toward regions offering the greatest material Coverage Value. 9. Preserve Coverage Traceability

Maintain the relationship between:

Purpose → Requirement → Scenario → Variation → Edge → Stress → Coverage → Execution 10. Establish Governed Scenario Coverage Basis

Produce the controlled Scenario Coverage basis for downstream Simulation Execution.

Governance Outputs

SCCM may produce: Scenario Space Definition, Scenario Coverage Requirement, Coverage Dimension Register, Coverage Domain Map, Scenario Coverage Matrix, Scenario Coverage Heat Map, Nominal Coverage Record, Variation Coverage Record, Edge-Case Coverage Record, Stress-Condition Coverage Record, Boundary Coverage Record, Threshold Coverage Record, Transition Coverage Record, Interaction Coverage Record, Temporal Coverage Record, Sequence Coverage Record, Environmental Coverage Record, Configuration Coverage Record, Dependency Coverage Record, Failure Coverage Record, Recovery Coverage Record, Human-System Interaction Coverage Record, Multi-Agent Coverage Record, Autonomous-Behavior Coverage Record, Coverage Density Assessment, Sparse-Region Record, Coverage Exclusion Record, Coverage Infeasibility Record, Unknown Scenario Space Record, Scenario Coverage Gap, Critical Scenario Coverage Gap, Scenario Coverage Gap Register, Coverage Materiality Assessment, Coverage Priority Record, Coverage Confidence Assessment, Coverage Sufficiency Assessment, Coverage Saturation Assessment, Marginal Coverage Value Assessment, Coverage Efficiency Assessment, Coverage Expansion Plan, Coverage Compression Record, Coverage Change Record, Coverage Version Record, Coverage Traceability Map, and Governed Scenario Coverage Basis.

Use Case 1 — Space Agency Monte Carlo Simulation Program

Scenario

A mission simulation environment executes millions of Monte Carlo runs.

The organization possesses enormous execution volume but lacks a structured representation of what those runs collectively cover. Application

SCCM maps the execution set across: mission phase, navigation uncertainty, communication state, power availability, environmental state, autonomy mode, failure state, recovery state, and materially relevant interactions.

The analysis discovers dense nominal coverage but weak coverage of several high-consequence compound conditions. Result

The organization receives:

Scenario Coverage Matrix

Coverage Heat Map

Critical Scenario Coverage Gap Register

and:

Coverage Expansion Priorities.

Instead of purchasing more simulation capacity merely to increase run count, resources can be directed toward the Scenario Space regions with the greatest informational deficit. Use Case 2 — Autonomous Robot Before Deployment

Scenario

A robot has passed extensive simulation across normal industrial tasks.
Application

SCCM identifies weak coverage around:

human intervention + high payload + reduced perception confidence + network latency.

These conditions are individually represented but rarely combined. Result

The program discovers a material interaction Coverage Gap before deployment.

The gap can be returned to SCVM, SECM, or SSCM for additional scenario design.
Use Case 3 — Autonomous AI Agent

Scenario

An AI agent has completed thousands of simulated workflows successfully.
Application

SCCM maps the workflows against: authority, permissions, memory availability, tool state, task concurrency, information conflict, external latency, escalation, human oversight, and recovery.

Result

The analysis reveals strong functional task coverage but insufficient governance-critical coverage of:

authority change during active execution

and:

partial tool failure during delegated multi-step actions.

The organization now knows precisely where additional simulation is needed.

Architectural Position

Scenario Coverage Module (SCCM) is the fifth and final internal governance space of the Simulation Scenario Standard (SSS).

The complete progression is:

Scenario Identification

↓

Scenario Variation

↓

Scenario Edge Cases

↓

Scenario Stress Conditions

↓

Scenario Coverage

Together:

SCIM establishes the governed Scenario population.

SCVM establishes materially relevant Scenario Variation.

SECM identifies difficult edges, thresholds, transitions, sparse regions, and unusual interactions.

SSCM establishes deliberate Stress Conditions capable of exposing degradation, limits, failure, cascading effects, and recovery.

SCCM determines whether the resulting Scenario Set sufficiently represents the materially relevant Scenario Space and makes remaining gaps visible.

The output of the complete Parent Standard becomes:

Governed Scenario Space Governed Scenario Set Scenario Coverage Basis

ready for downstream Simulation Execution.

Foundational Principle

Simulation confidence must not be inferred from how many scenarios were executed, but from whether the materially relevant Scenario Space—including variations, boundaries, interactions, edge cases, stress conditions, transitions, failures, and recovery states—was sufficiently and transparently represented.

Canonical Closing Statement

Scenario Coverage Module completes the internal governance lifecycle of the Simulation Scenario Standard by establishing how materially relevant Scenario Space is mapped against the scenarios actually selected for examination. Through multidimensional Coverage Requirements, nominal and variation coverage, edge and stress coverage, boundary and transition coverage, interaction and temporal coverage, Coverage Gap identification, unknown-space preservation, coverage sufficiency, prioritization, adaptive expansion, compression governance, point-in-time traceability, and coverage-efficiency analysis, SCCM prevents simulation volume from being mistaken for simulation breadth and transforms Scenario Coverage into an explicit governable object. It enables organizations to determine not merely how many simulations they have run, but which parts of the problem space those simulations actually illuminate, which critical regions remain weak or unknown, and where the next unit of simulation effort can produce the greatest material improvement in understanding.

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>