

# HICM — Human Interaction Condition Module

**Parent Standard:** Ethical Layer Standard

**Protocol:** EVIP® — Ethical Virtual Integrity Protocol

**Category:** Governance & Enforcement

**Subcategory:** Human Interaction Conditions

**Type:** Ethical Validity Module

**Version:** 1.0

**Status:** Canonical · Open Module

**Effective Date:** 8 May 2026

**Compatibility:** OOF® Methodology OS™ · **Ethical Layer Standard** · EVIP® · INTEGROS® · TVL® · UCL™

**Authority:** OOF®

**Protection:** MIP® — Methodological Intellectual Property

**Canonical Language:** English (UCL™)

## Canonical Definition

**Human Interaction Condition Module** defines the structural conditions under which interaction between humans and a methodology, system, device, hardware structure, AI environment, autonomous process, or future technology remains ethically valid.

A system satisfies HICM only if:

- human interaction remains bounded by dignity, safety, and non-coercive conditions
- response behavior does not exploit, manipulate, pressure, or degrade human agency
- escalation, override, and withdrawal conditions remain available where required
- interaction logic does not normalize structurally invalid treatment of humans
- ethical validity is denied where human-facing conditions remain unbounded or harmful

A system that interacts with humans without ethically governed interaction conditions does not satisfy HICM.

---

## Module Function

HICM defines the ethical interaction boundary between humans and systems.

It ensures that no methodology, system, or technology may pass ethical layer conditions if its interaction model permits coercion, degradation, unsafe dependency, invalid override conditions, or structurally ungoverned human-facing behavior.

The module applies wherever systems affect humans through communication, response, instruction, influence, physical interaction, decision support, or operational presence.

# Minimum Implementation Framework (MIF)

---

## Step 1 — Define the Human Interaction Boundary

The organization must define where and how the system interacts with humans.

Minimum requirement:

- the human-facing boundary is explicit
- interaction conditions are identifiable
- human contact is not treated as undefined system exposure

---

## Step 2 — Define Human-Facing Risk Conditions

The organization must identify where interaction may become harmful, manipulative, coercive, degrading, or structurally invalid.

Minimum requirement:

- human-facing harm pathways are mapped
- dependency, pressure, or exploitation conditions are visible
- silent tolerance of invalid interaction is excluded

---

## Step 3 — Define Valid Interaction Conditions

The system must define the conditions under which human interaction remains ethically valid.

Minimum requirement:

- dignity and safety conditions are explicit
- non-coercive interaction logic is defined
- valid treatment of human agency is preserved

---

## Step 4 — Define Override, Escalation, and Withdrawal Conditions

The system must define when interaction must stop, escalate, or transfer control.

Minimum requirement:

- override conditions are explicit
- escalation pathways exist where required
- humans are not trapped inside unbounded interaction logic

---

## Step 5 — Preserve Human Agency

The system must preserve human agency above convenience, automation, persuasion, or operational efficiency.

Minimum requirement:

- human choice is not structurally suppressed
- automation does not erase ethically required intervention conditions
- system legitimacy remains subordinate to valid human interaction conditions

---

## Step 6 — Restrict Invalid Deployment

The system must not be treated as ethically valid if human-facing interaction conditions remain structurally ungoverned.

Minimum requirement:

- invalid interaction conditions block ethical passage
- unresolved human-facing coercion or degradation is excluded from valid deployment
- performance alone does not restore ethical legitimacy

---

## Use Case 1 — Human-Facing AI Assistant

### Scenario

An organization deploys an AI assistant that interacts directly with humans through guidance, instruction, recommendation, or emotional engagement.

---

### Application

HICM is used to ensure:

- the human interaction boundary is defined
- harmful or manipulative interaction pathways are identified
- override and escalation conditions exist
- system behavior does not normalize pressure, dependency, or invalid treatment of human agency

---

### Result

The organization gains a stronger ethical boundary preventing a persuasive or efficient system from being treated as valid when its interaction logic remains structurally unsafe or coercive.

---

## Use Case 2 — Robotics or Embedded Human Interaction System

### Scenario

A robotics or embedded system operates in an environment where direct human presence, response, interruption, or safety dependency is part of normal operation.

---

## Application

HICM is used to ensure:

- human-facing conditions are explicitly governed
  - invalid interaction pathways are identified
  - stop, override, and escalation conditions exist
  - system behavior remains ethically bounded during human contact
- 

## Result

The organization gains a stronger ethical passage condition ensuring that human interaction is governed by **validity conditions**, not by technical capability alone.

---

## Canonical Closing Statement

**If human interaction is not ethically bounded, ethical validity has not been achieved.**

---

# OOF® MIP® Protection Notice

**OOF® · Protected under MIP® — Methodological Intellectual Property**

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

**Active Protection & Compatibility Detection applies.**

## Canonical Source

<https://originopenfoundation.org/>