

# RIM — Redemption Integrity Module

**Parent Standard:** Transparency & Probabilistic Integrity Standard

**Methodology Sign:** Fair Win Model™ (FWM™)

**Category:** Governance & Enforcement

**Subcategory:** Redemption Integrity

**Type:** Probabilistic Integrity Module

**Version:** 1.0

**Status:** Canonical · Open Module

**Effective Date:** 9 May 2026

**Compatibility:** OOF® Methodology OS™ · Transparency & Probabilistic Integrity Standard · TVL® ·

INTEGROS® · ArtData® · UCL™

**Authority:** OOF®

**Protection:** MIP® — Methodological Intellectual Property

**Canonical Language:** English (UCL™)

## Canonical Definition

**Redemption Integrity Module** defines the structural conditions under which prize claims, reward claims, validation events, expired claims, invalid claims, fraudulent claims, and completed redemptions remain traceable, distinguishable, and auditor-verifiable throughout the operational lifecycle of a probabilistic system.

A system satisfies RIM only if:

- redemption events remain traceable
- valid, invalid, expired, fraudulent, and completed claim states are distinguishable
- reward-state changes caused by redemption remain reviewable
- redemption records do not silently distort remaining-state reality
- claim handling remains structurally aligned with lifecycle auditability conditions

A system that cannot distinguish and verify redemption states does not satisfy RIM.

---

## Module Function

RIM defines the redemption-state integrity layer of probabilistic transparency.

It ensures that prize or reward availability is not reduced through opaque, ambiguous, or unreviewable claim handling.

The module applies wherever probabilistic systems must process reward claims and maintain a trustworthy distinction between what was redeemed, what was merely claimed, what was invalid, and what remains available.

---

# Minimum Implementation Framework (MIF)

---

## Step 1 — Define Redemption States

The organization must define the operational states through which a reward claim may pass.

Minimum requirement:

- claim states are explicit
- valid, invalid, expired, fraudulent, and completed conditions are distinguishable
- undefined redemption states are excluded from valid operation

---

## Step 2 — Define Claim Validation Conditions

The system must define how reward claims are validated.

Minimum requirement:

- validation conditions are explicit
- accepted and rejected claims are distinguishable
- unverifiable or ambiguous validation is excluded from valid redemption logic

---

## Step 3 — Define Redemption Event Recording

The system must define how redemption events are recorded and reviewable.

Minimum requirement:

- redemption events are traceable
- reward tier and claim state are linked to recorded events
- silent or missing redemption records are excluded from valid integrity conditions

---

## Step 4 — Define Fraud and Expiry Distinction

The system must define how fraudulent, invalid, expired, or otherwise non-completed claims are distinguished from valid redemption.

Minimum requirement:

- fraud and expiry states are explicitly separated
- invalid claims do not silently reduce valid remaining-state reality
- claim-state distortion is excluded from valid operation

---

## Step 5 — Preserve Redemption-State Consistency

The system must preserve consistency between redemption records and the current remaining reward state.

Minimum requirement:

- completed redemption affects remaining-state reality in a reviewable way
- invalid or fraudulent claims do not create false depletion
- redemption integrity remains auditor-verifiable

---

## Step 6 — Restrict Invalid Redemption Handling

The system must not be treated as valid if redemption events are opaque, ambiguous, untraceable, or structurally inconsistent with remaining-state reality.

Minimum requirement:

- invalid redemption conditions are identifiable
- ambiguous or distorted claim handling is blocked or invalidated
- claim processing alone does not justify missing redemption integrity

---

## Use Case 1 — Lottery Prize Claim Verification

### Scenario

A lottery operator receives prize claims during operation and must preserve a trustworthy distinction between valid redemptions, invalid submissions, expired entitlements, and fraudulent claims.

---

### Application

RIM is used to ensure:

- redemption states are explicitly defined
- valid and invalid claims are structurally separated
- redemption events remain traceable
- remaining-state depletion reflects only valid completed redemption

---

### Result

The operator gains a stronger basis for proving that remaining prize reality reflects actual valid redemption rather than ambiguous or distorted claim handling.

---

## Use Case 2 — Digital Reward Claim Lifecycle

---

## Scenario

A digital reward system processes claim attempts, verification states, expirations, and fraud checks while needing to keep current remaining availability materially accurate.

---

## Application

RIM is used to ensure:

- claim-state logic is explicit
  - fraudulent or expired claims remain distinguishable
  - completed redemption is properly recorded
  - remaining-state reality remains aligned with verified claim outcomes
- 

## Result

The platform gains a structurally governed redemption layer instead of relying on opaque claim processing that may distort real remaining availability.

---

## Canonical Closing Statement

**If redemption states cannot be distinguished and verified, remaining-state reality cannot remain materially fair.**

---

## Related Documents

→ [Transparency & Probabilistic Integrity Standard](#)

# OOF® MIP® Protection Notice

## OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

**Active Protection & Compatibility Detection applies.**

## Canonical Source

<https://originopenfoundation.org/>