

# AECM — Attribution Evidence Continuity Module

**Parent Standard:** Operational Evidence & Auditability Standard (OEAS)

**Category:** Governance & Enforcement

**Subcategory:** Attribution Evidence Continuity

**Type:** Operational Evidence & Auditability Module

**Version:** 1.0

**Status:** Canonical · Open Module

**Effective Date:** 17 May 2026

**Compatibility:** OOF Methodology OS · Operational Evidence & Auditability Standard (OEAS) · Operational Reality Standard (ORS) · Runtime Integrity Standard (RIS) · INTEGROS® — Integrity Standard · Multi-Layer Truth Validation Framework (MTVF) · Universal Canonical Language (UCL) · Operational Identity & Entity Continuity Standard (OIECS) · Ethical Virtual Integrity Protocol (EVIP)

**Authority:** OOF

**Protection:** MIP — Methodological Intellectual Property

**Canonical Language:** English (UCL)

---

## Canonical Definition

**Attribution Evidence Continuity Module (AECM)** defines the structural conditions under which operational actions, runtime decisions, execution events, state transitions, delegated operations, and consequence-bearing outputs remain continuously attributable to identifiable operational actors, systems, runtime states, or authority conditions across live execution environments.

**A system satisfies AECM only if:**

- operational actions remain attributable
- runtime decisions preserve actor continuity
- consequence-bearing outputs remain traceable to operational origin
- delegated execution does not dissolve attribution continuity
- operational identity linkage survives runtime progression

A system that produces operational consequences without preserved attribution continuity does not satisfy AECM.

---

## Module Operational Role

AECM defines the attribution continuity layer of operational evidence governance by preserving attributable operational history across runtime execution environments.

---

## Module Operational Space

AECM governs the attribution evidence continuity space of OEAS by preserving identifiable operational origin, runtime actor continuity, delegated execution traceability, and consequence-bearing attribution continuity across live operational systems.

---

## Module Function

**The module applies wherever systems must preserve:**

- actor attribution continuity
- runtime decision attribution
- delegated execution traceability
- operational identity linkage
- consequence-bearing action attribution
- cross-system operational attribution

Its function is to ensure that operational evidence remains attributable strongly enough to preserve reconstructable operational accountability.

---

## Minimum Implementation Framework

### 1. Define the Attribution Object

The organization must define which operational actions, decisions, or outputs require preserved attribution continuity.

**This may include:**

- runtime decisions
- execution events
- delegated actions
- orchestration actions
- permission changes
- escalation events
- consequence-bearing outputs

---

### 2. Define Attribution Continuity Conditions

The system must define the conditions under which operational attribution remains continuously preservable across execution flow.

**This includes:**

- actor continuity
  - runtime-state linkage
  - operational identity continuity
  - delegated attribution continuity
  - consequence attribution continuity
-

### 3. Define Attribution Break Detection Logic

The system must define how attribution discontinuity or attribution ambiguity is identified.

**This may include:**

- unattributable execution
  - broken actor continuity
  - hidden delegated actions
  - ambiguous runtime ownership
  - disconnected operational identity states
- 

### 4. Define Operational Response or Governance Logic

The system must define governance logic for materially broken attribution continuity conditions.

**Governance response may include:**

- attribution escalation
  - runtime narrowing
  - operational review activation
  - delegated execution restriction
  - evidence invalidation
  - operational accountability review
- 

### 5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of attribution continuity and attribution-break states. A system must not remain attribution-valid if consequence-bearing operational outputs can no longer be reliably connected to identifiable operational actors or runtime conditions.

---

## Use Case 1 — Multi-Agent Runtime Environment

### Scenario

A distributed AI environment contains multiple orchestration agents and delegated execution layers.

### Application

AECM preserves attributable operational continuity across delegated runtime execution and agent coordination.

### Result

The environment gains reconstructable operational accountability and attributable execution continuity across distributed agent systems.

---

## Use Case 2 — Enterprise Delegated Workflow

---

## Scenario

An enterprise operational chain contains multiple delegated approvals, runtime actions, and cross-system execution transitions.

## Application

AECM ensures that operational consequences remain attributable across the full delegated execution chain.

## Result

The organization gains stronger operational accountability and reconstructable attribution continuity across enterprise workflows.

---

## Canonical Closing Statement

If operational evidence loses attributable continuity during execution, operational consequences may remain visible while operational accountability becomes structurally fragmented.

---

# Related Documents

→ [Operational Evidence & Auditability Standard - \(OEAS\)](#)

# OOF® MIP® Protection Notice

**OOF® · Protected under MIP® — Methodological Intellectual Property**

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

**Active Protection & Compatibility Detection applies.**

## Canonical Source

<https://originopenfoundation.org/>