

ORCM — Operational Reconstruction Capability Module

Parent Standard: Operational Evidence & Auditability Standard (OEAS)

Category: Governance & Enforcement

Subcategory: Operational Reconstruction Capability

Type: Operational Evidence & Auditability Module

Version: 1.0

Status: Canonical · Open Module

Effective Date: 17 May 2026

Compatibility: OOF Methodology OS · Operational Evidence & Auditability Standard (OEAS) · Operational Reality Standard (ORS) · Runtime Integrity Standard (RIS) · INTEGROS® — Integrity Standard · Multi-Layer Truth Validation Framework (MTVF) · Universal Canonical Language (UCL) · Operational Audit & Control Standard (OACS) · Ethical Virtual Integrity Protocol (EVIP)

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition

Operational Reconstruction Capability Module (ORCM) defines the structural conditions under which operational history, runtime execution flow, state transitions, authority conditions, execution paths, and consequence-bearing operational sequences remain reconstructable strongly enough to determine what actually occurred during live execution.

A system satisfies ORCM only if:

- operational history remains reconstructable
- execution sequences remain materially recoverable
- runtime state progression remains reviewable
- operational transitions remain interpretable
- consequence-bearing execution paths remain reconstructably connected

A system that preserves fragmented records without reconstructable operational sequence continuity does not satisfy ORCM.

Module Operational Role

ORCM defines the operational reconstruction layer of operational evidence governance by preserving reconstructable runtime history across live execution environments.

Module Operational Space

ORCM governs the operational reconstruction capability space of OEAS by preserving reconstructable execution flow, runtime-state progression, operational transition continuity, and consequence-bearing sequence recoverability across live operational systems.

Module Function

The module applies wherever systems must preserve:

- reconstructable execution history
- runtime sequence continuity
- operational transition reconstruction
- execution-path recoverability
- consequence-bearing operational reconstruction
- runtime-state progression visibility

Its function is to ensure that operational history remains reconstructable strongly enough for governance, auditability, runtime review, and operational truth continuity.

Minimum Implementation Framework

1. Define the Reconstruction Object

The organization must define which operational sequences and runtime histories require reconstruction capability preservation.

This may include:

- runtime execution flow
 - orchestration sequences
 - authority transitions
 - permission transitions
 - escalation sequences
 - consequence-bearing operational chains
 - recovery transitions
-

2. Define Reconstruction Continuity Conditions

The system must define the conditions under which operational history remains reconstructable across runtime progression.

This includes:

- sequence continuity
 - transition continuity
 - state linkage continuity
 - execution-path continuity
 - consequence continuity
-

3. Define Reconstruction Failure Detection Logic

The system must define how operational reconstruction degradation or reconstruction failure is identified.

This may include:

- broken execution sequences
 - unrecoverable runtime transitions
 - ambiguous operational progression
 - disconnected operational chains
 - materially incomplete runtime history
-

4. Define Operational Response or Governance Logic

The system must define governance logic for materially degraded reconstruction capability conditions.

Governance response may include:

- runtime escalation
 - operational narrowing
 - reconstruction review activation
 - audit intervention
 - evidence-state restriction
 - operational invalidation where required
-

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of operational reconstruction continuity and reconstruction-failure states. A system must not remain reconstruction-valid if operational history can no longer be materially reconstructed strongly enough to determine what actually occurred during execution.

Use Case 1 — Autonomous Runtime Coordination

Scenario

An autonomous operational environment executes multiple orchestration and runtime transitions across distributed systems.

Application

ORCM preserves reconstructable execution history and runtime transition continuity across distributed operational flow.

Result

The environment gains reconstructable operational history continuity across autonomous runtime coordination.

Use Case 2 — Enterprise Operational

Scenario

An enterprise environment requires reconstruction of runtime execution flow after operational divergence or consequence- bearing system behavior.

Application

ORCM preserves reconstructable operational sequence continuity across runtime history and execution transitions.

Result

The organization gains stronger operational reconstruction capability and governance-valid runtime review continuity.

Canonical Closing Statement

If operational history cannot remain reconstructable during runtime progression, governance may preserve records while losing the ability to determine what actually occurred during execution.

Related Documents

→ [Operational Evidence & Auditability Standard - \(OEAS\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>