

RECM — Runtime Evidence Continuity Module

Parent Standard: Operational Evidence & Auditability Standard (OEAS)

Category: Governance & Enforcement

Subcategory: Runtime Evidence Continuity

Type: Operational Evidence & Auditability Module

Version: 1.0

Status: Canonical · Open Module

Effective Date: 17 May 2026

Compatibility: OOF Methodology OS · Operational Evidence & Auditability Standard (OEAS) · Operational Reality Standard (ORS) · Runtime Integrity Standard (RIS) · INTEGROS® — Integrity Standard · Multi-Layer Truth Validation Framework (MTVF) · Universal Canonical Language (UCL) · Ethical Virtual Integrity Protocol (EVIP)

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition

Runtime Evidence Continuity Module (RECM) defines the structural conditions under which runtime evidence remains continuously preservable, reconstructable, attributable, and operationally connected across live execution flow without material fragmentation of operational history.

A system satisfies RECM only if:

- runtime evidence remains structurally continuous
- operational history does not materially fragment
- runtime events remain reconstructably connected
- consequence-bearing execution remains traceable
- operational evidence continuity survives runtime progression and state
- transition

A system that preserves isolated records while losing reconstructable runtime continuity does not satisfy RECM.

Module Operational Role

RECM defines the runtime continuity layer of operational evidence governance by preserving reconstructable operational history across live execution environments.

Module Operational Space

RECM governs the runtime evidence continuity space of OEAS by preserving execution-chain continuity, attributable runtime transitions, consequence-bearing evidence traceability, and reconstructable operational history across live execution environments.

Module Function

The module applies wherever systems must preserve:

- runtime event continuity
- execution-chain continuity
- state-transition continuity
- attributable operational history
- consequence-bearing evidence continuity
- distributed runtime traceability

Its function is to preserve reconstructable operational continuity across runtime execution itself.

Minimum Implementation Framework

1. Define the Runtime Evidence Object

The organization must define which runtime evidence objects require continuity preservation.

This may include:

- runtime events
 - execution transitions
 - authority changes
 - permission changes
 - orchestration actions
 - consequence-bearing outputs
 - escalation events
-

2. Define Evidence Continuity Conditions

The system must define the conditions under which runtime evidence remains continuously preservable across execution flow.

This includes:

- temporal continuity
 - attribution continuity
 - execution-path continuity
 - state-transition continuity
 - operational sequence continuity
-

3. Define Fragmentation Detection Logic

The system must define how evidence fragmentation is identified and interpreted.

Fragmentation may include:

- disconnected runtime history
 - missing operational transitions
 - unattributable execution segments
 - broken consequence traceability
 - isolated evidence states
-

4. Define Operational Response or Governance Logic

The system must define governance logic for materially fragmented evidence continuity conditions.

Governance response may include:

- evidence-state escalation
 - operational narrowing
 - audit review activation
 - runtime restriction
 - reconstruction prioritization
 - operational invalidation where required
-

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of runtime evidence continuity and fragmentation states. A system must not remain evidence-valid if runtime history fragments materially while continuing to claim reconstructable operational auditability.

Use Case 1 — Distributed AI Runtime

Environment

Scenario

A distributed AI environment executes actions across multiple orchestration and runtime systems.

Application

RECM preserves continuity of runtime evidence across distributed execution flow and state transitions.

Result

The environment gains reconstructable operational history continuity across distributed runtime execution.

Use Case 2 — Enterprise Operational Chain

Scenario

An enterprise workflow contains multiple operational handoffs and runtime-dependent

execution stages.

Application

RECM ensures that operational evidence remains continuously connected across the full execution chain.

Result

The organization gains stronger runtime traceability and reconstructable evidence continuity across operational workflows.

Canonical Closing Statement

If runtime evidence continuity materially fragments during execution, operational history may still exist as records while losing reconstructable operational truth.

Related Documents

→ Operational Evidence & Auditability Standard - (OEAS).

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>