

CMVM — Contextual Memory Validity Module

Parent Standard: Operational Memory Integrity Standard (OMIS)

Category: Governance & Enforcement

Subcategory: Contextual Memory Validity

Type: Operational Memory Integrity Module

Version: 1.0

Status: Canonical · Open Module

Effective Date: 18 May 2026

Compatibility: OOF Methodology OS · Operational Memory Integrity Standard (OMIS) · Operational Reality Standard (ORS) · Runtime Integrity Standard (RIS) · Operational Context Integrity Standard (OCIS) · Operational State Transition Standard (OSTS) · Operational Dependency & Coordination Standard (ODCS) · Semantic Integrity Standard (SEIS) · Operational Evidence & Auditability Standard (OEAS) · Authority & Accountability Layer Standard (AALS) · INTEGROS® — Integrity Standard · Multi-Layer Truth Validation Framework (MTVF) · Ethical Virtual Integrity Protocol (EVIP)

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition

Contextual Memory Validity Module (CMVM) defines the structural conditions under which operational memory remains materially context-aligned, semantically stable, operationally traceable, and governable across runtime evolution, adaptive memory persistence, distributed cognition environments, and consequence-bearing operational systems.

A system satisfies CMVM only if:

- operational memory remains materially context-aligned
- contextual memory persistence preserves operational validity
- adaptive memory evolution remains semantically stable
- runtime memory inheritance remains traceable
- contextual memory corruption does not silently destabilize operational
- continuity

A system that preserves operational memory persistence while memory context materially diverges from operational reality does not satisfy CMVM.

Module Operational Role

CMVM defines the contextual memory validity layer of OMIS by preserving stable alignment between operational memory continuity and actual operational context across runtime environments.

Module Operational Space

CMVM governs the contextual memory validity space of OMIS by preserving memory-context alignment, adaptive memory stability, contextual inheritance continuity, semantic memory coherence, and consequence-bearing memory governance across distributed operational systems.

Module Function

The module applies wherever systems must preserve:

- contextual memory validity
- runtime memory alignment
- adaptive memory coherence
- contextual inheritance continuity
- semantic memory stability
- operational memory traceability

Its function is to ensure that operational memory remains materially aligned strongly enough with operational reality to preserve long-term operational validity across runtime environments.

Minimum Implementation Framework

1. Define the Contextual Memory Object

The organization must define which operational memory structures require contextual validity governance.

This may include:

- contextual memory inheritance
 - adaptive memory persistence
 - orchestration memory continuity
 - distributed memory synchronization
 - runtime memory carryover
 - semantic memory structures
 - consequence-bearing memory continuity
-

2. Define Contextual Memory Validity Conditions

The system must define the conditions under which operational memory remains materially context-aligned and operationally valid.

This includes:

- contextual memory continuity
-

- semantic memory coherence
 - adaptive memory stability
 - runtime memory alignment
 - operational inheritance traceability
-

3. Define Contextual Memory Corruption Detection Logic

The system must define how materially unstable contextual memory or contextual memory divergence is identified.

This may include:

- invalid contextual carryover
 - semantic memory drift
 - adaptive memory corruption
 - memory-context divergence
 - consequence-bearing memory instability
-

4. Define Operational Response or Governance Logic

The system must define governance logic for materially unstable contextual memory conditions.

Governance response may include:

- memory escalation
 - contextual review activation
 - semantic stabilization enforcement
 - memory synchronization restriction
 - adaptive memory narrowing
 - operational invalidation where required
-

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of contextual memory continuity and contextual-memory corruption states. A system must not remain memory-valid if operational memory materially diverges from operational context while systems continue assuming stable memory validity remains preserved.

Use Case 1 — Persistent AI Interaction

Environment

Scenario

A persistent AI assistant continuously evolves contextual memory across long-term user interaction and adaptive runtime conditions.

Application

CMVM preserves stable contextual memory validity through semantic memory governance and

contextual carryover alignment.

Result

The environment gains stronger memory-context stability and reduced hidden contextual memory corruption across persistent AI systems.

Use Case 2 — Distributed Operational Cognition

System

Scenario

A distributed cognition environment continuously exchanges operational memory across orchestration systems and adaptive runtime infrastructures.

Application

CMVM preserves valid contextual memory continuity across synchronized operational environments.

Result

The organization gains stronger operational memory coherence and reduced contextual memory divergence across distributed intelligence systems.

Canonical Closing Statement

If operational memory cannot remain materially aligned with operational context across runtime evolution, systems may preserve memory persistence while long-term operational validity silently destabilizes underneath.

Related Documents

→ [Operational Memory Integrity Standard - \(OMIS\)](#).

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>