

MPIM — Movement Prediction Interpretation Module

Parent Standard: Physical Reality Interpretation Layer (PRIL™)
Category: AI & Interpretation
Subcategory: Movement Prediction Interpretation
Type: Physical Interpretation Module
Version: 1.0
Status: Canonical · Open Module
Effective Date: 8 May 2026
Compatibility: OOF® Methodology OS™ · PRIL™ · CLIA® · RIS · INTEGROS® · SIMULOS®
Authority: OOF®
Protection: MIP® — Methodological Intellectual Property
Canonical Language: English (UCL™)

Canonical Definition

Movement Prediction Interpretation Module defines the methodological conditions under which autonomous systems interpret and predict the movement of humans, vehicles, robots, objects, or dynamic environmental elements before generating physical action or embodied response.

A system satisfies MPIM only if:

- movement is interpreted before physical execution
- predicted trajectories are evaluated under defined conditions
- dynamic change is treated as an operational interpretation problem
- uncertainty in movement prediction is recognized as an execution restriction condition
- physical action is limited when movement prediction interpretation is insufficient

A system that detects movement without governed prediction interpretation does not satisfy MPIM.

Module Function

MPIM defines the dynamic movement interpretation layer of physical execution.

It ensures that systems do not treat observed motion as sufficient for safe execution unless that motion is interpreted as future operational consequence.

The module applies wherever systems must act in environments where nearby movement, directional change, acceleration, crossing, convergence, or trajectory uncertainty affect execution validity.

Minimum Implementation Framework (MIF)

Step 1 — Define Relevant Movement Context

The organization must define what movement conditions are operationally relevant.

Minimum requirement:

- relevant moving entities are identifiable
 - movement context is explicit
 - undefined dynamic behavior is excluded from valid execution logic
-

Step 2 — Define Movement Interpretation Conditions

The system must define how movement is interpreted.

Minimum requirement:

- movement is not treated as raw signal only
 - direction, speed, approach, and change conditions are explicitly interpreted
 - uncertain movement recognition is not silently treated as valid certainty
-

Step 3 — Define Prediction Logic

The system must define how future movement paths are interpreted before execution.

Minimum requirement:

- predicted trajectory logic is explicit
 - crossing, convergence, and unstable path behavior are distinguishable
 - prediction assumptions are not hidden
-

Step 4 — Define Uncertainty and Restriction Conditions

The system must define when uncertainty in movement prediction slows, stops, restricts, or escalates execution.

Minimum requirement:

- uncertainty handling is explicit
 - degraded trajectory confidence can restrict action
 - continued physical action under uncertain movement conditions is not treated as valid
-

Step 5 — Preserve Safety Over Motion Assumption

The system must preserve safety above speed, completion pressure, or optimistic motion prediction.

Minimum requirement:

- uncertain future movement overrides execution convenience
- predicted stability does not justify risk without bounded interpretation
- physical action remains subordinate to valid movement prediction conditions

Step 6 — Restrict Invalid Execution

The system must not be treated as valid if physical execution proceeds while movement prediction interpretation is absent, degraded, or unreliable.

Minimum requirement:

- invalid execution conditions are identifiable
- degraded movement prediction blocks valid reliance
- motion sensing alone does not restore prediction validity

Use Case 1 — Autonomous Vehicle or Mobile Robot

Scenario

An autonomous vehicle or mobile robot operates in an environment where humans, other vehicles, or moving objects may cross, converge, or change direction unexpectedly.

Application

MPIM is used to ensure:

- relevant movement conditions are defined
- dynamic trajectories are interpreted before execution
- uncertain path prediction restricts action
- movement-related execution remains governed by prediction validity

Result

The organization gains a stronger basis for preventing physical action from continuing when motion is sensed but future movement is not sufficiently interpreted.

Use Case 2 — Industrial or Embodied Multi-Motion Environment

Scenario

A system operates in a space where robotic arms, transported items, humans, and machines move simultaneously, creating constantly changing dynamic conditions.

Application

MPIM is used to ensure:

- movement pathways are interpreted under defined logic
 - convergence and crossing risks are recognized
 - unstable motion prediction can slow, stop, or escalate execution
 - physical action is bounded by dynamic interpretation conditions
-

Result

The organization gains a structurally governed movement-prediction layer instead of relying on visible motion alone as if it were enough for safe execution.

Canonical Closing Statement

If movement is not interpreted as future operational risk before action, physical execution is not structurally safe.

Related Documents

→ [Physical Reality Interpretation Layer \(PRIL™\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>