

Runtime Integrity Standard (RIS)

Implementation Framework

Category: AI and Interpretation

Subcategory: Execution & Runtime Integrity

Version: 1.0

Status: Canonical · Open

Effective Date: 13 April 2026

Purpose

This framework defines how to implement the Runtime Integrity Standard (RIS) in real systems.

It translates the standard into operational execution.

Implementation Principle

Runtime Integrity must be enforced at execution, not defined in advance.

Core Implementation Layers

1. Execution Layer

- validate every action at execution
- ensure traceability of all actions

2. Tool Control Layer

- register and identify all tools
- control all tool interactions

3. Environment Layer

- define execution environments
- enforce environment boundaries

4. Delegation Layer

- track all delegation flows
- define authority and responsibility

5. Approval Layer

- require explicit approval for critical actions
 - validate approval at execution
-

Implementation Steps

Step 1 — System Mapping

Identify:

- actions
 - tools
 - environments
 - delegation paths
 - approval points
-

Step 2 — Condition Alignment

Ensure that each component satisfies RIS conditions.

Step 3 — Control Integration

Implement controls that enforce:

- traceability
 - authorization
 - environment definition
 - delegation governance
-

Step 4 — Real-Time Validation

Ensure that all checks occur:

- at execution
 - not before
 - not after
-

Step 5 — Continuous Monitoring

Maintain:

- execution visibility
 - integrity state awareness
 - failure detection
-

Minimum Implementation Requirement

A system meets RIS only if:

- all execution is traceable
 - all tools are controlled
 - all environments are defined
 - all delegation is governed
 - all approvals are enforced
-

Failure Condition

If any control is missing or bypassed:

→ Runtime Integrity is invalid.

System Output

A system implementing RIS produces:

- controlled execution
 - predictable behavior
 - verifiable outcomes
-

Compatibility

Compatible with:

- OOF Methodology OS
 - INTEGROS®
 - MTVF
 - EVIP
 - ORGS (OGS-VFM Level 0)
-

Canonical Closing Statement

Integrity must be enforced at execution or it does not exist.

Related Documents

→ Runtime Integrity Standard (RIS).

→ RIS — Self-Declaration

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>