

RTVIM — Responsibility Traceability Validity Integrity Module

OriginID: OOF-OID-AGA-RTVIM-2026-06-17-0068Architecture **Ecosystem:**

Structured Reality Standards™

Architecture Family: Accountability Governance Architecture (AGA™)

Operational Layer: Responsibility Traceability Governance Layer

Governed Space: Responsibility Traceability Validity Integrity

Category: Governance & Enforcement

Subcategory: Responsibility Traceability Governance

Type: Responsibility Traceability Standard Module

Parent Standard: Responsibility Traceability Standard (RTS)

Version: 1.0

Status: Canonical · Open Module

Origin Date: 17 June 2026

Compatibility: OOF Methodology OS · Responsibility Traceability

Standard (RTS) · Responsibility Continuity Standard

(RCS) · Evidence Accountability Standard (EAS) · Accountability

Governance Standard (AGS-A) · INTEGROS® —

Integrity Standard

AI-Readable: Yes

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition

Responsibility Traceability Validity Integrity Module (RTVIM)

defines the structural conditions under which responsibility-history relationships, traceability chains, responsibility records, reconstruction pathways, traceability decisions, traceability validations, and responsibility-governance activities remain legitimate, recognized, reviewable, reconstructable, auditable, governable, enforceable, and operationally valid throughout the responsibility lifecycle.

RTVIM governs responsibility-traceability validity.

The module establishes the integrity conditions required to determine whether responsibility traceability remains legitimate, whether reconstructed responsibility chains remain trustworthy, and whether responsibility-history records remain suitable for governance, audit, investigation, accountability, and evidentiary use.

Module Operational Role

RTVIM defines the traceability-validity governance layer of RTS.

Its role is to ensure that responsibility reconstruction remains

legitimate and governance-valid throughout the responsibility lifecycle.

Module Operational Space

RTVIM governs:

- traceability validity
- reconstruction legitimacy
- responsibility-history validity
- traceability-chain legitimacy
- reconstruction reliability
- governance-valid traceability
- traceability auditability
- traceability lifecycle governance

The module applies wherever governance requires confirmation that responsibility traceability remains valid.

Module Function

The module applies wherever systems must preserve:

- legitimate traceability chains
- recognized reconstruction pathways
- reliable responsibility-history records
- governance-valid traceability states
- auditable traceability structures
- operationally trustworthy reconstruction

Its function is to ensure that governance can determine whether reconstructed responsibility history remains legitimate, reliable, and suitable for governance use.

Minimum Implementation Framework

1. Define the Traceability Validity Object

The organization must define which traceability environments require validity governance.

This may include:

- organizational structures
- contractor networks
- governance frameworks
- compliance systems
- audit environments
- investigation environments
- AI governance systems

- Human-AI operational environments

2. Define Traceability Validity Conditions

The system must define the conditions under which responsibility traceability remains valid.

This includes:

- legitimacy requirements
- reconstruction requirements
- auditability requirements
- reliability requirements
- governance requirements
- traceability-valid conditions

3. Define Validity Degradation Detection Logic

The system must define how traceability-validity failures are identified.

This may include:

- unreliable reconstruction pathways
- invalid responsibility-history records
- illegitimate traceability relationships
- governance-invalid traceability structures
- traceability-chain corruption
- responsibility-history inconsistencies

4. Define Operational Response or Governance Logic

The system must define governance logic for traceability-validity failures.

Governance response may include:

- traceability review
- reconstruction verification
- governance intervention
- traceability reassessment
- corrective actions
- traceability validation
- operational invalidation where required

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of:

- responsibility-history records
- traceability validations
- governance reviews
- audit activities
- intervention procedures
- resulting traceability states

A responsibility-traceability environment must not remain validity-valid if materially significant traceability relationships cannot be reconstructed, reviewed, validated, audited, enforced, recognized, or governed.

Use Case 1 — Responsibility Reconstruction

Investigation

Scenario

A governance investigation seeks to reconstruct responsibility history following a significant operational failure.

Application

RTVIM evaluates whether reconstructed responsibility chains remain legitimate, reliable, and suitable for governance conclusions.

Result

Governance gains visibility into the validity of responsibility reconstruction.

Use Case 2 — Human-AI Operational

Environment

Scenario

Responsibility moves through humans, orchestration systems, AI agents, and governance actors during operational execution.

Application

RTVIM evaluates whether reconstructed responsibility pathways remain legitimate, trustworthy, and governance-valid.

Result

Governance gains visibility into the validity of responsibility traceability across intelligent operational ecosystems.

Canonical Closing Statement

Responsibility Traceability Validity Integrity Module (RTVIM)

defines the structural conditions under which responsibility-history relationships, traceability chains, responsibility records, reconstruction pathways, traceability decisions, traceability validations, and responsibility-governance activities remain legitimate, recognized, reviewable, reconstructable, auditable, governable, enforceable, and operationally valid throughout the responsibility lifecycle.

Responsibility history may be reconstructable, but reconstruction that lacks legitimacy or reliability cannot be trusted.

Responsibility Traceability Validity Integrity therefore becomes a foundational condition of trustworthy responsibility traceability governance.

Related Documents

→ [Responsibility Traceability Standard - \(RTS\)](#).

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>