

IBM — Interpretation Boundary Module

Parent Standard: Semantic Integrity Standard (SEIS)

Category: AI & Interpretation

Subcategory: Interpretation Boundary Integrity

Type: Semantic Integrity Module

Version: 1.0

Status: Canonical · Open Module

Effective Date: 17 May 2026

Compatibility: OOF Methodology OS · Semantic Integrity Standard (SEIS) · Universal Canonical Language (UCL) · Operational Reality Standard (ORS) · Runtime Integrity Standard (RIS) · INTEGROS® — Integrity Standard · Multi-Layer Truth Validation Framework (MTVF) · Ethical Virtual Integrity Protocol (EVIP)

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition

Interpretation Boundary Module (IBM) defines the structural conditions under which operational interpretation boundaries remain sufficiently bounded, governable, and semantically preservable to prevent uncontrolled interpretation expansion, semantic ambiguity, or runtime reinterpretation drift across operational environments.

A system satisfies IBM only if:

- interpretation boundaries remain structurally identifiable
- operational meanings remain semantically bounded
- uncontrolled interpretation expansion is restricted
- runtime reinterpretation remains governable
- consequence-bearing semantic ambiguity does not silently emerge

A system that allows operational interpretation to expand beyond governable semantic boundaries does not satisfy IBM.

Module Operational Role

IBM defines the interpretation-boundary layer of semantic integrity governance by preserving governable semantic limits across runtime interpretation environments.

Module Operational Space

IBM governs the interpretation boundary integrity space of SEIS by preserving bounded operational meaning, governable semantic interpretation ranges, runtime interpretation

stability, and consequence-bearing semantic boundary continuity across human, AI, machine, and cross-system operational environments.

Module Function

The module applies wherever systems must preserve:

- interpretation boundary continuity
- bounded operational meaning
- runtime semantic limits
- governable interpretation ranges
- semantic ambiguity restriction
- consequence-bearing interpretation stability

Its function is to ensure that operational interpretation remains sufficiently bounded strongly enough to preserve semantic governance continuity.

Minimum Implementation Framework

1. Define the Interpretation Boundary Object

The organization must define which operational meanings or interpretation structures require bounded semantic governance.

This may include:

- operational definitions
 - authority interpretations
 - permission interpretations
 - escalation interpretations
 - governance meanings
 - runtime semantic conditions
 - consequence-bearing semantic states
-

2. Define Interpretation Boundary Conditions

The system must define the conditions under which interpretation boundaries remain governable and materially stable.

This includes:

- semantic boundary continuity
 - interpretation-range stability
 - contextual interpretation limits
 - runtime interpretation constraints
 - operational meaning scope continuity
-

3. Define Boundary Drift Detection Logic

The system must define how uncontrolled interpretation expansion or semantic-boundary drift is identified.

This may include:

- semantic overexpansion
 - ambiguous interpretation states
 - runtime reinterpretation mutation
 - unstable semantic ranges
 - consequence-bearing interpretation ambiguity
-

4. Define Operational Response or Governance Logic

The system must define governance logic for materially unstable interpretation-boundary conditions.

Governance response may include:

- semantic escalation
 - interpretation restriction
 - runtime narrowing
 - semantic clarification enforcement
 - interpretation review activation
 - semantic invalidation where required
-

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of interpretation-boundary continuity and semantic-boundary drift states. A system must not remain semantically valid if operational interpretation expands beyond governable semantic boundaries while systems continue assuming stable meaning continuity.

Use Case 1 — AI Runtime Interpretation

Scenario

An AI environment interprets operational instructions and runtime governance conditions across adaptive execution environments.

Application

IBM preserves bounded operational interpretation and prevents uncontrolled runtime reinterpretation drift.

Result

The environment gains stronger semantic stability and reduced interpretation ambiguity across AI runtime systems.

Use Case 2 — Cross-System Operational

Governance

Scenario

Multiple enterprise systems operate through shared governance terminology and distributed operational interpretation environments.

Application

IBM preserves stable semantic boundaries across cross-system operational interpretation.

Result

The organization gains stronger governance consistency and reduced semantic overexpansion across operational systems.

Canonical Closing Statement

If operational interpretation expands beyond governable semantic boundaries, systems may preserve communication continuity while losing semantic integrity underneath.

Related Documents

→ [Semantic Integrity Standard - \(SEIS\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>