

RCGM — Recovery Continuity Governance Module

Parent Standard: System Recovery & Continuity Standard (SRCS)

Category: Governance & Enforcement

Subcategory: Recovery Governance & Operational Continuity

Type: Recovery Governance Module

Derived From: System Recovery & Continuity Standard (SRCS)

Version: 1.0

Status: Canonical · Open Module

Effective Date: 16 May 2026

Compatibility: OOF Methodology OS · System Recovery & Continuity Standard (SRCS) · Runtime Integrity Standard (RIS) · Authority & Accountability Layer Standard (AALS) · Truth Validation Layer (TVL®) · Orchestration Governance Layer (OGL) · Cognitive Mesh Architecture Standard (CMA) · INTEGROS® · OBIDENTITY · Distributed Runtime Systems · Autonomous Operational Environments

AI-Readable: Yes

Authority: OOF® Origin Open Foundation™

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition

Recovery Continuity Governance Module (RCGM) defines the structural conditions under which systems preserve governed operational continuity during and after disruption, rollback, runtime instability, orchestration failure, synchronization collapse, or distributed recovery activity. RCGM establishes the continuity-governance layer of SRCS. The module recognizes that future operational systems increasingly require governance continuity during recovery itself rather than only after normal execution resumes.

A system may restore activity while losing governable continuity. RCGM defines the conditions required for recovery continuity to remain operationally admissible.

Module Function

RCGM governs environments where operational continuity depends on:

- recovery governance
- rollback coordination
- runtime restoration continuity
- synchronization preservation
- orchestration recovery
- distributed continuity management
- operational reconstruction
- execution recoverability
- escalation continuity
- post-failure governance coherence

The module applies to:

- distributed runtime systems
- orchestration environments
- AI ecosystems
- autonomous systems
- cognitive mesh architectures
- robotics infrastructures
- cloud-edge execution systems
- enterprise operational infrastructures
- adaptive runtime environments
- distributed execution ecosystems

Its function is not to eliminate failure. Its function is to preserve governable continuity after failure occurs. Operational Architecture Space

RCGM defines the operational architecture space for:

- governed recovery continuity
- rollback coordination continuity
- runtime restoration governance
- continuity-state preservation
- operational reconstruction continuity
- distributed recovery coherence
- post-failure execution synchronization
- recoverable governance continuity

The space exists because modern recovery environments increasingly involve distributed runtimes, orchestration systems, autonomous execution, and adaptive infrastructures where continuity itself may fragment during recovery

activity.

Without governed recovery continuity:

- recovery states diverge
- orchestration desynchronizes
- accountability continuity collapses
- rollback pathways become unclear
- runtime reconstruction weakens
- operational states become unrecoverably fragmented

Within this operational architecture space:

- recovery continuity architectures
- rollback governance systems
- continuity synchronization frameworks
- post-failure orchestration environments
- distributed restoration structures
- may be constructed according to runtime complexity and operational conditions.

Minimum Implementation Framework

Step 1 — Define the Recovery Continuity Object

The organization must define what recovery continuity environment is being governed.

Minimum requirement:

- the continuity object is explicit
- recovery boundaries are identifiable
- rollback pathways are structurally reviewable
- undefined recovery states are excluded from valid continuity interpretation

The continuity object may include:

- orchestration recovery layers
- runtime restoration systems
- distributed synchronization environments
- rollback coordination systems
- continuity governance frameworks
- adaptive runtime infrastructures
- operational reconstruction environments
- cognitive recovery ecosystems
- escalation restoration systems
- hybrid recovery architectures

Step 2 — Define Recovery Continuity Integrity Conditions

The system must define what conditions preserve valid recovery continuity governance.

Minimum requirement:

- continuity integrity conditions are explicit
- recovery continuity remains operationally reviewable
- synchronization continuity remains structurally preservable

Recovery continuity integrity conditions may include:

- rollback traceability
- synchronization preservation
- authority continuity
- runtime reconstructability
- orchestration continuity
- escalation visibility
- operational state coherence
- validation continuity
- distributed recovery compatibility
- recoverable execution continuity

Under RCGM:

Operational recovery remains governance-valid only while continuity remains structurally preservable across disrupted environments.

Step 3 — Define Recovery Continuity Interpretation Logic

The system must define how recovery continuity behavior is interpreted according to operational restoration conditions.

Minimum requirement:

- interpretation logic is explicit
- continuity pathways remain reconstructable
- invalid recovery fragmentation remains structurally visible

Interpretation logic may examine:

- rollback divergence
- fragmented recovery states
- synchronization collapse
- orchestration instability
- runtime discontinuity
- hidden restoration pathways
- unreconstructable operational states
- authority fragmentation
- recovery-state incompatibility
- invalid continuity escalation

Under RCGM:

A system may recover operationally. It may not recover into ungovernable continuity fragmentation.

Step 4 — Define Recovery Governance Logic

The system must define how recovery continuity environments remain governable.

Minimum requirement:

- continuity governance remains reviewable
- restoration pathways remain detectable
- synchronization continuity remains active

Governance logic may include:

- rollback auditing
- recovery-state tracing
- orchestration restoration review
- synchronization analysis
- runtime reconstruction governance
- continuity verification
- distributed restoration monitoring
- escalation continuity governance

- recovery admissibility review
- If recovery continuity loses operational coherence during restoration,
- the environment becomes governance-relevant.

Step 5 — Preserve Traceability and Restrict Invalid Recovery

Continuity Architecture The system must preserve traceability of rollback pathways, restoration logic, synchronization continuity, recovery governance activity, and operational reconstruction states.

Minimum requirement:

- continuity pathways remain reconstructable
- rollback visibility remains preserved
- recovery governance remains operationally reviewable
- invalid continuity architecture remains identifiable

A system becomes RCGM-invalid if:

- recovery states fragment irreconstructably
- rollback continuity becomes hidden
- orchestration recovery loses synchronization
- runtime reconstruction becomes operationally unclear
- accountability continuity collapses during restoration
- distributed recovery environments diverge incompatibly
- operational recovery preserves activity while losing governable
- continuity

Canonical Closing Statement

RCGM defines the structural conditions under which disrupted systems preserve governed recovery continuity, rollback traceability, synchronization coherence, runtime reconstructability, and operational restoration admissibility before recovery activity itself fragments operational continuity into ungovernable post-failure execution states.

Related Documents

→ [System Recovery & Continuity Standard - \(SRCS\)](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>