

UCMM — User Context Memory Module

OOF™ Origin Open Foundation™

Independent Methodological Authority

OriginID: OOF-OID-MEM-UCMM-2026-06-08-0002

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: Memory Governance Intelligence Architecture (MGIA™)

Operational Layer: User Memory Governance Layer

Governed Space: User Context Memory Integrity

Category: AI & Interpretation

Subcategory: Context Memory Governance

Type: User Memory Integrity Module

Parent Standard: User Memory Integrity Standard (UMIS)

Version: 1.0

Status: Canonical · Open Module

Origin Date: 8 June 2026

Compatibility: OOF Methodology OS · User Memory Integrity Standard (UMIS) ·

Memory Integrity Standard (MIS) · User Preference Memory Module (UPMM) ·

Human-AI Cognition Integrity Standard (HAICS) · Cognitive Interpretation Integrity Standard (CIIS) ·

INTEGROS® — Integrity Standard

AI-Readable: Yes

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition System

Canonical Definition

User Context Memory Module (UCMM) defines the structural conditions under which memory related to user context remains accurate, relevant, reconstructable, traceable, accountable, and operationally valid throughout interactions, personalization processes, decision-support activities, and long-term Human-AI relationships.

UCMM governs user context memory.

The module ensures that systems preserve meaningful understanding of a user's situation, environment, objectives, relationships, circumstances, and interaction history rather than relying on isolated or context-deficient information.

A system satisfies UCMM only if:

- user context remains identifiable
- context relevance remains assessable
- contextual history remains reconstructable
- context changes remain traceable
- context utilization remains accountable
- context memory remains operationally valid

A system that repeatedly loses relevant user context does not satisfy UCMM.

Module Operational Role

UCMM defines the context-memory governance layer of UMIS.

Its role is to preserve meaningful contextual continuity across interactions.

Module Operational Space

AMAM governs:

- user context memory
- contextual continuity
- situational memory
- environmental memory
- interaction context
- context traceability
- context accountability
- context governance

The module applies wherever systems utilize memory about user circumstances and context.

Module Function

The module applies wherever systems must preserve:

- contextual understanding
- continuity across interactions
- situational awareness
- relevant personalization
- governance-valid context usage
- long-term Human-AI continuity

Its function is to ensure that user context remains meaningful and operationally useful over time.

Minimum Implementation Framework

1. Define the Context Memory Object

The organization must define which contextual memory elements require governance.

This may include:

- interaction context
 - situational context
 - operational context
-

- environmental context
- relationship context
- task context
- historical context
- Human-AI interaction context

2. Define Context Memory Conditions

The system must define the conditions under which context memory remains valid.

This includes:

- relevance requirements
- continuity requirements
- traceability requirements
- reconstruction requirements
- accountability requirements
- governance-valid context conditions

3. Define Context Degradation Detection Logic

The system must define how context degradation is identified.

This may include:

- context loss
- context fragmentation
- outdated context
- situational mismatch
- contextual ambiguity
- invalid context utilization

4. Define Operational Response or Governance Logic

The system must define governance logic for context-integrity failures.

Governance response may include:

- context review
- context validation
- memory reconstruction
- governance intervention
- escalation
- context correction
- operational invalidation where required

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of:

- context updates
- contextual changes

- validation activities
- governance reviews
- intervention actions
- resulting context states

A user-memory environment must not remain context-valid if materially significant contextual information cannot be reconstructed, reviewed, or governed.

Use Case 1 — Long-Term Personal AI Assistant

Scenario

An AI assistant continuously supports a user across different life situations, projects, goals, and operational environments.

Application

UCMM governs preservation of relevant context, contextual continuity, and situational awareness across interactions.

Result

The assistant maintains stronger continuity, improved personalization, and reduced exposure to context loss.

Use Case 2 — Enterprise Human-AI Collaboration Platform

Scenario

Employees interact with AI systems across many projects, teams, responsibilities, and operational environments.

Application

UCMM governs contextual continuity, situational relevance, and long-term context preservation.

Result

The platform gains stronger operational understanding, improved interaction quality, and reduced exposure to contextual fragmentation.

Canonical Closing Statement

User Context Memory Module (UCMM) defines the structural conditions under which memory related to user context remains accurate, relevant, reconstructable, traceable, accountable, and operationally valid throughout interactions, personalization processes, decision-support activities, and long-term Human-AI relationships.

Human-AI continuity cannot remain reliable if user context disappears. User context memory therefore becomes a foundational integrity condition of trustworthy personalization and long-term Human-AI interaction.

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>