

UPMM — User Preference Memory Module

OOF™ Origin Open Foundation™

Independent Methodological Authority

OriginID: OOF-OID-MEM-UPMM-2026-06-08-0001

Architecture Ecosystem: Structured Reality Standards™

Architecture Family: Memory Governance Intelligence Architecture (MGIA™)

Operational Layer: User Memory Governance Layer

Governed Space: User Preference Memory Integrity

Category: AI & Interpretation

Subcategory: Preference Memory Governance

Type: User Memory Integrity Module

Parent Standard: User Memory Integrity Standard (UMIS)

Version: 1.0

Status: Canonical · Open Module

Origin Date: 8 June 2026

Compatibility: OOF Methodology OS · User Memory Integrity Standard (UMIS) · Memory Integrity Standard (MIS) · Human-AI Cognition Integrity Standard (HAICS) · Human Cognition Integrity Standard (HCIS) · INTEGROS® — Integrity Standard

AI-Readable: Yes

Authority: OOF

Protection: MIP — Methodological Intellectual Property

Canonical Language: English (UCL)

Canonical Definition System

Canonical Definition

User Preference Memory Module (UPMM) defines the structural conditions under which memory related to user preferences remains accurate, current, contextualized, traceable, accountable, and operationally valid throughout personalization, interaction, learning, and long-term Human-AI relationship processes.

UPMM governs user preference memory.

The module ensures that systems maintain a reliable representation of user preferences rather than relying on outdated, distorted, inferred, or contextually invalid assumptions.

A system satisfies UPMM only if:

- preferences remain accurately represented
- preference changes remain traceable
- preference context remains identifiable
- outdated preferences remain detectable
- preference utilization remains accountable
- preference memory remains operationally valid

A system that continuously relies on obsolete or incorrectly inferred preferences does not satisfy UPMM.

Module Operational Role

UPMM defines the preference-memory governance layer of UMIS.

Its role is to preserve reliable memory of user preferences across time.

Module Operational Space

AMAM governs:

- preference memory
- preference continuity
- preference updates
- preference traceability
- preference context
- personalization memory
- preference accountability
- preference governance

The module applies wherever systems utilize memory about user preferences.

Module Function

The module applies wherever systems must preserve:

- accurate personalization
- preference continuity
- preference relevance
- accountable preference usage
- trustworthy user representation
- long-term interaction quality

Its function is to ensure that user preferences remain accurately represented throughout the memory lifecycle.

Minimum Implementation Framework

1. Define the Preference Memory Object

The organization must define which preference memories require governance.

This may include:

- communication preferences
 - language preferences
 - personalization preferences
-

- interaction preferences
- operational preferences
- recommendation preferences
- workflow preferences
- long-term user preferences

2. Define Preference Memory Conditions

The system must define the conditions under which preference memory remains valid.
This includes:

- accuracy requirements
- update requirements
- traceability requirements
- contextualization requirements
- accountability requirements
- governance-valid preference conditions

3. Define Preference Degradation Detection Logic

The system must define how preference degradation is identified.
This may include:

- outdated preferences
- contradictory preferences
- inferred preference errors
- context loss
- invalid personalization
- preference drift

4. Define Operational Response or Governance Logic

The system must define governance logic for preference-integrity failures.
Governance response may include:

- preference review
- preference validation
- memory correction
- governance intervention
- escalation
- preference updates
- operational invalidation where required

5. Preserve Traceability & Restrict Invalid Conditions

The system must preserve reconstructable traceability of:

- preference changes
- validation activities

- governance reviews
- intervention actions
- personalization activities
- resulting preference states

A user-memory environment must not remain preference-valid if materially significant preference information cannot be reconstructed, reviewed, or governed.

Use Case 1 — Personal AI Assistant

Scenario

A personal AI assistant continuously adapts to a user's preferred communication style, language, workflows, and interaction patterns.

Application

UPMM governs preference continuity, update integrity, and preference accountability.

Result

The assistant provides more accurate personalization and stronger long-term interaction quality.

Use Case 2 — Intelligent Service Platform

Scenario

A digital platform continuously personalizes recommendations, content, and services based on user preferences.

Application

UPMM governs preference accuracy, traceability, and contextual validity.

Result

The platform gains stronger personalization quality and reduced exposure to preference drift.

Canonical Closing Statement

User Preference Memory Module (UPMM) defines the structural conditions under which memory related to user preferences remains accurate, current, contextualized, traceable, accountable, and operationally valid throughout personalization, interaction, learning, and long-term Human-AI relationship processes.

Personalization cannot remain trustworthy if preference memory becomes inaccurate. User preference memory therefore becomes a foundational integrity condition of trustworthy Human-AI interaction.

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>