

VALIDOS® Architecture Map

Validation Governance Architecture — Validation Governance

Layer

Official Validation Governance Reference Map for AI Systems, Autonomous

Systems, Digital Assets, Organizations, Critical Infrastructure, Decision Systems,

Scientific Claims, Operational Processes, and Future Validation Environments

VALIDOS® serves as the official OOF® validation governance reference map used to identify, define, structure, navigate, validate, govern, interpret, monitor, and revalidate governable validation spaces across AI systems, autonomous systems, digital assets, organizations, critical infrastructure, scientific and technical environments, decision systems, operational processes, and future validation ecosystems.

The purpose of VALIDOS® is not to determine in advance whether an object, claim, system, process, model, dataset, prediction, simulation, product, or decision is valid.

The purpose of VALIDOS® is to identify, define, separate, and map the governable spaces through which Validation Objects are identified, scoped, evaluated, methodologically examined, evidentially supported, operationally validated, formally determined, assigned Validation States, relied upon, monitored, and revalidated throughout their complete lifecycle.

VALIDOS® serves as the official validation governance reference map for:

- AI Systems
- Autonomous Systems
- Autonomous Agents
- Digital Assets
- Digital Identity Environments
- Enterprise Systems
- Government Systems
- Healthcare Systems
- Financial Systems
- Industrial Systems
- Scientific Claims
- Technical Claims

- Predictive Systems
- Simulation Environments
- Decision Systems
- Critical Infrastructure
- Regulatory Environments
- Multi-System Environments
- Operational Processes
- Future Validation Ecosystems

Core Architectural Principle

Every validation governance space answers one primary governance question.

No validation governance space duplicates the purpose of another validation governance space.

Every validation governance space has a defined beginning, a defined operational purpose, and a defined governance boundary.

Every validation governance space begins where the preceding validation requirement has been sufficiently established.

No downstream validation conclusion may legitimately exceed the validation basis established by the upstream governance spaces upon which it depends.

Together, these validation governance spaces form the official validation governance reference map of VALIDOS®.

Official Validation Governance Flow

**Validation Object → Validation Purpose & Scope → Validation Criteria
→ Validation Method → Validation Evidence Fitness → Validation
Source Reliability → Validation Execution → Validation Determination
→ Validation State → Validation Reliance & Revalidation**

1. Validation Object Standard (VOS)

Governed Space: Validation Object

Core Question

What exactly is being validated, how is the Validation Object bounded and identified, and how can its identity remain stable throughout the validation lifecycle?

Canonical Definition

Validation Object Standard (VOS) defines the governance conditions under which an object, claim, model, system, dataset, process,

product, method, prediction, simulation, output, decision, or other validation target is formally identified, bounded, versioned, distinguished, and maintained as a stable governed Validation Object.

Governance Boundary

Begins when something is proposed for validation.

Ends when the Validation Object has been sufficiently identified, bounded, distinguished from materially different objects, and documented to support governed Validation Purpose & Scope.

2. Validation Purpose & Scope Standard (VPSS)

Governed Space: Validation Purpose & Scope

Core Question Why is validation being performed, what must it cover, what remains outside its boundaries, and at what Validation Depth must the inquiry operate?

Canonical Definition

Validation Purpose & Scope Standard (VPSS) defines the governance conditions under which Validation Purpose, Validation Scope, exclusions, applicability boundaries, consequence context, intended reliance, and Validation Depth are explicitly established before validation proceeds.

Governance Boundary

Begins when a sufficiently defined Validation Object requires a governed validation purpose and boundary.

Ends when the purpose, scope, exclusions, applicability, intended reliance, consequence context, and required Validation Depth have been sufficiently established to support Validation Criteria.

3. Validation Criteria Standard (VCS)

Governed Space: Validation Criteria

Core Question

Against which explicit, applicable, sufficient, and governed criteria must the Validation Object be evaluated?

Canonical Definition

Validation Criteria Standard (VCS) defines the governance conditions under which validation requirements, thresholds, properties, questions, acceptance conditions, evaluation rules, and criterion dependencies are established, justified, bounded, and governed for a

defined Validation Object, Purpose, Scope, and Depth.

Governance Boundary

Begins when the Validation Object, Purpose, Scope, and Validation Depth are sufficiently established.

Ends when the applicable Validation Criteria have been defined, structured, justified, documented, and made available for governed Validation Method selection.

4. Validation Method Standard (VMS)

Governed Space: Validation Method

Core Question

Which validation method is appropriate for the Validation Object, purpose, scope, criteria, consequence, and required Validation Depth?

Canonical Definition

Validation Method Standard (VMS) defines the governance conditions under which validation methods are selected, designed, justified, bounded, combined, adapted, controlled, and documented so that the chosen method is capable of evaluating the applicable Validation Criteria within the intended Validation Scope and Depth.

Governance Boundary

Begins when governed Validation Criteria require a method capable of evaluating them.

Ends when an applicable, justified, sufficiently controlled, and documented Validation Method is available for evidence qualification and operational execution.

5. Validation Evidence Fitness Standard (VEFS)

Governed Space: Validation Evidence Fitness

Core Question

Is the available evidence sufficiently relevant, complete, current, representative, usable, and fit to support the intended validation determination?

Canonical Definition

Validation Evidence Fitness Standard (VEFS) defines the governance conditions under which validation evidence is assessed for

relevance, sufficiency, quality, completeness, representativeness, currency, usability, contradiction, limitation, and fitness for the intended Validation Purpose, Scope, Criteria, Method, and Depth.

Governance Boundary

Begins when a governed Validation Method requires evidence capable of supporting validation.

Ends when evidence has been sufficiently qualified, classified, bounded, and documented to support Source Reliability assessment and governed Validation Execution.

6. Validation Source Reliability Standard (VSRS)

Governed Space: Validation Source Reliability

Core Question

Are the sources producing or supporting validation evidence sufficiently identifiable, capable, reliable, independent where necessary, and traceable for the intended validation purpose?

Canonical Definition

Validation Source Reliability Standard (VSRS) defines the governance conditions under which sources contributing evidence, observations, measurements, records, expertise, or validation inputs are identified, assessed, qualified, bounded, monitored, and documented according to capability, reliability, independence, provenance, relevance, and traceability.

Governance Boundary

Begins when qualified validation evidence depends upon identifiable sources.

Ends when material Validation Sources have been sufficiently assessed and their reliability status, limitations, dependencies, and traceability are established for governed Validation Execution.

7. Validation Execution Standard (VES)

Governed Space: Validation Execution

Core Question

How must an approved validation method be operationally executed, controlled, observed, documented, and audited so that the resulting validation record remains trustworthy?

Canonical Definition Validation Execution Standard (VES) defines the governance conditions under which approved validation methods are

instantiated, authorized, controlled, observed, executed, monitored, deviation-managed, completed, documented, and made sufficiently traceable for formal Validation Determination.

Governance Boundary

Begins when the Validation Object, Criteria, Method, Evidence, and Source basis are sufficiently established for operational validation activity.

Ends when the required validation activities have been sufficiently executed, deviations governed, observations preserved, and the validation record prepared for formal determination.

8. Validation Determination Standard (VDS)

Governed Space: Validation Determination

Core Question

What conclusion does the complete governed validation record legitimately support, and how must uncertainty, conflict, negative findings, conditions, and partial outcomes remain reflected in that determination?

Canonical Definition

Validation Determination Standard (VDS) defines the governance conditions under which the complete validation record is synthesized into a formal Validation Determination that remains bounded by the actual criteria, evidence, source reliability, method, execution, uncertainty, conflict, limitations, negative findings, and applicable scope.

Governance Boundary

Begins when sufficiently complete and governed Validation Execution results are available for conclusion.

Ends when a formal Validation Determination has been established, justified, bounded, documented, and made available for Validation State Governance.

9. Validation State Governance Standard (VSGS)

Governed Space: Validation State Governance

Core Question

What Validation State does the Validation Object legitimately hold now, where and under which conditions does that state apply, and how must the state change when validation-relevant reality changes?

Canonical Definition

Validation State Governance Standard (VSGS) defines the governance conditions under which Validation Determinations are translated into current Validation States, bounded by applicability, conditions, restrictions, time, scope, object version, material change, state transitions, revalidation triggers, and complete lifecycle continuity.

Governance Boundary

Begins when a formal Validation Determination exists and must be translated into an operationally governable state.

Ends when the current Validation State, its applicability, conditions, restrictions, lifecycle status, transition logic, revalidation triggers, and historical continuity are sufficiently established for reliance governance.

10. Validation Reliance & Revalidation Standard (VRRS)

Governed Space: Validation Reliance & Revalidation

Core Question

Who or what may legitimately rely upon the current Validation State, for which purpose and scope, under which conditions and level of consequence, for how long, and when must that reliance be reconsidered through revalidation?

Canonical Definition

Validation Reliance & Revalidation Standard (VRRS) defines the governance conditions under which a current Validation State may support operational reliance by a defined actor, system, organization, process, or decision context, and establishes how reliance eligibility, authorization, conditions, restrictions, monitoring, dependency, change propagation, Validation Delta, validation reuse, revalidation scope, revalidation execution, renewal, suspension, withdrawal, and lifecycle continuity are governed.

Governance Boundary

Begins when a current Validation State exists and a governed actor intends to rely upon it, or when a validation-relevant lifecycle event requires revalidation.

Continues while reliance remains active, conditional, restricted, monitored, reassessed, renewed, suspended, withdrawn, or returned through the appropriate VALIDOS® layers for revalidation.

Core Governed Validation Spaces

- Validation Object
 - Validation Purpose & Scope
 - Validation Criteria
 - Validation Method
 - Validation Evidence Fitness
 - Validation Source Reliability
 - Validation Execution
 - Validation Determination
 - Validation State Governance
 - Validation Reliance & Revalidation
-

Recursive Validation Lifecycle

VALIDOS® begins as a sequential validation architecture but becomes recursive once operational reliance begins.

The extended lifecycle is:

**Validation Object → Validation Purpose & Scope → Validation Criteria
→ Validation Method → Validation Evidence Fitness → Validation
Source Reliability → Validation Execution → Validation Determination
→ Validation State → Validation Reliance → Monitoring → Material
Change → Revalidation Trigger → Validation Delta → Lifecycle
Re-Entry → Revalidation Execution → New Validation Determination →
New Validation State → Renewed / Restricted / Suspended /
Withdrawn Reliance**

A Validation Object may re-enter VALIDOS® repeatedly throughout its operational lifetime.

Architectural Position

VALIDOS® governs the complete validation governance lifecycle.

The architecture progresses through:

**Validation Object → Validation Purpose & Scope → Validation Criteria
→ Validation Method → Validation Evidence Fitness → Validation
Source Reliability → Validation Execution → Validation Determination
→ Validation State → Validation Reliance & Revalidation**

Together, these validation governance spaces govern how Validation Objects are identified, bounded, evaluated, methodologically examined, evidentially supported, source-qualified, operationally validated, formally determined, assigned current Validation States, relied upon, monitored, and returned into revalidation whenever the reality supporting validation materially changes.

VALIDOS® therefore governs not merely whether validation occurred, but whether the resulting validation claim remains structurally

defensible across its complete lifecycle.

What VALIDOS® Defines

VALIDOS® defines:

- where validation governance begins,
- how Validation Objects are formally identified and bounded,
- how Validation Purpose and Scope are established,
- how Validation Depth is determined,
- which criteria govern validation,
- how Validation Methods are selected and controlled,
- how evidence fitness is assessed,
- how Validation Source Reliability is governed,
- how validation is operationally executed,
- how deviations and incomplete execution are preserved,
- how Validation Determinations are produced,
- how negative, conditional, partial, conflicted, and indeterminate outcomes remain visible,
- how Validation States are assigned and governed,
- how state applicability and material change are monitored,
- how state transitions and revalidation triggers operate,
- how validation may legitimately support reliance,
- how reliance conditions, restrictions, authorization, dependencies, and monitoring are governed,
- how Validation Delta is established,
- how previous validation may be reused,
- how revalidation scope and depth are determined,
- how VALIDOS® is re-entered after material change,
- how new determinations and states are established,
- and how reliance is renewed, restricted, suspended, withdrawn, or terminated.

VALIDOS® provides the official validation governance language used for validation-space identification, validation lifecycle navigation, validation diagnostics, validation protocol design, validation-state management, reliance governance, revalidation design, and validation architecture development across complex operational environments.

VALIDOS® Four-Layer Validation Protocol™

VALIDOS® may be operationalized through the VALIDOS® — Four-Layer Validation Protocol™ (4LVP™).

The protocol provides a compact operational pathway through the broader architecture:

Layer 1 — Object & Scope Validation

↓

Gate 1 — Validation Basis Defined

↓ **Layer 2 — Evidence & Source Validation**

↓

Gate 2 — Validation Basis Supported

↓

Layer 3 — Execution & Determination Validation

↓

Gate 3 — Validation Conclusion Established

↓

Layer 4 — State & Reliance Validation

↓

Gate 4 — Validation Claim Bounded

↓

Protocol Validation Outcome

The four layers do not replace the 10 Parent Standards.

They compress the architecture into an operational validation protocol.

The protocol's central anti-bypass rule is:

No validation claim may exceed the weakest unresolved validation layer on which that claim materially depends.

Individual layers may be used independently.

However:

Layers may operate independently. Full Protocol Conformity may not.

Compatible OOF® Architectures

- **GOA™ — Governance Architecture**
- **ORA™ — Operational Reality Architecture**
- **OBIDENTITY® — Origin-Bound Identity Governance Architecture**
- **AGA™ — Accountability Governance Architecture**
- **AIG® — AI Governance Architecture**
- **CLIA® — Cognitive Governance Intelligence Architecture**
- **MGIA™ — Memory Governance Intelligence Architecture**
- **ASGA™ — Autonomous Systems Governance Architecture**
- **INTEGROS® — Integrity Governance Architecture**

- **SIMULOS®** — Simulation Integrity Standard
 - **RIS™**
 - **ART™** — Audit in Real Time Architecture
-

Canonical Principle

VALIDOS® does not determine in advance what is valid. **VALIDOS®** governs the structural conditions under which a validation claim may be established, bounded by evidence and method, translated into a current Validation State, relied upon within defined limits, and returned to validation whenever the reality supporting that claim materially changes.

Canonical Closing Statement

VALIDOS® serves as the official validation governance reference map for AI systems, autonomous systems, digital assets, organizations, scientific and technical environments, decision systems, operational processes, critical infrastructure, and future validation ecosystems. By defining the primary governable spaces of validation, **VALIDOS®** provides the architecture used to identify Validation Objects, establish validation purpose and scope, define criteria, select methods, qualify evidence and sources, govern execution, produce determinations, assign Validation States, control reliance, detect material change, and perform revalidation throughout the complete operational lifecycle.

Cross-Architecture Interfaces

→ **GOA™ — Governance Architecture**

Direction: Bidirectional governance interface

Governed boundary: GOA governs governance architecture and constitutional conditions; **VALIDOS** governs the lifecycle through which Validation Objects acquire, maintain, change, or lose governed validation status.

→ **ORA™ — Operational Reality Architecture**

Direction: Operational Reality to validation governance, with governed feedback

Governed boundary: ORA governs what is occurring in Operational Reality; **VALIDOS** governs whether a defined Validation Object can support a validation determination under governed conditions.

→ **OBIDENTITY® — Origin-Bound Identity Governance Architecture**

Direction: Identity and provenance into validation governance

Governed boundary: OBIDENTITY governs origin, identity, ownership, authority, permission, provenance, transfer, and continuity; **VALIDOS** governs their validation-specific use.

→ **INTEGROS® — Integrity Governance Architecture**

Direction: Integrity conditions into validation determination and reliance

Governed boundary: INTEGROS governs integrity across objects, information, states, processes, and records; VALIDOS governs whether the complete validation basis supports determination, state, and bounded reliance.

→ **ADIT® — Continuous Audit & Evidence Governance Architecture**

Direction: Evidence governance into the validation lifecycle

Governed boundary: ADIT governs evidential observation, preservation, verification, traceability, and auditability; VALIDOS governs evidence fitness and use within validation.

→ **AGA™ — Accountability Governance Architecture**

Direction: Accountability governance around validation activity

Governed boundary: AGA governs authority, responsibility, accountability, attribution, escalation, and decision relationships; VALIDOS governs validation methodology, execution, determination, state, reliance, and revalidation.

Related Documents

→ **About VALIDOS® — Validation Governance Architecture**

→ **VALIDOS® Validation Governance Architecture — Validation Governance Layer**

→ **VALIDOS® — Four-Layer Validation Protocol™**

→ **VALIDOS® Complete Standards & Modules Index**

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>