

VALIDOS® Complete Standards & Modules Index

Validation Governance Architecture — Validation Governance Layer

Official Validation Governance Architecture Map for AI Systems, Autonomous Systems, Digital Assets, Organizations, Critical Infrastructure, Decision Systems, Scientific Claims, Operational Processes, and Future Validation Environments

This document serves as the official OOF® validation governance architecture map and structural index used for validation governance design, validation governance navigation, validation governance classification, validation diagnostics, validation architecture development, validation governance assessment, validation lifecycle governance, validation reliance governance, revalidation governance, and validation interoperability across AI systems, autonomous systems, organizations, digital assets, critical infrastructure, decision environments, scientific and technical systems, operational processes, and future validation environments.

VALIDOS® consists of 10 Parent Standards and 50 Core Modules.

Additional standards and modules may be added when new governable validation spaces are identified. However, the standards and modules listed below form the core structural backbone of VALIDOS®.

1. Validation Object Standard (VOBS)

Governed Space: Validation Object

Core Question: What exactly is being validated, how must the Validation Object be identified and bounded, and how can its version, relationships, and fitness for validation remain governed throughout the validation lifecycle?

Modules:

- VOIM — Validation Object Identification Module
 - VOBM — Validation Object Boundary Module
 - VOVM — Validation Object Version Module
 - VORM — Validation Object Relationship Module
 - VOFM — Validation Object Fitness Module
-

2. Validation Purpose & Scope Standard (VPSS)

Governed Space: Validation Purpose & Scope

Core Question: Why is validation being performed, what must it cover, at what Validation Depth must it operate, where is it applicable, and which limitations must remain explicitly governed?

Modules:

- VPIM — Validation Purpose Identification Module
 - VSCDM — Validation Scope Definition Module
 - VDCM — Validation Depth Calibration Module
 - VAMM — Validation Applicability Mapping Module
 - VLGM — Validation Limitation Governance Module
-

3. Validation Criteria Standard (VCRS)

Governed Space: Validation Criteria

Core Question: Against which explicit, applicable, sufficiently formulated, threshold-bounded, and internally coherent criteria must the Validation Object be evaluated?

Modules:

- VRDM — Validation Requirement Derivation Module
 - VCFM — Validation Criterion Formulation Module
 - VTCM — Validation Threshold Calibration Module
 - VARCM — Validation Acceptance & Rejection Conditions Module
 - VCCM — Validation Criteria Coherence Module
-

4. Validation Method Standard (VMTS)

Governed Space: Validation Method

Core Question: Which validation method or combination of methods is eligible and suitable for the Validation Object, purpose, scope, criteria, consequence, and required Validation Depth, and when is that method ready for governed execution?

Modules:

- VMEM — Validation Method Eligibility Module
 - VMSM — Validation Method Suitability Module
 - VMCM — Validation Method Configuration Module
 - VMIM — Validation Method Integration Module
 - VMRM — Validation Method Readiness Module
-

5. Validation Evidence Fitness Standard (VEFS)

Governed Space: Validation Evidence Fitness

Core Question: Is the available validation evidence sufficiently relevant, applicable, comprehensive, adequate, and fit to support the intended validation determination?

Modules:

- VERM — Validation Evidence Relevance Module
 - VEAM — Validation Evidence Applicability Module
 - VECM — Validation Evidence Coverage Module
 - VEADM — Validation Evidence Adequacy Module
 - VEFDM — Validation Evidence Fitness Determination Module
-

6. Validation Source Reliability Standard (VSRS)

Governed Space: Validation Source Reliability

Core Question: Are the sources producing or supporting validation evidence sufficiently identifiable, attributable, provenance-grounded, capable, independent where necessary, and reliable for the intended validation purpose?

Modules:

- VSIAM — Validation Source Identity & Attribution Module
 - VSPLM — Validation Source Provenance & Lineage Module
 - VSCCM — Validation Source Capability & Competence Module
 - VSICM — Validation Source Independence & Conflict Module
 - VSRDM — Validation Source Reliability Determination Module
-

7. Validation Execution Standard (VEXS)

Governed Space: Validation Execution

Core Question: How must an authorized and ready validation method be instantiated, controlled, observed, traced, protected against unmanaged deviations and exceptions, and completed in conformity with its governed validation basis?

Modules:

- VEBAM — Validation Execution Basis & Authorization Module
 - VEICM — Validation Execution Instantiation & Control Module
 - VEOTM — Validation Execution Observation & Traceability Module
 - VEDEGM — Validation Execution Deviation & Exception Governance Module
 - VECCM — Validation Execution Completeness & Conformity Module
-

8. Validation Determination Standard (VDTS)

Governed Space: Validation Determination

Core Question: What determination does the complete governed validation record legitimately support, how must individual criterion results be qualified and integrated, and how must conflict, uncertainty, partial satisfaction, and negative findings remain reflected in the overall determination?

Modules:

- VDBRQM — Validation Determination Basis & Result Qualification Module
- VCDM — Validation Criterion Determination Module
- VDCUGM — Validation Determination Conflict & Uncertainty Governance Module
- VCCIM — Validation Cross-Criterion Integration Module
- OVDM — Overall Validation Determination Module

9. Validation State Governance Standard (VSGS)

Governed Space: Validation State Governance

Core Question: What Validation State may legitimately be assigned to the Validation Object, under which conditions does that state apply, how must material change affect it, and how must transitions, revalidation triggers, and lifecycle continuity remain governed?

Modules:

- VSAEM — Validation State Assignment & Eligibility Module
- VSCAM — Validation State Conditions & Applicability Module
- VMCSMM — Validation Material Change & State Monitoring Module
- VSTRM — Validation State Transition & Revalidation Trigger Module
- VSCLRM — Validation State Continuity & Lifecycle Record Module

10. Validation Reliance & Revalidation Standard (VRRS)

Governed Space: Validation Reliance & Revalidation

Core Question: Who or what may legitimately rely upon the current Validation State, for which purpose, scope, conditions, authorization, consequence, and duration, and how must changed validation reality trigger bounded revalidation, renewal, restriction, suspension, or withdrawal of reliance?

Modules:

- VRESM — Validation Reliance Eligibility & Sufficiency Module
 - VRCAOCM — Validation Reliance Conditions, Authorization & Operational Control Module
 - VRMDCPM — Validation Reliance Monitoring, Dependency & Change Propagation Module
 - RSDVRM — Revalidation Scope, Delta & Validation Reuse Module
 - RERRCM — Revalidation Execution, Renewal & Reliance Continuity Module
-

VALIDOS® Architecture Summary

Parent Standards: 10 **Core Modules:** 50

Core Governed Validation Spaces

- Validation Object
 - Validation Purpose & Scope
 - Validation Criteria
 - Validation Method
 - Validation Evidence Fitness
 - Validation Source Reliability
 - Validation Execution
 - Validation Determination
 - Validation State Governance
 - Validation Reliance & Revalidation
-

VALIDOS® Navigation Layer

Core Questions Map

VOBS → What exactly is being validated, how must the Validation Object be identified and bounded, and how can its version, relationships, and fitness for validation remain governed throughout the validation lifecycle?

VPSS → Why is validation being performed, what must it cover, at what Validation Depth must it operate, where is it applicable, and which limitations must remain explicitly governed?

VCRS → Against which explicit, applicable, sufficiently formulated, threshold-bounded, and internally coherent criteria must the Validation Object be evaluated?

VMTS → Which validation method or combination of methods is eligible and suitable for the Validation Object, purpose, scope, criteria, consequence, and required Validation Depth, and when is that method ready for governed execution?

VEFS → Is the available validation evidence sufficiently relevant, applicable, comprehensive, adequate, and fit to support the intended validation determination?

VSRS → Are the sources producing or supporting validation evidence sufficiently identifiable, attributable, provenance-grounded, capable, independent where necessary, and reliable for the intended validation purpose?

VEXS → How must an authorized and ready validation method be instantiated, controlled, observed, traced, protected against unmanaged deviations and exceptions, and completed in conformity with its governed validation basis?

VDTS → What determination does the complete governed validation record legitimately support, how must individual criterion results be qualified and integrated, and how must conflict, uncertainty, partial satisfaction, and negative findings remain reflected in the overall determination?

VSGS → What Validation State may legitimately be assigned to the Validation Object, under which conditions does that state apply, how must material change affect it, and how must transitions, revalidation triggers, and lifecycle continuity remain governed?

VRRS → Who or what may legitimately rely upon the current Validation State, for which purpose, scope, conditions, authorization, consequence, and duration, and how must changed validation reality trigger bounded revalidation, renewal, restriction, suspension, or withdrawal of reliance?

Architectural Position

VALIDOS® governs the complete validation governance lifecycle.

The architecture progresses:

**Validation Object → Validation Purpose & Scope → Validation Criteria
→ Validation Method → Validation Evidence Fitness → Validation
Source Reliability → Validation Execution → Validation Determination
→ Validation State → Validation Reliance & Revalidation**

Together these standards govern **what is being validated, why and within which boundaries validation occurs, against which governed criteria the Validation Object is evaluated, which methods may legitimately perform that validation, what evidence is fit for the intended validation purpose, whether the sources supporting that evidence are sufficiently reliable, how validation is operationally executed, what determination the complete governed validation record supports, what Validation State may consequently exist, who or what may legitimately rely upon that state, and when changed validation reality requires revalidation.**

VALIDOS® therefore does not terminate when a Validation Determination is issued or a Validation State is assigned.

Its lifecycle becomes recursive when a Validation State enters

operational reliance:

**Validation Object → Purpose & Scope → Criteria → Method → Evidence
Fitness → Source Reliability → Execution → Determination →
Validation State → Reliance → Monitoring → Material Change →
Revalidation Trigger → Revalidation Scope & Delta → Validation Reuse
→ Revalidation Execution → New Determination → New Validation State
→ Renewed, Restricted, Suspended, or Withdrawn Reliance**

This recursive structure allows validation governance to remain responsive to changes in the Validation Object, validation purpose, scope, criteria, methods, evidence, sources, execution conditions, operational reality, dependencies, Validation State conditions, and intended reliance throughout the complete operational lifecycle.

Cross-Architecture Boundary

VALIDOS® ↔ GOA® GOA® governs **the architecture and constitutional conditions of governance itself**. VALIDOS® governs **the methodological lifecycle through which Validation Objects acquire, maintain, change, or lose governed validation status**.

VALIDOS® ↔ ORA® ORA® governs **what is actually occurring in Operational Reality**. VALIDOS® governs **whether a defined Validation Object can legitimately support a validation determination under governed validation conditions**.

VALIDOS® ↔ OBIDENITY® OBIDENITY® governs **origin, identity, ownership, authority, permission, provenance, transfer, and continuity**. VALIDOS® governs **validation-specific use of identified Validation Objects, sources, actors, evidence references, and governed validation records**.

VALIDOS® ↔ INTEGROS® INTEGROS® governs **integrity across governed objects, information, states, processes, and records**. VALIDOS® governs **whether the complete validation basis legitimately supports a Validation Determination, Validation State, and bounded reliance**.

VALIDOS® ↔ ADIT® ADIT® governs **evidential observation, preservation, verification, traceability, and auditability of what occurred**. VALIDOS® governs **the fitness and governed use of evidence within the validation lifecycle and the determination that the complete validation basis may support**.

VALIDOS® ↔ AGA® AGA® governs **authority, responsibility, accountability, attribution, escalation, and decision relationships**. VALIDOS® governs **validation methodology, execution, determination, state, reliance, and revalidation conditions without absorbing general accountability governance**.

VALIDOS® ↔ SIMULOS® SIMULOS® governs **the methodological conditions under which simulation and simulation-derived outputs acquire bounded meaning and evidential relevance.** VALIDOS® governs **whether simulation-derived evidence, together with the complete validation basis, sufficiently supports a Validation Determination and intended reliance.**

VALIDOS® ↔ AIG® / ASGA® AIG® and ASGA® govern **the behavior, authority, autonomy, constraints, permissions, and operation of actual AI and autonomous systems.** VALIDOS® may validate those systems, their states, claims, capabilities, outputs, or operational conditions without assuming governance of their actual behavior or autonomous authority.

VALIDOS® ↔ CLIA® / MGIA® CLIA® and MGIA® govern **cognition and memory where reasoning, interpretation, retained information, or historical continuity materially influence governed systems.** VALIDOS® governs **the validation lifecycle in which such cognition or memory may constitute part of the Validation Object, method, evidence, execution context, or reliance basis.**

Foundational Architecture Distinctions

Validation Object ≠ Validation Claim

Validation Object Identity ≠ Validation Object Validity

Validation Purpose ≠ Validation Outcome

Validation Scope ≠ Universal Applicability

Validation Depth ≠ Evidence Volume

Requirement ≠ Validation Criterion

Criterion ≠ Acceptance Threshold

Validation Method Eligibility ≠ Validation Method Suitability

Validation Method Readiness ≠ Validation Execution

Available Evidence ≠ Fit Validation Evidence

Evidence Relevance ≠ Evidence Adequacy

Evidence Volume ≠ Evidence Coverage

Evidence Fitness ≠ Source Reliability

Source Identity ≠ Source Reliability

Source Capability ≠ Source Independence

Validation Execution ≠ Validation Determination

Execution Completion ≠ Successful Validation

Criterion Determination ≠ Overall Validation Determination

Uncertainty ≠ Automatic Validation Failure

Validation Determination ≠ Validation State

Validation State ≠ Permanent Validity

Validation State Applicability ≠ Universal Reliance

Validation State ≠ Reliance Authorization

Reliance Eligibility ≠ Unlimited Reliance

Past Validation ≠ Continuing Validation

Material Change ≠ Automatic Invalidity

Revalidation ≠ Repetition of the Entire Original Validation

Validation Reuse ≠ Uncontrolled Inheritance of Previous Validation

Revalidation ≠ Failure of the Original Validation

Canonical Principle

VALIDOS® does not declare a Validation Object valid merely because validation activity occurred. VALIDOS® governs the methodological conditions under which a Validation Object is identified and bounded, validation purpose and scope are established, criteria and methods are governed, evidence fitness and source reliability are determined, validation is operationally executed, a defensible determination is formed, a bounded Validation State is assigned, reliance remains controlled, and material change triggers proportionate revalidation throughout the complete validation lifecycle.

Related Documents

→ [VALIDOS® Architecture Map](#)

→ [About VALIDOS® — Validation Governance Architecture](#)

→ [VALIDOS® Validation Governance Architecture — Validation Governance Layer](#)

→ [VALIDOS® — Four-Layer Validation Protocol®](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>