

Validation Execution Basis & Authorization Module (VEBAM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VALIDOS® — Validation Governance Architecture
Parent Standard: Validation Execution Standard (VEXS)
Operational Layer: Validation Execution Governance Layer
Category: AI & Interpretation
Subcategory: Validation Governance
Type: Parent Standard Module
Governed Space: Validation Execution Basis & Authorization
Version: 1.0
Status: Canonical · Open Module
Effective Date: 11 August 2026
Compatibility: OOF® Methodology OS™ · GOA™ · OBIDENITY® · INTEGROS®
· ORA™ · AGA™ · AIG® · CLIA® · MGIA™ · ASGA™ · RIS™
AI-Readable: Yes
Authority: OOF®
Protection: MIP® — Methodological Intellectual Property
Canonical Language: English (UCL™)

Governed Space

Validation Execution Basis & Authorization

Canonical Definition

Validation Execution Basis & Authorization Module (VEBAM) defines the governance framework for assembling, verifying, freezing, authorizing, and preserving the complete governed basis from which a specific Validation Execution may legitimately begin.

It establishes the conditions under which the outputs of preceding VALIDOS® governance stages become an identifiable, versioned, execution-ready, and authorized **Validation Execution Basis**.

Operational Role

VEBAM serves as the first internal governance space of the Validation Execution Standard.

The preceding VALIDOS® Parent Standards establish:

Validation Object

Validation Purpose & Scope

Validation Criteria

Validation Method

Validation Evidence Fitness and:

Validation Source Reliability

VEBAM asks:

**Are the required validation components sufficiently established,
mutually connected, current, and authorized for this specific
Validation Execution to begin?**

The governed progression is:

**Governed Validation Components → Execution Prerequisite Review →
Basis Assembly → Basis Consistency Check → Execution Instance
Definition → Authorization Assessment → Basis Freeze → Authorized
Validation Execution Basis**

VEBAM does not perform the validation.

It establishes the governed starting condition from which validation
may be performed.

Module Operational Space

VEBAM governs:

- Validation Execution Basis,
- execution prerequisites,
- execution readiness,
- execution authorization,
- execution instance identity,
- Validation Object reference,
- object-version reference,
- Validation Purpose reference,
- Validation Scope reference,
- Validation Depth reference,
- Validation Criteria references,
- Validation Method reference,
- Validation Evidence references,
- Validation Source references,
- Source Reliability conditions,
- execution-role requirements,
- resource readiness,
- instrument readiness,
- system readiness,
- environment prerequisites,
- authorization authority,
- authorization scope,
- authorization conditions,
- basis completeness,
- basis consistency,
- basis versioning,

- basis freeze,
- basis change,
- authorization change,
- authorization withdrawal,
- and execution-basis traceability.

Module Function

VEBAM applies immediately before operational validation execution begins.

Its function is to prevent:

- execution beginning against an undefined Validation Object,
- execution using the wrong object version,
- obsolete Validation Criteria being used,
- unapproved methods entering execution,
- Validation Scope remaining ambiguous,
- insufficient Validation Depth being silently accepted,
- unqualified evidence entering execution,
- Source Reliability conditions being lost,
- execution beginning before required prerequisites exist,
- incompatible validation components being assembled,
- execution roles remaining undefined,
- unavailable resources being assumed available,
- unauthorized validation activity being represented as governed validation,
- and the validation basis changing silently after execution begins.

Validation Execution Basis

The **Validation Execution Basis** is the governed collection of validation components upon which a specific execution instance depends.

It may contain:

- Validation Object reference,
- object version or state,
- Validation Purpose,
- Validation Scope,
- Validation Depth,
- applicable Validation Criteria,
- approved Validation Method,
- qualified Validation Evidence,
- Source Reliability information,
- source conditions,
- execution requirements,
- participant requirements,
- system requirements,
- instrument requirements,
- environmental requirements,
- execution controls,

- restrictions,
- and authorization conditions.

The Validation Execution Basis creates the methodological starting state for execution.

Execution Basis Is Not a Validation Plan

A Validation Execution Basis and a validation plan are related but not identical.

A plan may describe intended activities.

The Execution Basis establishes the governed methodological conditions that authorize those activities to begin.

VALIDOS® therefore distinguishes:

Execution Plan → What is intended to occur

from:

Validation Execution Basis → What governed validation structure permits execution to occur

A plan cannot override the governed Validation Execution Basis.

Execution Instance Identity

Each material Validation Execution should be sufficiently identifiable as a distinct execution instance.

An Execution Instance may be associated with:

- an identifier,
- Validation Object,
- object version,
- Validation Method version,
- execution date or period,
- responsible execution entity,
- environment,
- or another distinguishing attribute.

This allows multiple executions of the same Validation Object to remain distinguishable.

Object Reference

VEBAM requires the Execution Basis to identify the exact Validation Object against which execution is authorized.

The reference should remain connected to the object established under the Validation Object Standard.

Where object identity cannot be sufficiently established, execution should not silently proceed.

Object Version & State Reference

Where validation depends upon version, configuration, release, state, or temporal condition, the relevant object instance must be explicit.

VALIDOS® establishes:

Authorization to validate one object state does not automatically authorize validation of another materially different state.

Purpose Continuity

The Validation Purpose established earlier must remain connected to execution.

Execution activity should not silently drift toward a different purpose.

For example:

Validation authorized to determine:

functional performance

should not silently become validation of:

regulatory compliance

unless the required governance basis for that purpose has also been established.

Scope Continuity

The authorized Validation Scope establishes what execution may legitimately cover.

VEBAM therefore identifies:

- included scope,
 - excluded scope,
 - applicable boundaries,
 - temporal boundaries,
 - system boundaries,
 - population boundaries,
 - or other relevant limits.
-

This creates the baseline against which later execution deviations can be assessed.

Validation Depth Continuity

Validation Depth affects how extensively the Validation Object must be examined.

VEBAM ensures that the required depth remains attached to execution.

Execution should not silently substitute:

limited validation

for:

deep validation

while preserving the appearance of the original validation objective.

Criteria Set

The applicable Validation Criteria must be sufficiently established before execution begins.

VEBAM creates an identifiable criteria set connecting the Execution Basis to the criteria that execution is expected to evaluate.

The criteria set may include:

- mandatory criteria,
 - conditional criteria,
 - optional supporting criteria,
 - criterion priority,
 - criterion applicability,
 - or other governed relationships.
-

Criteria Version

Where Validation Criteria change over time, the applicable criteria version must remain explicit.

This prevents a later criteria revision from being incorrectly represented as the basis under which an earlier execution occurred.

Method Reference

The Validation Execution Basis must identify the approved Validation Method.

Where multiple methods exist, the exact:

- method,
- version,
- configuration,
- procedure,
- test protocol,
- analytical process,
- or other relevant methodological instance

should be sufficiently identifiable.

Method Eligibility Continuity

Where the Validation Method Standard established eligibility conditions, those conditions must remain satisfied when execution begins.

A method that was previously eligible may become inappropriate if:

- the Validation Object changes,
- the Validation Scope changes,
- evidence availability changes,
- environmental conditions change,
- or required systems become unavailable.

VEBAM therefore checks that the methodological basis remains current.

Validation Evidence Reference

Evidence intended for execution should remain connected to the evidence objects qualified under Validation Evidence Fitness governance.

The Execution Basis may identify:

- required evidence,
- supporting evidence,
- optional evidence,
- evidence versions,
- evidence limitations,
- evidence validity periods,
- and Evidence Fitness conditions.

This prevents unqualified evidence from entering execution without visibility.

Source Reliability Reference

Where evidence depends upon Validation Sources, VEBAM preserves the relevant Source Reliability conditions.

These may include:

- Source Reliability Status,
 - source-role restrictions,
 - required corroboration,
 - reliability limitations,
 - independence conditions,
 - source version,
 - source validity period,
 - or reassessment requirements.
-

Prerequisite Governance

Before execution begins, VEBAM determines whether material prerequisites have been sufficiently established.

Prerequisites may include:

- approved method,
 - qualified evidence,
 - reliable or conditionally reliable sources,
 - available instruments,
 - required systems,
 - required data,
 - competent participants,
 - required access,
 - environmental conditions,
 - authorization,
 - or another validation-specific requirement.
-

Prerequisite Status

A prerequisite may be classified as:

Satisfied

Conditionally Satisfied

Unsatisfied

or:

Undetermined

A critical Unsatisfied or Undetermined prerequisite may

prevent authorization.

Resource Readiness

Validation execution may require resources such as:

- personnel,
- compute,
- laboratories,
- testing environments,
- datasets,
- instruments,
- infrastructure,
- time,
- or external services.

VEBAM determines whether required resources are sufficiently available for the intended execution.

Resource availability does not itself establish methodological validity.

It establishes execution readiness.

Instrument Readiness

Where instruments materially affect validation, readiness may require:

- correct instrument identity,
- calibration,
- required configuration,
- operating range,
- maintenance status,
- software version,
- or another applicable condition.

An instrument that exists but is not ready should not be assumed execution-ready.

System Readiness

Validation may depend upon:

- software,
 - testing platforms,
 - AI systems,
 - simulation environments,
 - data pipelines,
 - monitoring systems,
-

- or infrastructure.

VEBAM may establish whether required systems are available in the correct state and configuration.

Environment Readiness

Some Validation Methods require defined environmental conditions.

These may include:

- physical conditions,
- network conditions,
- operational state,
- simulation settings,
- controlled access,
- geographic conditions,
- or another relevant environment.

VEBAM establishes whether the required environment is sufficiently available before execution begins.

Participant Readiness

Where human or machine participants perform material validation roles, VEBAM may establish:

- required role,
- identity,
- authority,
- competence requirement,
- availability,
- system permission,
- or another prerequisite.

Participant readiness does not replace Source Capability or accountability governance.

It ensures that required execution roles can actually be performed.

Basis Completeness

A Validation Execution Basis should contain sufficient information for execution to begin without relying upon material unstated assumptions.

Possible completeness conditions include:

Basis Complete

Basis Conditionally Complete

Basis Partially Complete

Basis Incomplete

Basis Completeness Undetermined

Completeness requirements should remain proportionate to validation consequence.

Basis Consistency

A complete basis may still contain contradictions.

VEBAM therefore assesses whether its components are materially consistent.

Examples of inconsistency include:

- criteria requiring evidence not available,
- method incompatible with object type,
- Validation Depth inconsistent with method capability,
- evidence version inconsistent with object version,
- Source Reliability restriction incompatible with intended source role,
- or scope broader than authorized execution capability.

Material inconsistencies must remain visible.

Basis Conflict

A **Basis Conflict** exists where two or more governed execution components impose materially incompatible requirements.

A conflict may require:

- correction,
- escalation,
- method revision,
- scope revision,
- evidence replacement,
- source reassessment,
- or another governance action.

Execution should not resolve material Basis Conflicts silently.

Execution Readiness

VEBAM may establish an Execution Readiness condition such as:

Execution Ready

All material prerequisites and basis requirements are sufficiently established.

Execution Conditionally Ready

Execution may proceed only under explicit conditions.

Execution Readiness Undetermined

Available information is insufficient to establish readiness.

Execution Not Ready

Material prerequisites remain unsatisfied.

Readiness does not itself authorize execution where separate authorization is required.

Execution Authorization

Execution Authorization establishes that a defined Validation Execution Instance may legitimately proceed under the approved Validation Execution Basis.

Authorization should identify, where applicable:

- authorization authority,
- authorized Validation Object,
- authorized scope,
- authorized method,
- applicable conditions,
- restrictions,
- effective period,
- and authorization status.

Authorization Authority

The entity granting authorization must possess sufficient authority for the relevant validation context.

Authority may derive from:

- governance structure,
- organizational role,
- contractual authority,
- regulatory authority,
- methodological governance,
- delegated authority,
- or another legitimate basis.

VEBAM does not create external legal authority.

It records and governs the authority relationship used to initiate validation execution.

Authorization Scope

Authorization should be bounded.

It may authorize:

- one Validation Object,
- one object version,
- one Validation Scope,
- one Validation Method,
- one execution environment,
- one execution period,
- or another defined set of conditions.

Authorization should not silently extend beyond its governed scope.

Conditional Authorization

Execution may be authorized subject to conditions.

Examples include:

- specific evidence must remain available,
- a source requires independent corroboration,
- execution must occur within a defined environment,
- a specified participant must be present,
- or a particular control must remain active.

Conditional authorization remains valid only while its material conditions remain satisfied.

Authorization Status

VEBAM may establish:

Authorized

Conditionally Authorized

Authorization Pending

Authorization Denied

Authorization Suspended

or:

Authorization Withdrawn

These statuses govern permission to execute.

They do not represent Validation State.

Basis Freeze

Immediately before execution begins, the material Validation Execution Basis should be sufficiently frozen or version-fixed.

A **Basis Freeze** establishes the exact governed configuration under which execution began.

This may include:

- object version,
- criteria version,
- method version,
- evidence set,
- source conditions,
- execution requirements,
- and authorization conditions.

Freeze does not prohibit change.

It makes subsequent change visible.

Why Basis Freeze Matters

Without a Basis Freeze, a validation process may change its methodological foundation during execution while later presenting the final configuration as if it had governed the complete process.

VEBAM prevents this.

VALIDOS® establishes:

Execution history must preserve the basis that actually governed execution at the time it occurred.

Basis Versioning

Materially different Execution Bases should remain distinguishable.

For example: **Execution Basis 1.0**

Execution Basis 1.1

Execution Basis 2.0

The versioning structure may vary by implementation.

The governance requirement is that material basis changes remain reconstructable.

Basis Change

After Basis Freeze, a material change may involve:

- Validation Object,
- scope,
- criteria,
- method,
- evidence,
- source,
- environment,
- participant,
- instrument,
- system,
- or authorization condition.

Such change becomes an execution-governance event.

Depending upon materiality, it may require:

- updated authorization,
- controlled deviation,
- new Basis version,
- execution restart,
- partial re-execution,
- or complete revalidation.

Authorization Change

Authorization may change because of:

- scope expansion,
- scope reduction,
- new authority,
- changed method,
- object change,
- source change,
- environmental change,
- or another material condition.

Authorization changes should remain historically traceable.

Authorization Suspension

Execution authorization may be temporarily suspended where a material condition arises that requires review.

Examples include:

- prerequisite failure,
- instrument issue,
- source reliability concern,
- unexpected object change,
- safety concern,
- or governance conflict.

Suspension does not automatically terminate the validation.

It pauses authorization until the relevant condition is resolved.

Authorization Withdrawal

Authorization may be withdrawn where the basis for legitimate execution no longer exists.

Withdrawal may require:

- stopping execution,
 - preserving existing records,
 - assessing already performed activities,
 - and determining whether reauthorization or new execution is necessary.
-

Unauthorized Execution

Validation activity performed without required authorization may still produce factual observations.

However, it should not automatically be represented as a governed VALIDOS® Validation Execution.

VALIDOS® therefore distinguishes:

Activity Occurred

from:

Governed Validation Execution Authorized

Authorization Does Not Guarantee Valid Execution

Authorization establishes permission to begin.

It does not prove that execution will later be:

- complete,
- conformant,
- correctly sequenced,
- deviation-free,
- or methodologically valid.

Therefore:

Authorized Execution ≠ Conformant Execution

Subsequent VEXS modules govern actual execution behavior.

Basis Traceability

VEBAM creates traceability between:

Validation Object → Purpose & Scope → Criteria → Method → Evidence → Sources → Execution Requirements → Authorization → Execution

Instance This becomes the baseline against which actual execution can later be compared.

Minimum Implementation Framework

1. Identify Validation Execution Instance

Create a distinguishable reference for the intended execution.

2. Assemble Validation Execution Basis

Connect the relevant:

- Validation Object,
- Purpose,
- Scope,
- Depth,
- Criteria,
- Method,
- Evidence,
- Sources,
- conditions,
- and restrictions.

3. Verify Prerequisites

Determine whether required execution prerequisites are satisfied.

4. Assess Basis Completeness

Determine whether the basis contains sufficient information for execution.

5. Assess Basis Consistency

Identify contradictions, incompatibilities, or Basis Conflicts.

6. Determine Execution Readiness

Establish whether execution is Ready, Conditionally Ready, Undetermined, or Not Ready.

7. Establish Execution Authorization

Determine whether the defined execution instance may legitimately begin.

8. Freeze and Version the Basis

Preserve the exact governed basis applicable at execution start.

9. Preserve Lifecycle Traceability

Maintain:

- Execution Instance reference,
- Validation Object reference,
- object version,
- Purpose,
- Scope,
- Depth,
- Criteria set,
- Method reference,
- Evidence references,
- Source Reliability references,
- prerequisites,
- readiness status,
- authorization,
- conditions,
- restrictions,
- Basis version,
- Basis Freeze,
- changes,
- suspensions,
- withdrawals,
- and sufficient lifecycle traceability.

Governance Outputs

VEBAM may produce:

- Validation Execution Instance Identifier,
- Validation Execution Basis,
- Validation Execution Basis Record,
- Execution Prerequisite Register,
- Execution Prerequisite Status,
- Execution Resource Readiness Record,
- Instrument Readiness Record,
- System Readiness Record,
- Environment Readiness Record,
- Participant Readiness Record,
- Basis Completeness Assessment,
- Basis Consistency Assessment,
- Basis Conflict Record,
- Execution Readiness Status,
- Validation Execution Authorization,
- Authorization Scope,
- Authorization Condition Record,
- Authorization Status,
- Validation Execution Basis Version,
- Basis Freeze Record,
- Basis Change Record,
- Authorization Change Record,
- Authorization Suspension Record,
- Authorization Withdrawal Record,
- and Execution Basis Traceability Record.

Use Case 1 — AI Model Validation

Scenario

An organization intends to validate a new AI model release.

The validation methodology has already been approved.

Application

VEBAM establishes that:

- the Validation Object is Model Version 4.2,
- the approved criteria apply to Version 4.2,
- the correct benchmark evidence is available,
- source-reliability conditions remain current,
- the required testing environment is ready,
- and the approved method version is identifiable.

The complete basis is frozen as Execution Basis 1.0 and authorized.

Result

Validation begins against a reconstructable methodological baseline

rather than a loosely defined testing plan.

Use Case 2 — Industrial Equipment Validation

Scenario

A validation is scheduled for an industrial component.

The required measurement instrument exists, but its calibration expired before execution.

Application

VEBAM identifies the calibration requirement as an unsatisfied execution prerequisite.

Result

The validation remains:

Execution Not Ready

until the instrument condition is resolved.

The existence of the instrument is not mistaken for instrument readiness.

Use Case 3 — Healthcare Validation

Scenario

A healthcare validation has an approved method, qualified evidence, and competent participants.

However, one critical evidence source has become subject to a newly identified Source Reliability restriction requiring independent corroboration.

Application

VEBAM propagates the new source condition into the Execution Basis.

Result

Execution may become:

Conditionally Ready

and:

Conditionally Authorized

subject to the required corroboration.

The earlier source assessment is not silently treated as permanently valid.

Architectural Position

Validation Execution Basis & Authorization is the first internal governance space of the **Validation Execution Standard (VEXS)**.

It establishes the transition:

Governed Validation Design → Authorized Validation Execution Basis

The next execution-governance stage can then ask:

How is that authorized basis instantiated into actual validation activity against the Validation Object under real execution conditions?

The VEXS internal progression therefore begins:

**Execution Basis & Authorization → Execution Instantiation & Control
→ Execution Observation & Traceability → Deviation & Exception
Governance → Execution Completeness & Conformity**

Foundational Principle

Validation execution should not begin until the basis governing what may be executed is identifiable, internally coherent, sufficiently ready, and appropriately authorized.

Canonical Closing Statement

Validation Execution Basis & Authorization Module establishes the governed starting condition for operational validation within **VALIDOS®** by transforming previously established Validation Object, Purpose, Scope, Criteria, Method, Evidence, and Source Reliability information into an identifiable, consistent, versioned, execution-ready, and authorized Validation Execution Basis. Through prerequisite governance, readiness assessment, authorization, basis freezing, version control, change governance, and lifecycle traceability, **VEBAM** ensures that validation execution begins from a reconstructable methodological foundation rather than from procedural assumption, incomplete preparation, or undefined authority.

Parent Resources

[→ VALIDOS® Validation Governance Architecture — Validation Governance Layer](#)

[→ VALIDOS® Architecture Map](#)

[→ VALIDOS® Complete Standards & Modules Index](#)

Internal Module Flow

[→ Next module: Validation Execution Instantiation & Control Module \(VEICM\)](#)

Related Documents

[→ Validation Execution Standard](#)

[→ About Validation Execution Standard](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>