

Validation Material Change & State Monitoring Module (VMCSMM)

Architecture Ecosystem: Structured Reality Standards™
Architecture Family: VALIDOS® — Validation Governance Architecture
Parent Standard: Validation State Governance Standard (VSGS)
Operational Layer: Validation State Governance Layer
Category: AI & Interpretation
Subcategory: Validation Governance
Type: Parent Standard Module
Governed Space: Validation Material Change & State Monitoring
Version: 1.0
Status: Canonical · Open Module
Effective Date: 12 August 2026
Compatibility: OOF® Methodology OS™ · GOA™ · OBIDENITY® · INTEGROS®
· ORA™ · AGA™ · AIG® · CLIA® · MGIA™ · ASGA™ · RIS™
AI-Readable: Yes
Authority: OOF®
Protection: MIP® — Methodological Intellectual Property
Canonical Language: English (UCL™)

Governed Space

Validation Material Change & State Monitoring

Canonical Definition

Validation Material Change & State Monitoring Module (VMCSMM)

defines the governance framework for continuously or periodically observing the Validation Object and its validation-relevant context, detecting changes capable of affecting the applicability of an active Validation State, assessing the materiality and cumulative significance of those changes, and determining whether the existing validation basis remains representative of current operational reality.

It establishes the change-detection and state-surveillance layer required to prevent an active Validation State from remaining current after the object, conditions, dependencies, evidence, risk, or environment supporting that state have materially changed.

Operational Role

VMCSMM serves as the third internal governance space of the Validation State Governance Standard.

The preceding modules establish:

VSAEM — Which Validation State may legitimately be assigned?

VSCAM — Where, when, and under which conditions does that state apply?

VMCSMM asks:

Has anything changed that could materially affect whether the current Validation State remains justified?

The governed progression is:

Active Validation State → Monitoring Baseline → Change Signal Detection → Change Identification → Validation Relevance Assessment → Materiality Assessment → Cumulative Change Assessment → State Impact Signal → State Reassessment Readiness VMCSMM does not itself perform the final State Transition.

It creates the governed change intelligence required for later transition and revalidation decisions.

Module Operational Space

VMCSMM governs:

- Validation State monitoring,
- validation-relevant monitoring,
- object-change detection,
- configuration-change detection,
- version-change detection,
- environment-change detection,
- dependency-change detection,
- control-change detection,
- oversight-change detection,
- population-change detection,
- scope-change detection,
- use-case change detection,
- evidence-change detection,
- source-change detection,
- risk-change detection,
- regulatory-context change signals,
- incident signals,
- anomaly signals,
- drift detection,
- cumulative change,
- material change,
- critical change,
- change uncertainty,
- change verification,
- validation equivalence signals,
- state-impact assessment,
- and state-monitoring traceability.

Module Function

VMCSMM applies while a Validation State remains active, conditional, partial, suspended, or otherwise subject to lifecycle governance.

Its function is to prevent:

- a Validation State remaining active after the object has materially changed,
- silent model updates preserving old validation claims,
- configuration drift escaping validation governance,
- dependency changes being ignored,
- new evidence failing to affect current state,
- newly unreliable sources remaining embedded in validation confidence,
- operating-environment expansion going unnoticed,
- cumulative minor changes remaining invisible,
- repeated incidents being treated as unrelated,
- and historical validation continuing to represent an operational reality that no longer exists.

Monitoring Baseline

Effective state monitoring requires a reference against which change can be detected.

VMCSMM therefore establishes a **Validation Monitoring Baseline**.

The baseline may include:

- Validation Object identity,
- object version,
- validated configuration,
- validated functionality,
- Validation State,
- State Applicability Profile,
- operating environment,
- population,
- dependencies,
- required controls,
- oversight model,
- evidence basis references,
- source conditions,
- risk context,
- and state validity conditions.

The baseline represents the validation-relevant reality against which subsequent change is compared.

Monitoring Is Relative to Validation Meaning

VMCSMM does not require monitoring every possible object characteristic.

It monitors what could materially affect the validation basis.

Therefore:

Operational Change ≠ Automatically Validation-Relevant Change

The change must be assessed relative to:

- Validation Purpose,
 - applicable criteria,
 - validated scope,
 - determination conditions,
 - State Applicability Profile,
 - and intended state representation.
-

Validation-Relevant Change

A **Validation-Relevant Change** is a change reasonably capable of affecting:

- criterion satisfaction,
 - determination applicability,
 - State Applicability,
 - Validation Depth relevance,
 - evidence adequacy,
 - source reliability,
 - operating conditions,
 - or another element supporting the current Validation State.
-

Object Change

Object Change may include:

- architecture change,
 - model-weight change,
 - retraining,
 - software update,
 - hardware change,
 - component replacement,
 - data-schema change,
 - process change,
 - autonomous capability change,
 - behavior change,
 - identity change,
 - or another material modification.
-

Version Change

Version change creates a validation question but not an automatic conclusion.

VALIDOS® establishes:

Version Change ≠ Automatic Revalidation

and:

Version Change ≠ Automatic Validation Continuity

VMCSMM detects the change.

Materiality governance determines what it means.

Configuration Change

A Validation Object may remain nominally the same while its configuration changes materially.

Examples include:

- feature activation,
- safety-control removal,
- permission change,
- autonomy-level change,
- model parameter change,
- system-prompt change,
- memory configuration change,
- external-tool enablement,
- or network topology change.

Configuration can therefore be as important as version.

Capability Change

A system may acquire or lose capabilities without a complete identity change.

Capability change may include:

- expanded autonomy,
- new tool access,
- new data access,
- new output modality,
- increased decision authority,
- increased operational scale,
- or newly disabled functionality.

Capability expansion may materially invalidate assumptions

underlying an earlier validation.

Behavioral Change

Observed system behavior may change even where formal versioning does not.

This is especially relevant to:

- adaptive AI,
- learning systems,
- operational systems exposed to evolving environments,
- dynamic user populations,
- and autonomous systems.

Behavioral change may therefore become an independent validation signal.

Environment Change

The Validation Object may remain unchanged while its environment changes.

Relevant environmental change may involve:

- deployment location,
- network conditions,
- cyber-threat environment,
- operating load,
- temperature,
- infrastructure,
- user population,
- language environment,
- legal context,
- or surrounding systems.

Validation applicability depends upon the relationship between object and environment.

Population Change

Where validation applies to a defined population, material population change may include:

- new age groups,
- new regions,
- new languages,
- new user categories,
- different prevalence,
- changed demographic composition,

- or different operational users.

A change in who the system serves may affect current validation applicability even if the system itself is unchanged.

Scope Change

Operational use may expand beyond the original validated scope.

Examples include:

- new function,
- new use case,
- new decision type,
- new jurisdiction,
- new autonomy level,
- or broader deployment.

VMCSMM detects scope expansion as a potential material-change signal.

Dependency Change

A validated system may depend upon components outside its direct control.

Dependency change may include:

- API update,
- external model update,
- cloud-provider change,
- database change,
- identity-provider change,
- sensor replacement,
- third-party service change,
- or infrastructure migration.

Dependencies can materially alter validation reality.

Dependency Version Drift

A dependency may update repeatedly while the primary Validation Object retains the same version.

VMCSMM therefore permits dependency-specific change tracking.

Control Change

A current Validation State may depend upon controls such as:

- human review,
- monitoring,
- filtering,
- rate limiting,
- access control,
- emergency override,
- sandboxing,
- or safety interlocks.

Control removal, weakening, bypass, or degradation may materially affect State Applicability.

Oversight Change

A system validated under one oversight model may later operate under another.

Examples include:

Human-in-the-loop → Human-on-the-loop

or:

Human-on-the-loop → Fully Autonomous

Such changes may be highly material even if core software remains unchanged.

Evidence Change

New evidence may affect the legitimacy of the current Validation State.

Evidence change may include:

- new operational data,
- new failure evidence,
- new benchmark results,
- new adverse event,
- new performance evidence,
- new long-term data,
- or new independent testing.

New evidence can strengthen or weaken current validation applicability.

Source Change

A source relied upon in validation may later change status.

Examples include:

- source compromise,
- retraction,
- newly discovered conflict,
- loss of calibration,
- ownership change,
- methodology change,
- source version change,
- or provenance correction.

A Source Reliability change can propagate into Validation State governance.

Incident Signal

An incident may create evidence that the current Validation State no longer fully represents operational reality.

Incidents may include:

- safety failure,
- security breach,
- unexpected autonomous action,
- critical misclassification,
- infrastructure failure,
- regulatory event,
- or serious operational anomaly.

An incident does not automatically invalidate the object.

It creates a change and reassessment signal.

Anomaly Signal

An anomaly may indicate emerging validation drift before a formal incident occurs.

Examples include:

- performance degradation,
 - increasing error rate,
 - unexplained behavior,
 - unusual distribution shift,
 - repeated edge-case failures,
 - or control instability.
-

Validation Drift

Validation Drift is the progressive divergence between the current Validation Object or operating reality and the conditions under which the current Validation State was established.

Drift may occur through:

- model drift,
- data drift,
- behavioral drift,
- environmental drift,
- dependency drift,
- configuration drift,
- population drift,
- or cumulative operational change.

State Drift

State Drift occurs where the current formal Validation State remains unchanged while the validation-relevant reality supporting that state progressively moves away from the validated baseline.

This is a governance gap signal.

Minor Change

A Minor Change affects the Validation Object or its context but does not reasonably threaten the current Validation State when assessed individually.

Minor does not mean irrelevant.

Repeated minor changes may accumulate.

Material Change

A **Material Change** is a change capable of affecting whether the current Validation State remains legitimately applicable.

Possible effects include:

- changed criterion applicability,
- changed method applicability,
- changed evidence needs,
- changed source needs,
- changed scope,
- changed operational risk,
- changed State Applicability,
- or changed revalidation requirements.

Critical Validation-Relevant Change

A Critical Change is a material change capable of immediately undermining the validation basis for a critical domain.

Examples may include:

- removal of a critical safety control,
- substantial autonomy expansion,
- major model replacement,
- compromised critical evidence,
- severe source failure,
- or architecture change affecting previously validated behavior.

Critical change may justify immediate escalation to State Transition governance.

Change Materiality

VMCSMM may classify detected changes as:

Immaterial Change

No material effect on current Validation State is reasonably expected.

Minor Validation-Relevant Change

Validation relevance exists, but current state may remain applicable subject to recording or limited review.

Material Change

Current state applicability requires formal reassessment.

Critical Validation-Relevant Change

Immediate state restriction, suspension, or revalidation consideration may be required.

Materiality Undetermined

Available information is insufficient to classify the change.

Change Materiality Is Contextual

The same technical modification may have different significance in different validation contexts.

For example:

A display-text update may be immaterial to performance validation but material to accessibility validation.

Materiality must therefore be assessed relative to the governed validation basis.

Cumulative Change

VALIDOS® establishes:

A sequence of individually minor changes may become materially significant in aggregate.

VMCSMM therefore assesses not only isolated events but also cumulative change.

Cumulative Change Register

A Cumulative Change Register may track:

- change type,
 - frequency,
 - affected domain,
 - cumulative scope,
 - repeated dependencies,
 - time period,
 - interaction effects,
 - and emerging materiality.
-

Change Interaction

Two changes may be individually minor but materially significant together.

For example:

- slight model update,
- new dataset,
- and expanded autonomy

may collectively create a system materially different from the validated object.

Change Threshold

Where appropriate, a validation architecture may define material-change thresholds.

These may concern:

- percentage of system components changed,
- model version class,
- configuration delta,
- autonomy level,
- performance shift,
- population shift,
- incident severity,
- or cumulative change score.

Thresholds should remain methodological rather than arbitrary.

Qualitative Materiality

Not all material change can be measured numerically.

A single qualitative change may be decisive.

For example:

Human Override Removed

may be more material than hundreds of minor software changes.

Change Verification

A detected change signal should be verified where material before it is treated as definitive.

Verification may use:

- system records,
 - version metadata,
 - configuration comparison,
 - operational logs,
 - human review,
 - external evidence,
 - or another governed source.
-

Change Signal vs Confirmed Change

VALIDOS® distinguishes: **Change Signal**

from:

Confirmed Validation-Relevant Change

A signal may trigger investigation.

Confirmation establishes that the relevant change actually occurred.

Change Uncertainty

Where change cannot be fully established, VMCSMM preserves uncertainty.

Possible conditions include:

Change Confirmed

Change Likely

Change Possible

Change Undetermined

or:

No Material Change Identified

where useful.

State Monitoring

Validation State Monitoring observes whether the object and its supporting conditions continue to correspond to the Validation Monitoring Baseline.

Monitoring may be:

- continuous,
 - periodic,
 - event-triggered,
 - risk-triggered,
 - incident-triggered,
 - change-triggered,
 - or hybrid.
-

Monitoring Intensity

Monitoring intensity should remain proportionate to:

- Validation Depth,
 - object dynamism,
 - update frequency,
 - autonomy,
 - consequence,
 - operating scale,
 - uncertainty,
 - and expected rate of environmental change.
-

A static physical object may need infrequent monitoring.

An adaptive autonomous AI system may require substantially stronger monitoring.

Continuous Monitoring

Continuous monitoring may be appropriate where validation-relevant conditions can change rapidly.

Possible monitored signals include:

- version,
 - configuration,
 - model behavior,
 - operating environment,
 - control state,
 - dependency state,
 - autonomy level,
 - performance drift,
 - incident occurrence,
 - and expiration status.
-

Periodic Monitoring

Periodic monitoring may be appropriate where changes occur more slowly.

Possible intervals should be governed according to object and risk characteristics rather than arbitrary convenience.

Event-Triggered Monitoring

Defined events may automatically trigger state review.

Examples include:

- deployment to new environment,
 - model update,
 - major configuration change,
 - incident,
 - source retraction,
 - new regulation,
 - or autonomy expansion.
-

Risk-Triggered Monitoring

Higher-risk Validation Objects may require stronger monitoring sensitivity.

RIS™ may provide complementary risk information affecting monitoring requirements.

Monitoring Blind Spot

A **Monitoring Blind Spot** exists where a validation-relevant domain capable of materially affecting state is not sufficiently observable.

Examples include:

- hidden dependency update,
- undocumented model change,
- inaccessible third-party system,
- unlogged configuration changes,
- or unmonitored user population shift.

Blind spots should remain explicit.

Monitoring Coverage

Monitoring Coverage asks whether validation-relevant change dimensions are sufficiently observable.

Coverage may be:

Monitoring Coverage Sufficient

Conditionally Sufficient

Partial

Insufficient

or:

Undetermined

Insufficient coverage can itself affect confidence in state continuity.

Monitoring Freshness

State-monitoring information may become outdated.

VMCSMM therefore considers whether monitoring data is sufficiently current to support the current state assessment.

Monitoring Signal Quality

Monitoring signals may vary in reliability.

A signal may be:

- directly observed,
- system-generated,
- externally reported,
- inferred,
- delayed,
- or uncertain.

Signal quality should affect how aggressively state governance responds.

Material Change Assessment

A formal Material Change Assessment should identify:

- what changed,
 - when it changed,
 - what validation domain is affected,
 - whether scope changed,
 - whether criterion applicability changed,
 - whether State Applicability changed,
 - whether determination applicability changed,
 - whether object equivalence remains plausible,
 - whether immediate state action is required,
 - and whether revalidation consideration is necessary.
-

Validation Equivalence Signal

VMCSMM may generate an early Validation Equivalence signal such as:

Equivalence Likely Maintained

Equivalence Requires Assessment

Equivalence Materially Questioned

or:

Equivalence Likely Lost

The definitive equivalence and transition decision belongs to later VSGS governance.

State Impact Signal

A detected change may generate a formal **Validation State Impact Signal**.

Possible signals include:

No State Impact Identified

The change appears immaterial to current Validation State.

State Review Recommended

A validation-relevant change exists but does not yet justify transition.

State Reassessment Required

Material change requires formal state reassessment.

State Restriction Signal

Applicability may need temporary narrowing.

State Suspension Signal

Critical uncertainty or change may justify temporary suspension.

Revalidation Signal

Existing validation basis may no longer sufficiently represent current reality.

These are governance signals, not final state transitions.

Immediate State Risk Signal

Certain critical changes may justify immediate protective state governance before full analysis.

For example:

- critical source compromise,
- removal of mandatory safety control,
- major autonomous capability expansion,
- or severe incident.

VMCSMM may issue an immediate State Suspension Signal for consideration by the transition layer.

Monitoring Does Not Determine Final State

This boundary is important.

VMCSMM identifies and assesses validation-relevant change.

It does not itself decide:

Validated → Suspended

or:

Validated → Revalidation Required

Those transitions belong to the next VSGS module.

Monitoring Does Not Equal Revalidation

Likewise:

Monitoring Signal ≠ New Validation Determination

Monitoring can detect that the basis may need reassessment.

Only governed revalidation can establish a new validation conclusion where required.

Change Traceability

Every material detected change should remain connected to:

- Validation Object,
 - active Validation State,
 - baseline condition,
 - changed condition,
 - time,
 - evidence,
 - source,
 - affected scope,
 - affected criterion domain,
 - materiality,
 - and resulting State Impact Signal.
-

Historical Change Preservation

Later correction of a change assessment should not erase the original record.

VALIDOS® preserves:

Signal → Initial Assessment → Verification → Final Materiality Assessment

This supports auditability.

Automated Change Detection

Machine-readable Validation States and applicability profiles may permit automated detection of:

- version mismatch,
 - configuration drift,
 - dependency change,
 - control loss,
 - scope expansion,
 - expiration,
 - or environment boundary exceedance.
-

AI-Assisted Change Assessment

AI may assist with:

- configuration comparison,
- change summarization,
- dependency mapping,
- impact hypothesis generation,
- incident clustering,
- cumulative change detection,
- drift analysis,
- and state-impact triage.

AI assistance must not independently redefine validation materiality without governed criteria.

Human Change Assessment

Human expertise may be necessary where:

- change is qualitative,
- contextual interpretation matters,
- system behavior is complex,
- or causal significance is uncertain.

Human assessment should remain traceable to the governed Validation State and baseline.

Change Review Frequency

An implementation may establish change-review intervals based upon:

- object criticality,
 - update rate,
 - autonomy,
-

- incident profile,
 - environmental volatility,
 - or other governance variables.
-

State Monitoring Record

A formal State Monitoring Record may preserve:

- Validation State Identifier,
 - Validation Object,
 - Monitoring Baseline,
 - monitored dimensions,
 - monitoring method,
 - monitoring frequency,
 - monitoring coverage,
 - monitoring blind spots,
 - observed change signals,
 - verified changes,
 - cumulative change,
 - materiality assessments,
 - State Impact Signals,
 - monitoring time,
 - and sufficient traceability.
-

Minimum Implementation Framework

1. Establish Validation Monitoring Baseline

Define the validation-relevant state of the object and its context.

2. Identify Monitoring Dimensions

Determine which object, environment, configuration, dependency, control, evidence, source, population, and risk variables may affect Validation State.

3. Establish Monitoring Mode

Define whether monitoring is:

- continuous,
- periodic,
- event-triggered,
- risk-triggered,
- or hybrid.

4. Detect Change Signals

Identify differences from the Validation Monitoring Baseline.

5. Verify Material Signals

Confirm relevant changes where possible.

6. Assess Validation Relevance

Determine whether the change can affect current Validation State or applicability.

7. Assess Materiality

Classify change as:

- Immaterial,
- Minor Validation-Relevant,
- Material,
- Critical,
- or Materiality Undetermined.

8. Assess Cumulative Change

Evaluate whether repeated or interacting changes collectively become material.

9. Generate State Impact Signal

Determine whether:

- no action,
- review,
- reassessment,
- restriction,
- suspension consideration,
- or revalidation consideration

is appropriate.

10. Preserve Monitoring & Change Traceability

Maintain:

- baseline,
- change signal,
- verification,
- affected validation dimensions,
- materiality,
- cumulative effects,
- uncertainty,
- impact signal,
- monitoring status,
- versions,

- and sufficient lifecycle continuity.

Governance Outputs

VMCSMM may produce:

- Validation Monitoring Baseline,
- Validation State Monitoring Plan,
- Validation State Monitoring Record,
- Monitoring Dimension Register,
- Monitoring Coverage Assessment,
- Monitoring Blind Spot Record,
- Monitoring Freshness Assessment,
- Change Signal Register,
- Confirmed Change Record,
- Object Change Record,
- Version Change Record,
- Configuration Change Record,
- Capability Change Record,
- Behavioral Change Record,
- Environment Change Record,
- Population Change Record,
- Scope Change Record,
- Dependency Change Record,
- Control Change Record,
- Oversight Change Record,
- Evidence Change Record,
- Source Change Record,
- Incident Signal Record,
- Anomaly Signal Record,
- Validation Drift Record,
- State Drift Record,
- Validation Change Materiality Assessment,
- Cumulative Change Register,
- Change Interaction Record,
- Critical Validation-Relevant Change Record,
- Validation Equivalence Signal,
- Validation State Impact Signal,
- State Reassessment Required Signal,
- State Restriction Signal,
- State Suspension Signal,
- Revalidation Signal,
- and Material Change Traceability Record.

Use Case 1 — Continually Updated AI Model

Scenario

An AI service retains the same product name, but the provider continuously updates model weights, system instructions, retrieval sources, and tool permissions.

Application

VMCSMM compares current operational conditions against the Validation Monitoring Baseline.

Each isolated update may initially appear minor.

However, cumulative monitoring identifies substantial divergence from the validated configuration.

Result

The module generates:

Material Change

and:

State Reassessment Required

rather than allowing the original Validation State to remain current solely because the product name did not change.

Use Case 2 — Healthcare AI

Scenario

A diagnostic AI remains technically unchanged, but the hospital begins deploying it across a substantially different patient population.

Application

VMCSMM identifies Population Change and compares the new population with the validated applicability profile.

Result

A material validation-relevant change signal is generated even though the AI model itself has not changed.

The state can then be reassessed for the expanded population.

Use Case 3 — Industrial Autonomous System

Scenario

An industrial autonomous system remains on the same software version.

Over six months, several small changes are made to sensors, network infrastructure, operating load, and operator oversight.

Application

Each change was previously classified as minor.

VMCSMM performs cumulative change assessment.

Result

The combined operational system is now materially different from the original validated baseline.

A **Revalidation Signal** is generated for subsequent lifecycle governance.

Architectural Position

Validation Material Change & State Monitoring is the third internal governance space of the **Validation State Governance Standard (VSGS)**.

The progression now becomes:

State Assignment & Eligibility → State Conditions & Applicability → Material Change & State Monitoring

VSAEM establishes:

Which state may the object hold?

VSCAM establishes:

Where and under which conditions does that state apply?

VMCSMM establishes:

What has changed, whether that change matters to validation, and whether the existing state may need reassessment?

The next VSGS governance stage can then ask:

Given the detected change, applicability loss, expiration, conflict, or uncertainty, should the Validation State remain, restrict, suspend, expire, invalidate, or enter Revalidation Required?

The VSGS progression therefore continues:

State Assignment & Eligibility → State Conditions & Applicability → Material Change & State Monitoring → State Transition & Revalidation Triggering → State Continuity & Lifecycle Record

Foundational Principle

A Validation State can remain current only while material change is visible enough to determine whether the reality supporting that

state still exists.

Canonical Closing Statement

Validation Material Change & State Monitoring Module establishes the change-intelligence layer of Validation State Governance within VALIDOS® by governing monitoring baselines, object and configuration change, capability and behavioral change, environment and population change, dependency and control change, evidence and source change, incidents, anomalies, drift, cumulative change, materiality, uncertainty, monitoring coverage, validation-equivalence signals, and State Impact Signals. VMCSMM ensures that active Validation States cannot persist merely because no formal revalidation has yet occurred and creates the governed surveillance structure required to identify when the Validation Object or its operational reality has moved far enough from the validated baseline to require reassessment, restriction, suspension, or revalidation consideration.

Parent Resources

→ [VALIDOS® Validation Governance Architecture — Validation Governance Layer](#)

→ [VALIDOS® Architecture Map](#)

→ [VALIDOS® Complete Standards & Modules Index](#)

Internal Module Flow

→ [Previous module: Validation State Conditions & Applicability Module \(VSCAM\)](#)

→ [Next module: Validation State Transition & Revalidation Trigger Module \(VSTRM\)](#)

Related Documents

→ [Validation State Governance Standard](#)

→ [About Validation State Governance Standard](#)

OOF® MIP® Protection Notice

OOF® · Protected under MIP® — Methodological Intellectual Property

Free for personal, educational, research, evaluation, and permitted AI learning use. Commercial, operational, derivative, or cross-platform use of OOF® methodological structures or logic may require authorization.

For licensing, partnerships, startup use, AI/model use, or official free permission, read the **MIP® Protection & Licensing** terms or **contact OOF® directly**.

Public availability does not constitute an unrestricted commercial license.

Active Protection & Compatibility Detection applies.

Canonical Source

<https://originopenfoundation.org/>