

TECHNICAL SCOPE

Module 01 — Trade Client Easy Order App

Booran Motor Group · Parts / Trade Counter · Good Showroom

Status: Working proof of concept (simulation), scoped here for Phase 1 production.

Demo: musical-brioche-467bad.netlify.app → /trade-order

Field	Value
Prepared for	Booran Motor Group — Parts / Group aftersales
Prepared by	OmniSuiteAI Pty Ltd — Good Showroom
Module	01 of 04 — Trade Client Easy Order App
Department	Parts · Trade counter
Network source	booran.com.au/dealerships, retrieved 30 August 2026
Primary metric	Majority of inbound trade enquiry calls moved to self-service. 62% is the working ambition until live logs confirm it.
PoC posture	Simulation only. Not connected to live systems.
Phase 1 intent	Linked directly to existing Pentana plus OEM and grey-market partner platforms, and to PartsCheck for inbound smash-repair quote requests. Trade partners order themselves in the Booran-branded app. Repairer RFQs arriving in PartsCheck are quoted back automatically from the same stock and price engine. Accelerates trade fulfilment and keeps workload off the parts team.

1. Purpose

Phase 1 — Trade Client Easy Order App. Linked directly to Booran's existing Pentana system plus OEM and grey-market parts partner platforms. Trade partners can request information or order parts themselves through a clean, Booran-branded interface. This accelerates fulfilment for trade accounts while keeping the workload off the parts team.

The counter stops answering “have you got one of these?” and stops keying PartsCheck quote-backs by hand. It handles only exceptions: stockouts, special-order lines, credit holds, fitment flags, and inter-branch transfers that need a person.

Group principals and each store manager get a dashboard on the same event stream so they can watch trade parts sales, fulfilment, PartsCheck quote-back performance and exceptions without sitting on the queue.

This document turns the working proof of concept at /trade-order into that Phase 1 production module. Trial at one precinct first (recommended: Dandenong), then roll across the published network.

2. Problem this module solves

Trade phone volume is the dominant cost on the parts counter. Across Booran's published network the same pattern repeats at every parts desk: partners call to ask whether a part is on the shelf, what their trade price is, and when it will be ready.

Trade account counts, year-to-date spend and implied counter hours are not stated in this scope. Those figures live in each rooftop's Pentana instance and will be extracted and verified in Phase 0. The proof of concept used placeholder account volumes only to demonstrate the operating picture.

Trial target, once baselines are pulled from Pentana and the parts hunt-group: displace a majority of inbound trade enquiry calls into self-service, measured from call logs versus app order counts. The proof of concept modelled 62% as the working ambition. That percentage is confirmed against live call data at kickoff, not treated as a contractual number until then.

3. In scope and out of scope

3.1 In scope — Module 01 only

- Phase 1 delivery of the Trade Client Easy Order App: a clean, Booran-branded partner interface linked directly to existing Pentana plus OEM and grey-market partner platforms.
- Partners request information or place the order themselves. Parts staff are not in the path unless the order is an exception.
- Authenticated trade partner portal (web, mobile-responsive). PWA is optional in Phase 2.
- Multi-precinct scoping from the published Booran network. Switching site re-scopes stock, pricing, pick location and the local account list loaded from that site's Pentana.
- Parts search by part number, keyword, franchise and vehicle fitment.
- Federated availability: own-branch Pentana stock first, then sister-branch stock, then OEM genuine portals, then nominated grey-market and aftermarket partners.
- Account-specific trade price, discount, payment terms and year-to-date spend on every line — values read from Pentana, not hardcoded.
- Basket, submit order, and counter queue states: New, Awaiting pick, Picking, Exception, Complete.
- Parts-controller console: live queue, exception reasons, pick confirmation.
- Session and audit trail of search, resolve and basket events.
- C-suite / group management dashboard across the published network.
- Location / store-manager dashboards scoped to one precinct or one brand desk.
- Trial instrumentation against a displacement metric confirmed in Phase 0 from live call logs.
- Read-path integration for Pentana and OEM/partner feeds. Write-back to the DMS is confirmed per site before it is committed.
- PartsCheck automated quote-back: inbound smash-repair RFQs are priced from the same Pentana / OEM / grey engine and written back to PartsCheck by the requested deadline, with a controller only on exceptions.
- PartsCheck accept-to-order: when the repairer converts the quote in PartsCheck, raise a Module 01 trade order so pick and reporting stay in one queue.

3.2 Out of scope

- Module 02 Pre-Service Booking Upsell SMS.
- Module 03 Damage and Condition Acceptance.

- Module 04 Live Pre-Owned Inventory Monitoring.
- Retail (non-trade) e-commerce storefront.
- Customer-facing finance, service booking, or showroom configurators.
- Replacing Pentana, Infomedia, or OEM dealer portals. This module sits in front of them.
- Full warehouse WMS, cycle counting, or bin-level warehouse robotics.
- Live write-back into Pentana until capability is confirmed per rooftop.
- Replacing PartsCheck or the repairer's estimating package. Module 01 is a supplier on that network, not a competitor to it.
- Publishing a group-wide trade account count before each Pentana instance has been verified.

4. Users and access

Role	Who	What they do
Trade partner	Workshops and fleet. Identity and pricing come from the home site's Pentana account record.	Sign in, search, compare sources, add lines at their trade price, submit, track pick status.
Parts controller	Counter staff at the selected rooftop.	Watch the queue, pick, raise exceptions, override source, take leftover phone calls.
Store / parts manager	Precinct or brand desk manager.	Own-site dashboard: queue, pick times, exceptions, trade sales, source mix, allow-list.
C-suite / group ops	Group principals and aftersales leadership.	Network dashboard: trade sales, fulfilment, exceptions, displacement, feed health, precinct comparison.
Group admin	OmniSuiteAI and Booran IT.	Rooftop register, franchise map, login, feed health.
Smash repairer (via PartsCheck)	Panel shops sending RFQs through PartsCheck from Crashzone, FlexiQuote, iBodyShop, Quotimation, FoxQuote, VQS or Car Quote.	Do not use the Booran app. They receive an automated quote-back in PartsCheck by the requested deadline, then order through PartsCheck.

Proof of concept session used a simulated account only to show the workspace. Production replaces that with real identity (email plus TOTP, or the existing trade-account PIN — decided at kickoff). One login maps to one trade account from the verified Pentana book.

5. Functional scope

5.1 Site and franchise register

The live register below is taken from booran.com.au/dealerships (retrieved 30 August 2026). It replaces the proof-of-concept placeholder rooftop counts. Trade account volumes are omitted until each precinct's Pentana instance is verified in Phase 0.

The website lists sales, service and parts as separate rows for some brands. This scope treats a unique street address as a site and a unique brand at a suburb as a franchise. Head office at 25 Lonsdale Street is the group node, not a selling franchise.

Precinct	Published addresses	Brands on booran.com.au
Dandenong	25, 33, 37, 38, 41 and 55 Lonsdale St, VIC 3175	Hyundai, Kia, MG, Mitsubishi, Nissan, Suzuki, Chery, GWM, GAC, Omoda Jaecoo, GMSV (svc/parts), Holden service
Cheltenham / Southland	1178, 1190 and 1212 Nepean Hwy, VIC 3192	Skoda, Kia, Isuzu UTE, Chery, GMSV, Holden service
Cranbourne	180, 200, 209, 215 and 217A Sth Gippsland Hwy, VIC 3977	Hyundai, Kia, MG, Chery, Geely, Holden service
Berwick	34 Kangan Dr, VIC 3806	Hyundai, MG, Chery
South Morang / Mill Park	2A Oleander Dr, 8 Wealthiland Dr, 545 McDonalds Rd, VIC 3082	Hyundai, Kia, Chery, BYD
Frankston	88 Dandenong Rd W, VIC 3199	Chery
Wonthaggi	342 and 346 Bass Hwy, VIC 3995	Kia, Toyota, Holden service
Leongatha	1 and 13 Hughes St, VIC 3953	Ford, Kia, Toyota
Ballarat	413 Mair St, Ballarat Central VIC 3350	BYD

Network shape used in this scope: 9 precincts and 24 published street addresses, with the brand set above. Homepage copy names Dandenong, Cheltenham, Cranbourne, Berwick and South Morang as the core metro story. The dealerships directory also publishes Frankston, Wonthaggi, Leongatha and Ballarat, so those precincts sit on the register and switch on when their Pentana instance is confirmed.

Module 01 honours the selected precinct for stock priority, pick location and the local account book. Account lists themselves are loaded from that precinct's Pentana — not from this document.

5.2 Authentication and account panel

- Trade partner authenticates against a trade account record read from Pentana: id, legal name, primary contact, terms, discount, year-to-date spend, home site.
- Account panel stays visible in the order workspace.
- Terms and year-to-date figures are the values held against the trade account in that site's Pentana.
- Credit hold or overdue flag blocks Submit and routes the basket to Exception.
- Failed login lockout, session timeout, and an audit event on every authentication.

5.3 Parts search

- Single enquiry box. Accepts OEM part number, keyword, and optional franchise or vehicle filter.
- Empty state: "No parts match that enquiry."
- Result list shows part number, description, franchise, fitment, category.

- Selecting a part opens source resolution (section 5.4).

Catalogue shape already exercised in the proof of concept (illustrative only — not the production catalogue):

Part no.	Description	Franchise	Fitment	Category
58101-D3A00	Front Brake Pad Kit	Hyundai	Tucson TL 2.0 GDi 2016-2020	Brake
26300-35505	Engine Oil Filter Cartridge	Kia	Sportage NQ5 / Seltos SP2 1.6T	Filter
8-98155-116-1	Front Brake Rotor (pair)	Isuzu UTE	D-MAX RG 3.0 DDi 2020-	Brake
10466945	Cabin Air Filter	Holden	Colorado RG / Trailblazer 2012- 2020	Filter
10241-ACA0A	Timing Chain Kit	Nissan	Navara D23 YS23DDTT	Engine
1K0-615-301-AA	Front Brake Disc (single)	Skoda	Octavia NX / Kamiq NW 2020-	Brake

5.4 Federated source resolution

On resolve, the partner sees every legitimate route to the part in one table: own-branch stock first, then sister branch, then aftermarket and parallel-import options where the genuine line is unavailable or uncompetitive. They choose. Booran keeps margin visibility and the sale.

Each source row carries supplier name and kind (OEM, BRANCH, AFTERMARKET or GREY), list and trade price, units on hand, ETA, location or bin, and a preferred flag when group rules nominate that source.

Worked example from the proof of concept — Kia 26300-35505 Engine Oil Filter Cartridge at Dandenong:

Supplier	Kind	List	Trade	Stock	ETA
Kia Genuine — Dandenong	OEM	\$24.90	\$17.93	48	Same day — counter
Kia Genuine — Cranbourne	OEM	\$24.90	\$17.93	31	Same day — 15:30 run

Business rules: own-rooftop OEM is default when on-hand covers the quantity; sister-branch OEM implies an inter-branch transfer; grey/parallel import is allow-listed per account and franchise; zero-stock OEM still appears with portal ETA; margin is server-side — partners never see cost.

5.5 Basket and submit

- Add line: part, source, quantity, trade unit price, extended, ETA, pick location.
- Edit quantity, remove line, or change source without leaving the basket.

- Order header: trade account, delivering rooftop, requested ready-by, partner reference, collect versus delivery.
- Submit creates a trade order id and an immutable snapshot of prices.
- Submit is blocked on credit hold, missing account, or any line with no viable source.
- Confirmation screen: order id, line count, trade total, promised pick window.

5.6 Parts-controller console

Queue state as the parts controller would see it on arrival. States: New, Awaiting pick, Picking, Ready / Complete, or Exception.

- Exception reasons: credit, stock variance versus Pentana, empty bin, price override needed, restricted grey line, fitment mismatch.
- Controller can re-source a line, split a backorder, or call the partner back.
- KPI strip on the console: orders with no counter contact, average order-to-pick, queue depth, exception rate.

5.7 Activity and audit stream

Every partner session writes a time-stamped stream: authentication, search, source resolve, basket add, submit, pick, exception, override. Production retains this stream for 24 months for dispute, margin audit, dashboards and the trial measurement pack.

5.8 What the counter stops doing

- Answering “have you got one of these” when the part is on the shelf or on a connected feed.
- Looking up the account’s trade price by hand.
- Reading back ETA from an OEM portal while the partner waits on the phone.
- Taking a verbal order that then has to be re-keyed.

What the counter still does: exceptions, special orders that need a buyer, damaged-in-bin, account queries that touch credit, and anything the partner marks as “call me”.

5.9 Management dashboards

Phase 1 includes two dashboard layers so leadership can watch trade parts sales without sitting on the counter queue. Both layers read from the same order, exception and feed events as the partner app. Neither invents account or sales figures — they display what Pentana and the app have already posted.

- PartsCheck inbox / quote-back console (controller view of RFQs, SLA clock, auto vs exception).

C-suite / group dashboard (network view)

- Trade order count and trade sales value today / week / month / YTD, group and by precinct.
- Orders with no counter contact versus orders that needed an exception — the displacement picture.
- Average order-to-pick time, exception rate, and cancelled or abandoned baskets.
- Source mix: own-branch OEM, sister-branch transfer, OEM portal special order, aftermarket, grey.
- Feed health: Pentana read, each OEM adapter, each grey/aftermarket partner. Red means that source is stale.

- Precinct comparison so group can see which desks are converting self-serve and which are still on the phone.
- Access: group principals, aftersales director, group parts. No partner-identifiable detail required on this layer unless drilled into.

Location / store-manager dashboard (one precinct or one brand desk)

- Live queue depth and state mix for that site only.
- Trade sales value and line count for the shift, day and month.
- Pick performance versus the promised ETA on each line.
- Exception list with reason codes, aging, and who owns the call-back.
- Top trade accounts by order count and value — populated only after that site's Pentana account book is verified.
- Lost-sale / no-source searches (partner looked, nothing buyable) so the manager can fix ranging.
- OEM versus grey mix for that desk, against the allow-list the manager controls.
- Access: store manager and parts controller for that precinct. They do not see other precincts' account-level detail.

Both dashboards are Booran-branded, work on desktop and phone, and export a weekly pack (PDF / CSV) for the Monday aftersales meeting. Later modules can hang service upsell, condition acceptance and used-car turns on the same shells. Module 01 only ships the trade-parts measures above.

5.10 PartsCheck automated quote-back

Smash repairers do not ring the counter and they do not log into the trade app. They raise a parts list in their estimating package (Crashzone, FlexiQuote, iBodyShop, Quotimation, FoxQuote, VQS, Car Quote and others PartsCheck already connects to), push it to PartsCheck, pick Booran as a supplier, and set a quote-back-by time. Today a controller opens that RFQ in the PartsCheck supplier inbox, looks the lines up in Pentana and the OEM portal, and types the quote back by hand. Phase 1 automates that loop.

Inbound RFQ (from PartsCheck)

- Vehicle identity: VIN, rego, make, model, year, paint code where supplied.
- Part lines: description, OEM number if present, quantity, requested type (OEM, aftermarket, used, reconditioned).
- Photos and estimator notes attached to the job.
- Requested quote-back-by timestamp.
- Repairer account mapping: match the PartsCheck buyer to a Booran trade account in the local Pentana book. If no match, hold as Exception — new account — do not auto-quote.

Quote-back engine (same Module 01 resolver as the trade app)

- Each line is resolved against own-branch Pentana stock first, then sister-branch, then OEM portal, then the sanctioned grey / aftermarket list — honouring the part type the repairer asked for.
- Trade price is the matched account's Pentana price, not list.
- Response per line: part number (including supersession), trade price, qty available, ETA, source kind, and a short note if fitment is uncertain.
- Lines that cannot be resolved cleanly (no VIN, ambiguous panel, no stock and no portal ETA, credit hold, restricted grey line) are not guessed. They stay on the controller exception queue with the SLA clock still visible.

- The composed quote is written back to PartsCheck before the requested deadline. The activity stream records PARTSCHECK RFQ IN, RESOLVE, QUOTE BACK, and any EXCEPTION.

Order that follows the quote

- When the repairer accepts lines in PartsCheck, Module 01 raises a TradeOrder in the same queue as an app order, tagged source = PartsCheck, so pick, exception and dashboard maths stay in one place.
- Receipt and credit events from PartsCheck, where exposed, update that order. Until the PartsCheck write surface is confirmed, the controller confirms the Pentana invoice from the same ticket.

What this is not

- It does not replace PartsCheck, and it does not ask the repairer to leave their estimating package.
- It does not auto-quote used or reconditioned lines unless Booran has a sanctioned source for that type. Default auto-quote is OEM plus allow-listed aftermarket.
- It does not invent a price when Pentana and the OEM portal are both silent.

C-suite and store-manager dashboards also show PartsCheck.

- Group dashboard tiles: inbound PartsCheck RFQs, on-time quote-back %, RFQs that needed a controller, PartsCheck-won order value, average minutes from RFQ in to quote back.
- Store-manager tiles: live PartsCheck inbox SLA (minutes remaining on each open RFQ), auto-quoted versus exception split, won / lost after quote-back.

6. Integrations

Proof of concept touch list for Module 01: Pentana (read), OEM parts portals, grey-market partners.

System	Direction	Data	Notes
Pentana DMS	Read first; write later	On-hand by rooftop and bin, part master, trade account master, open PO / transfer	Account book verified per instance in Phase 0. Sales-order write confirmed per site before go-live.
OEM dealer portals	Read	Supersession, list price, genuine availability, ETA	Covers the franchises at the trial rooftop. Non-API portals use a supervised adapter.
Aftermarket / grey partners	Read; optional punch-out	Stock, trade net, ETA	Allow-listed per franchise. Grey lines never show on genuine-only accounts.
Identity	Read / write	Login, TOTP, session	No shared counter passwords.
SMS / email	Write	Order received, ready for collect, exception	ACMA Sender ID compliant. Separate from Module 02.
Group rooftop register	Read	Site and franchise list from the published network	Shared with Modules 02-04 so a site switch re-scopes every module.

Dashboards	Read	Orders, exceptions, feeds, pick timestamps	Same event stream as the app. No second set of numbers.
PartsCheck	Read RFQ; write quote-back; accept order	Inbound quote request (VIN, vehicle, part lines, photos, supplier type, quote-back-by). Outbound priced lines, availability, ETA, part numbers, notes. Subsequent order / receipt / credit events.	Supplier-side integration. Phase 0 confirms PartsCheck partner API / supplier feed versus supervised portal adapter. Same price and stock engine as the trade app. No double keying.

Provenance rule from the proof of concept: where a module would ideally write back into the DMS, we confirm that capability per site before committing. Phase 1 ships a complete read path and a controller-assisted write path. Unattended Pentana write is a gated Phase 2 item.

7. Screens and data

7.1 Screens

- Group overview with Open Module 01 leading to /trade-order.
- Trade partner workspace: search, results, source table, basket, account card, submit.
- Order confirmation and history for the partner.
- Controller queue, pick and exception.
- C-suite / group dashboard (network).
- Location / store-manager dashboard (one precinct or brand desk).
- Parts manager: accounts (from Pentana), source rules, feed health.
- Simulation banner retained in any non-production environment.

7.2 Core entities

- Rooftop, Franchise, TradeAccount, User, Session.
- Part, Supersession, SourceOffer.
- Basket, TradeOrder, TradeOrderLine, OrderState, Exception.
- AuditEvent, FeedHealth, MetricSnapshot, DashboardTile.

8. Non-functional requirements

- Australian hosting. Data residency in Australia. Privacy Act 1988. Trade account data is commercial-in-confidence.
- Search plus resolve in under 2.5 seconds at the 95th percentile when feeds are healthy.
- Mobile-responsive down to 390px. Controller console and dashboards designed for desk and phone.
- Role-based access. A partner cannot see other accounts. A store manager sees only their precinct. C-suite sees network aggregates.
- Price snapshot at submit is immutable.
- Audit: who searched, which source was chosen, who picked, who overrode.
- Trial availability target: 99.5%, excluding planned OEM-portal outages.
- The current demo is not a live connection. Production cutover is a discrete environment.

9. Trial design and success metrics

Recommended first rooftop: Dandenong precinct (Lonsdale Street cluster). Highest published brand density on booran.com.au. Pilot account list and call-volume baseline are pulled from that precinct's Pentana instance and hunt-group logs in Phase 0 — they are not taken from this document or from the proof-of-concept placeholders.

Metric	Baseline	Trial target
Inbound trade enquiry calls	Counted from Dandenong hunt-group / call logs in Phase 0	Majority displaced on enrolled accounts; 62% is the working ambition until logs confirm it
Trade account book	Verified from that site's Pentana — not published here	15-25 pilot accounts enrolled
Orders with no counter contact	0% today (phone-first)	At least 55% of enrolled-account orders
Average order to pick	Not instrumented	Captured; target agreed with the store manager in week 1
Exception rate	n/a	Under 12% of submitted orders
Feed resolve success	Simulated four-source resolve in the PoC	At least 95% of searches return one buyable source
Manager dashboard adoption	None	Store manager opens the site dashboard daily; group pack issued weekly
PartsCheck quote-back on time	Counted from Dandenong PartsCheck supplier inbox in Phase 0 (manual today)	At least 90% of inbound RFQs quoted back before the repairer's requested deadline, without a controller touching the ticket

Measurement: call-log tags or hunt-group counts versus app order counts, weekly, for the trial period. Do not use “hours saved” or “trade accounts on book” as a contractual KPI until those numbers have been read out of Pentana and signed off by the site parts manager.

10. Delivery phases

Phase 0 — Discovery (1-2 weeks)

- Confirm Pentana read surfaces at Dandenong: stock, bins, and the live trade account book (counts, terms, YTD, holds). Account numbers are verified here — they are not assumed from the PoC.
- Pull 4 weeks of parts hunt-group / inbound trade call logs to set the displacement baseline.
- Confirm which OEM portals are in daily use on the counter and which grey partners are sanctioned.
- Select 15-25 pilot accounts from the verified Pentana book (mix of high year-to-date fleet and small independent).
- Decide identity method and whether collect-only is enough for the trial.
- Agree the C-suite tile set and the store-manager tile set for the Monday pack.

- Confirm Booran's existing PartsCheck supplier accounts per trial precinct, preferred-repairer lists, and whether a supplier API exists or the adapter must sit on the supplier portal.
- Pull 4 weeks of PartsCheck RFQ volume, quote-back times and win rate at Dandenong to set the on-time baseline.

Phase 1 — Trade Client Easy Order App (4-6 weeks, one precinct)

Linked directly to the existing Pentana system plus OEM and grey-market parts partner platforms. Trade partners request information or order parts themselves through a clean, Booran-branded interface. Fulfilment for trade accounts accelerates. Workload stays off the parts team.

- Replace the simulated catalogue and accounts with live Pentana reads at the trial rooftop.
- Adapter coverage for the OEM portals and sanctioned grey-market / aftermarket partners actually used on that counter — not a new buying stack.
- Ship the Booran-branded partner workspace: search, multi-source resolve, account pricing, basket, submit.
- Ship the controller queue, exception handling and audit stream. Counter path is exceptions only.
- Ship the C-suite group dashboard and the Dandenong store-manager dashboard on the same event stream.
- Stand up the PartsCheck inbound listener and automated quote-back writer on the same resolver as the partner app. SLA clock visible on the controller queue.
- Map PartsCheck buyers to verified Pentana trade accounts. Unmapped buyers never auto-quote.
- Add PartsCheck tiles to the C-suite and Dandenong store-manager dashboards (inbound RFQs, on-time %, won value).
- Controller-assisted Pentana write in Phase 1: the order is real in the app; the controller (or an approved overnight import) lands it in Pentana until unattended write-back is confirmed for that site.
- ACMA-compliant ready and exception notifications to the partner. Separate from Module 02 customer SMS.

Phase 2 — Write-back and group roll-out

- Unattended Pentana sales-order write, subject to the per-site capability confirmation.
- Sister-branch transfer automation.
- PWA / saved login for workshop foremen.
- Switch on remaining precincts from the published register once each Pentana instance is verified.
- Store-manager dashboard lights up per precinct as that site goes live. Group dashboard gains each precinct automatically.

11. Assumptions and dependencies

- Booran nominates a parts sponsor at Dandenong and provides a counter subject-matter expert for source-rule decisions.
- Trade account records in each precinct's Pentana instance are unique and have a usable email or mobile for invite. Counts and YTD are taken from that instance, not from this scope.
- OEM portal credentials can be issued or delegated for adapter use under Booran's dealer agreements.

- Grey-market display is a commercial policy decision, not a technical one. The module hides those rows until the policy is on.
- The current demo is a contained proof of concept. Nothing in it is a live price, a live stock figure, a live account count, or a live order.
- Booran already holds PartsCheck supplier accounts at the trial precinct, or will authorise OmniSuiteAI to connect them under Booran's existing PartsCheck terms.
- Modules 02-04 are specified separately. Shared platform concerns (rooftop register, auth, hosting, design system, dashboard shell) are reused, not re-sold.

12. Open questions for kickoff

- Is Dandenong the trial rooftop, or does Parts want Cheltenham (different franchise mix, Isuzu and Skoda) instead?
- Collect-only for Phase 1, or do we need van-run / Saturday cut-off in the first release?
- Which grey partners are sanctioned at group level versus rooftop level?
- Can Pentana emit on-hand and account master as a supported export or API, or does the adapter go through the existing terminal session?
- Do pilot accounts keep their existing phone channel in parallel for the whole trial, or is there an app-first expectation after week 3?
- Who owns price-override authority on the controller console — any controller, or manager only?
- Which C-suite tiles are mandatory in week 1 versus nice-to-have after the trial?
- Which PartsCheck supplier logins cover Dandenong today, and is there a group PartsCheck commercial agreement we can extend?
- Do we auto-quote aftermarket and grey on PartsCheck RFQs, or OEM-only until the parts manager signs the allow-list?
- What is the default quote-back SLA if the repairer does not set one — 60 minutes in trade hours?

13. Reference

- Working proof of concept: <https://musical-brioche-467bad.netlify.app>
- Module 01 route: /trade-order — Trade Client Easy Order App.
- Published dealership register: <https://www.booran.com.au/dealerships> (retrieved 30 August 2026).
- Platform: Good Showroom, delivered by OmniSuiteAI Pty Ltd for Booran Motor Group aftersales, parts and pre-owned operations.

This scope describes Module 01 only. It is written so it can be attached to a trial proposal or a statement of work without further translation.