
Alpine iLX-507A
EG100208 Harness
Installation Guide


Emotion in Mobility

Mitsubishi
Triton MR GLX
2019 > 2023
Manual Heater & AC Control Vehicles




This install manual will give you a clear understanding about the installation of this harness.
To ensure correct installation, please read this manual carefully before starting the installation.

Required Tools & Parts




Small Flat Head Screwdriver or Pick Tool




EG100208 Replacement Harness

Installation Process




1 Place the EG100148 Assembly on a soft work surface. Use a small flat-head screwdriver or pick tool through the bracket openings to carefully depress the connector locking tabs. Work free both connectors from the CAN interface module underneath the chassis bracket.

Installation Process



Rear View of Unit

2 Disconnect the three connectors from the locations on the rear of the unit highlighted above. Remove the entire cloth-taped main harness part from the head unit assembly. Ensure that no other interconnects are removed.



3 Using the EG100208 Harness, reconnect the three connectors on the rear of the unit first, then the two connectors above on the CAN interface module. Refer back to the main installation guide (EG100162) to proceed with the installation of the reworked EG100148 Assembly.



Emotion in Mobility

ALPINE ELECTRONICS OF AUSTRALIA PTY. LIMITED
161–165 PRINCES HIGHWAY HALLAM VICTORIA 3803